

BESALIGHTING

2018/19 PRODUCT CATALOG

LIGHT IS FOR SEEING

ILLUMINATION ENRICHES YOUR LIFE



120V PENDANTS

120V MULTI LIGHT.....9-11
PENDANTS 120V.....12-75



12V MINI PENDANTS

12V MULTI LIGHT.....76-77
MINI PENDANTS 12V.....78-115



RAIL & SPOTLIGHTS

SPOTLIGHTS 12V.....116-122
12V CANOPIES.....123
MONORAIL.....124-129

BESALIGHTING

PRODUCT FINDER

PRODUCT FINDER.....2-8



CEILING

FLUSH MOUNTS..... 130-155
SEMI-FLUSH MOUNTS..... 156-165



WALL

INTERIOR SCONCES..... 166-193
SWING ARMS..... 194-197
VANITY & MINI SCONCES..... 198-233



OUTDOOR

METALWORKS..... 235-240
EXTERIOR SCONCES..... 241-252



BUILD A 120V MULTI LIGHT PENDANT
Pgs. 10-11



ALINA 12
Cable • Stem
2 decors
Pg. 30



ALLY 8 / 12
Cord • Cable • Stem
3 decors
Pg. 22



BANA 11 / 15
Cable • Stem
4 decors
Pg. 48



BENITO
Cord
1 decor
Pg. 13



BENJI
Cord
6 decors
Pg. 20



BLINK
Cord • Stem
4 decors
Pg. 14



BLOOM 12
Cord
3 decors
Pg. 23



BOLLA
Cord • Stem
11 decors
Pg. 75



BOMBAY
Cord • Stem
3 decors
Pg. 47



BRAVO
Cord • Stem
2 decors
Pg. 16



BRIO 14
Cord • Cable • Stem
2 decors
Pg. 31



CAMINO
Cord • Stem
5 decors
Pg. 71



CHRISSY
Cord
5 decors
Pg. 68



CIERRO
Cord • Cable • Stem
6 decors
Pg. 71



COCO 8 / 10 / 12 / 14
Cord • Stem
3 decors
Pg. 58



COPA
Cord • Stem
7 decors
Pg. 70



CRUISE
Cord • Stem
3 decors
Pg. 47



DANO
Cord
4 decors
Pg. 21



ESA
Cord • Stem
3 decors
Pg. 19



EUKA
Cord
3 decors
Pg. 66



GALA
Cord
3 decors
Pg. 45



GORDY
Cord
2 decors
Pg. 43



JILLY
Cord • Stem
3 decors
Pg. 17



JORDO
Cord • Stem
1 decor
Pg. 55



JULI
Cord • Cable • Stem
5 decors
Pg. 67



JUNI 10 / 16
Cord • Stem
6 decors
Pg. 28



KIEV
Cord • Cable • Stem
3 decors
Pg. 25



KIRK 6 / 12
Cord • Stem
1 decor
Pg. 33



KRISTALL 8
Cord • Cable • Stem
4 decors
Pg. 53



LAYLA
Cord • Stem
3 decors
Pg. 18



LINDY
Cord
5 decors
Pg. 44



LITHIUM 8 / 12
Cable • Stem
5 decors
Pg. 29



LOTUS
Cord • Stem
2 decors
Pg. 43



LUCIA
Cord • Cable • Stem
7 decors
Pg. 75



LUNA
Cord • Cable • Stem
3 decors
Pg. 55



MANA
Cord • Stem
4 decors
Pg. 34



MANTA 13 / 18
Cable
1 decor
Pg. 62



MILO 4
Cord
5 decor
Pg. 46



MIRA
Cord • Stem
4 decors
Pg. 49

NILES 10
Cord • Stem
8 decors
Pg. 27

OLIN
Cord • Stem
4 decors
Pg. 49

OMEGA 12
Cord • Stem
5 decors
Pg. 36

PAHU 8 / 12 / 16
Cable • Stem
5 decors
Pg. 58-59

PAPE 10 / 12
Cord • Cable • Stem
3 decors
Pg. 54

PERA 9
Cord • Cable • Stem
11 decors
Pg. 73

PHANTOM 6
Cord • Stem
3 decors
Pg. 39

PICA 9
Cord • Cable • Stem
4 decors
Pg. 50

PINOT 9 / 13 / 18
Cord
3 decors
Pg. 37

PINTA 10 / 12
Cord • Cable • Stem
1 decor
Pg. 51

PLATO
Cord • Stem
4 decors
Pg. 35

POGO
Cable • Stem
4 decors
Pg. 57

RENFRO 16 / 20
Cable
2 decors
Pg. 62

RIVA 9
Cord • Stem
5 decors
Pg. 69

ROCKY
Cord • Stem
3 decors
Pg. 24

SASHA
Cord • Stem
11 decors
Pg. 74

SOLO
Rope
Pg. 40

SOPHI 14 / 18
Cable
3 decors
Pg. 63

SPEZZA 7
Cord • Stem
2 decors
Pgs. 44

SPIRIT 8 / 10
Cord • Stem
3 decors
Pgs. 38

STILO 7
Cord • Stem
11 decors
Pg. 72

STILO 10
Cord • Cable • Stem
7 decors
Pg. 72

STILO 12 / 16 / 18
Cord • Cable • Stem
2 decors
Pg. 65

120V PENDANTS



SULTANA
Cord
3 decors
Pg. 41



SULU
Cord • Stem
4 decors
Pg. 15



SUZI 14 / 18
Cord • Cable • Stem
2 decors
Pg. 64



TAMBURO 8 / 16
Cable • Stem
10 decors
Pgs. 60-61



TAO 10
Cord • Cable • Stem
5 decors
Pg. 69



TESSA
Cord • Cable • Stem
5 decors
Pg. 68



TRILO 15
Cord • Stem
4 decors
Pg. 70



TU TU
Cord • Stem
8 decors
Pg. 73



TUNE
Cord • Stem
2 decors
Pg. 42



VENUS
Cord • Stem
1 decor
Pg. 32



VILA
Cord • Cable • Stem
10 decors
Pg. 74



WAVE 10
Cord • Cable • Stem
3 decors
Pg. 52



ZEN
Cord
5 decors
Pg. 26

12V MINI PENDANTS



BUILD A 12V MULTI LIGHT PENDANT
Pgs. 76-77



BOCA 3 / 5
Quick-Connect • Fixed
4 decors
Pg. 79



BOTELLA 10 / 12
Quick-Connect • Fixed
6 decors
Pg. 99



BRELLA
Quick-Connect
Fixed • Adjustable
7 decors
Pg. 112



BRIO 7
Quick-Connect • Fixed
2 decors
Pg. 97



CREED
Quick-Connect • Fixed
2 decors
Pg. 83



DIVI
Quick-Connect • Fixed
5 decors
Pg. 106



DOMI
Quick-Connect
Fixed • Adjustable
8 decors
Pg. 112



EVE
Quick-Connect • Fixed
3 decors
Pg. 94



FELIX
Fixed
2 decors
Pg. 85



FLOWER
Fixed
10 decors - customizable
Pg. 96



FOCUS
Quick-Connect • Fixed
4 decors
Pg. 105



GLIDE
Quick-Connect • Fixed
3 decors
Pg. 87



GROOVE
Quick-Connect
Fixed • Adjustable
1 decor
Pg. 91



HOPPI
Quick-Connect
Fixed • Adjustable
4 decors
Pg. 108



JADE
Quick-Connect • Fixed
4 decors
Pg. 95



JODI
Quick-Connect
Fixed • Adjustable
1 decor
Pg. 106



JULIETTE
Quick-Connect • Fixed
5 decors
Pg. 110



KANI
Quick-Connect
Fixed • Adjustable
4 decors
Pg. 108



KARLI
Quick-Connect
Fixed • Adjustable
8 decors
Pg. 114



KIBA
Quick-Connect • Fixed
6 decors
Pg. 81



KONA
Quick-Connect
Fixed • Adjustable
7 decors
Pg. 113



KRISTALL 6
Quick-Connect
Fixed • Adjustable
4 decors
Pg. 103



LASSO
Quick-Connect
Fixed • Adjustable
3 decors
Pg. 102



MIA
Quick-Connect
Fixed • Adjustable
9 decors
Pg. 113



MODUS
Quick-Connect • Fixed
3 decors
Pg. 86



NICO 4
Quick-Connect
Fixed • Adjustable
6 decors
Pg. 107

PAHU 4
Quick-Connect • Fixed
5 decors
Pg. 100

PALLA 5
Quick-Connect • Fixed •
Adjustable
4 decors
Pg. 111

PERA 6
Quick-Connect • Fixed
12 decors
Pg. 115

PERI
Quick-Connect • Fixed •
Adjustable
5 decors
Pg. 109

PERSIA
Fixed
2 decors
Pg. 85

PICA 6
Quick-Connect • Fixed
5 decors
Pg. 98

PIVOT
Fixed
3 decors
Pg. 93

POGO
Quick-Connect • Fixed
4 decors
Pg. 90

PRINCE
Fixed
2 decors
Pg. 82

RONDO
Fixed
2 decors
Pg. 84

SCOPE
Quick-Connect • Fixed
5 decors
Pg. 104

SKIP
Quick-Connect • Fixed
3 decors
Pg. 87

SPAZIO
Quick-Connect
Fixed • Adjustable
5 decors
Pg. 80

SPRITE
Quick-Connect • Fixed
3 decors
Pg. 111

SPUR
Quick-Connect • Fixed
5 decors
Pg. 80

12V MINI PENDANTS



SPUTNIK
Fixed
1 decor
Pg. 97



SWIRL
Quick-Connect
Fixed • Adjustable
1 decor
Pg. 107



TAY TAY
Quick-Connect
Fixed • Adjustable
12 decors
Pg. 114



TERRA
Fixed
1 decor
Pg. 91



TIMO 6
Quick-Connect • Fixed
4 decors
Pg. 89



TRILO 7
Quick-Connect
Fixed • Adjustable
4 decors
Pg. 109



VIBE 8
Quick-Connect • Fixed
2 decors
Pg. 88



WANDA 12
Fixed
6 decors
Pg. 92



WILLOW
Fixed
1 decor - customizable
Pg. 101



ZUMI
Quick-Connect • Fixed
2 decors
Pg. 110

12V SPOTLIGHTS



ANDI
Quick-Connect
7 decors
Pg. 122



CANTO 3
Quick-Connect
5 decors
Pg. 121



DIVI
Quick-Connect
4 decors
Pg. 119



DIVI METAL
Quick-Connect
5 decors
Pg. 118



MOJO
Quick-Connect
2 decors
Pg. 117



NICO 3
Quick-Connect
4 decors
Pg. 120



PALLA 3
Quick-Connect
5 decors
Pg. 121



SCOPE
Quick-Connect
5 decors
Pg. 117



TAMMI 3
Quick-Connect
5 decors
Pg. 122



TIPSTER
Quick-Connect
Pg. 119



12V QUICK CONNECT CANOPIES
Pgs. 123

MONORAIL



RAIL SECTIONS & HARDWARE
Rail Sizes: 4Ft, 8Ft
Connectors: Live • Isolating • Live "L"
End Caps
Pg. 126



SUPPORTS
Standoffs: Rigid
Adjustable Cable Support
Pg. 126



POWER SUPPLIES
Surface: Electronic
Remote: Magnetic • Electronic
Pg. 127



POWER SUPPLY
Low-profile, surface
Pg. 127



REMOTE FEED ACCESSORIES
Remote Feed Canopy
Flexible Feed Cable
Pg. 127



BUILD A MONORAIL SYSTEM
8ft, 12ft, 16ft, 20ft or 24ft
Pg. 128-129

FLUSH MOUNT CEILING



AURA 12 / 16
Flush mount
1 decor
Pg. 150



BOBBI 10 / 12
Flush mount
2 decors
Pg. 154



CUE
Semi-flush mount
2 decors
Pg. 132



GEO 9 /11
Flush mount
1 decor
Pg. 152



GLEEM 12 / 16
Flush mount
1 decor
Pg. 142



GLITTER 15
Flush mount
1 decor
Pg. 143



KATIE 10 / 12
Flush mount
1 decor
Pg. 152



LUMA 12 / 14 / 18
Flush mount
1 decor
Pg. 145



MANTA 13 / 18
Flush mount
1 decor
Pg. 141



MATRIX
Semi-flush mount
2 decors
Pg. 133



NOVA 10 / 13 / 16
Flush mount
3 decors
Pg. 153



PACO 12
Flush mount
2 decors
Pg. 137



PELLA 13 / 16
Flush mount
4 decors
Pg. 139



PICA 11 / 14 / 17
Flush mount
3 decors
Pg. 144



PINTA 12 / 15
Flush mount
1 decor
Pg. 146



PRIMO 11 / 14
Flush mount
1 decor
Pg. 151



RENFRO 16 / 20
Flush mount
2 decors
Pg. 140



RING 13 / 15 / 19
Flush mount
3 decors
Pg. 155



SLOPE
Flush mount
1 decor
Pg. 151



SOLA 10 / 12 / 16
Flush mount
2 decors
Pg. 154



SONYA 13 / 17 / 20
Flush mount
2 decors
Pg. 148



SOPHI 14 / 18
Flush mount
3 decors
Pg. 138



TOPPER 12
Flush mount
2 decors
Pg. 136



TRIO 12 / 16 / 20
Flush mount
3 decors
Pg. 149



TUCA 15 / 19
Flush mount
2 decors
Pg. 134



UNO 16
Flush mount
2 decors
Pg. 135



VIVA 13 / 16
Flush mount
1 decor
Pg. 131



WAVE 12 / 15
Flush mount
2 decors
Pg. 147

SEMI-FLUSH CEILING



BOMBAY
Semi-flush mount
3 decors
Pg. 159



CRUISE
Semi-flush mount
3 decors
Pg. 158



KIRK 12
Semi-flush mount
1 decor
Pg. 156



NILES 10
Semi-flush mount
4 decors
Pg. 160



PAHU 8 / 12 / 16
Semi-flush mount
5 decors
Pg. 162-163



POGO
Semi-flush mount
4 decors
Pg. 161



SPEZZA 13 / 18
Semi-flush mount
2 decors
Pg. 157



TAMBURO 16
Semi-flush mount
10 decors
Pg. 164-165



VENUS
Semi-flush mount
1 decor
Pg. 156



AERO 16 / 21
Sconce
2 decors
Pg. 181



ARC
Sconce
2 decors
Pg. 168

BAAZ 16 / 20
Sconce
1 decor
Pg. 188



CHELSEA
Sconce
6 decors
Pg. 191



CRUISE
Wall Pendant
3 decors
Pg. 174



DARCI 16 / 21
Sconce
1 decor
Pg. 189



DIVI
Swing arm
9 decors
Pg. 197



DOMI
Swing arm
8 decors
Pg. 196

DORIAN 10 / 17
Sconce
2 decors
Pg. 184



HALO 10
Sconce
2 decors
Pg. 177



JUNI 10
Wall Pendant
6 decors
Pg. 175



KAILEE
Sconce
2 decors
Pg. 190



KARLI
Sconce
7 decors
Pg. 193



KILLIAN 26
Sconce
1 decor
Pg. 172



KIRK 6
Sconce
1 decor
Pg. 171



KONA
Swing arm
7 decors
Pg. 196



LINA
Sconce
1 decor
Pg. 185



METRO
Sconce
1 decor
Pg. 176



MIRANDA 26
Sconce
1 decor
Pg. 182

MISTRAL
Sconce
1 decor
Pg. 183



MONTOUR
Sconce
2 decors
Pg. 169



NICO 3
Swing arm
4 decors
Pg. 197



OPTOS
Sconce
4 decors
Pg. 170



PLATO
Wall Pendant
4 decors
Pg. 173



SOSA 18
Sconce
2 decors
Pg. 167



SPEZZA 7
Sconce
2 decors
Pg. 179



SWIRL
Swing arm
1 decor
Pg. 195



TAMBURO
Sconce
11 decors
Pg. 192



TAMBURO STONE
Sconce
3 decors
Pg. 178



TAY TAY
Swing arm
12 decors
Pg. 195



TINO 13 / 18
Sconce
2 decors
Pg. 180



TOMAS
Sconce
5 decors
Pg. 190



TORRE 14 / 18 / 22
Sconce
8 decors
Pg. 186-187



AERO
Vanity
2 decors
Pg. 219



ALEX
Sconce/Vanity
8 decors
Pg. 220-221



BAAZ
Vanity
1 decor
Pg. 217



BOCA
Sconce/Vanity
2 decors
Pg. 204



BOLLA
Sconce/Vanity
11 decors
Pg. 224



BOLO
Sconce/Vanity
1 decor
Pg. 205



BRELLA
Sconce/Vanity
7 decors
Pg. 233



CABO
Vanity
1 decor
Pg. 208



CANTO 5
Sconce/Vanity
4 decors
Pg. 230



CELTIC
Sconce/Vanity
2 decors
Pg. 210



CIRO
Sconce/Vanity
1 decor
Pg. 222



COPA 3
Sconce/Vanity
1 decor
Pg. 229

DARCI
Vanity
1 decor
Pg. 217



DIVI
Sconce/Vanity
7 decors
Pg. 232



DOMI
Sconce/Vanity
8 decors
Pg. 232



DUKE
Sconce/Vanity
3 decors
Pg. 199



ELANA 26 / 38 / 50
Vanity
1 decor
Pg. 216



GROOVE
Sconce/Vanity
1 decor
Pg. 227



HOPPI
Sconce/Vanity
4 decors
Pg. 231



JAMIE
Vanity
1 decor
Pg. 218



JILLY
Sconce/Vanity
3 decors
Pg. 202



JODI
Vanity
1 decor
Pg. 212



JUNI 10
Sconce/Vanity
6 decors
Pg. 200



KONA
Sconce/Vanity
7 decors
Pg. 230



LASSO
Sconce/Vanity
3 decors
Pg. 228



LIDO
Vanity
1 decor
Pg. 209



LINUS 22 / 33
Vanity
1 decors
Pg. 211



MIA
Sconce/Vanity
10 decors
Pg. 232



MILO 4
Sconce/Vanity
5 decors Pg. 201



NICO 4
Sconce/Vanity
6 decors
Pg. 231



NICO 5
Sconce/Vanity
2 decors
Pg. 214



OPTOS
Vanity
1 decor
Pg. 203



PAHU 4
Sconce/Vanity
5 decors
Pg. 227



PALLA 5
Sconce/Vanity
4 decors
Pg. 233



PAOLO
Sconce/Vanity
5 decors
Pg. 215



PERI
Sconce/Vanity
5 decors
Pg. 228

MINI SCONCES & VANITIES



PHANTOM 6
Sconce/Vanity
3 decors
Pg. 207



POGO
Sconce/Vanity
3 decors
Pg. 213



RISE
Sconce/Vanity
1 decor
Pg. 223



SASHA
Sconce/Vanity
11 decors
Pg. 225



SWIRL
Sconce/Vanity
1 decor
Pg. 229



TAY TAY
Sconce/Vanity
12 decors
Pg. 233



TITO
Sconce/Vanity
1 decor
Pg. 206

OUTDOOR

BAAZ 16 / 20
Sconce
1 decor
Pg. 249



BARCLAY 18 / 22
Sconce
1 decor
Pg. 248



BILLOW 15
Sconce
1 decor
Pg. 242



BLINK
Sconce
4 decors
Pg. 245



BREE
Sconce
1 decor
Pgs. 236-237

CIRRUS
Sconce
1 decor
Pg. 253



ESPADA 16
Sconce
1 decor
Pg. 241



GEO 9 / 11
Sconce
1 decor
Pg. 251



JUNI 10 / 16
Sconce
6 decors
Pg. 247

LIDO
Sconce
1 decor
Pg. 250



MOTO
Sconce
1 decor
Pg. 235



NAPOLI
Sconce
1 decor
Pg. 240



PRISMO 10 / 16
Sconce
1 decor
Pg. 252



QUATRO 10
Sconce
2 decors
Pg. 253



SAIL
Sconce
3 decors
Pg. 243



SCALA
Sconce
1 decor
Pgs. 238-239



SULTANA
Sconce
3 decors
Pg. 246



SULU
Sconce
4 decors
Pg. 244



TINO 13 / 18
Sconce
2 decors
Pg. 250



7-light Bar 120V multi light canopy with four Pape 10 and three Pape 12 120V pendants in Glitter. Light source is LED.

1x T37V-SN
4x J-4912GL-LED-SN
3x J-4913GL-LED-SN

BUILD YOUR OWN 120V MULTI LIGHT PENDANT



4-light Bar 120V multi light canopy with four Gala 120V pendants in Natural. Light source is LED.

1x T34V-SN
4x J-GALANA-LED-SN



3-light large round 120V multi light canopy with three Pica 9 120V pendants in Creme Sand, Gold Sand and White Sand. Light source is LED.

1x T33XL-BR
1x J-PIC9CR-LED-BR
1x J-PIC9GD-LED-BR
1x J-PIC9WH-LED-BR

STEP 1 SELECT THE 120V MULTIPORT CEILING CANOPY

Select from 3, 4, 6, 7 or 9 lights canopies available as round or bar configurations.
NOTE: All 120V Multiport Canopies are compatible with Incandescent and LED 120V Pendants.

3-LIGHT ROUND, FIXED CONNECT
For 120V Pendants using 10″ diameter shades MAX, with staggered heights.



3-LIGHT LARGE ROUND, FIXED CONNECT
For 120V Pendants using 16″ diameter shades MAX, with staggered heights.



6-LIGHT ROUND, FIXED CONNECT
For 120V Pendants using 10″ diameter shades MAX, with staggered heights.



3-LIGHT BAR, FIXED CONNECT
For 120V Pendants using 20″ diameter shades MAX, with staggered heights.



4-LIGHT BAR, FIXED CONNECT
For 120V Pendants using 20″ diameter shades MAX, with staggered heights.



9-LIGHT ROUND, FIXED CONNECT
For 120V Pendants using 10″ diameter shades MAX, with staggered heights.



7-LIGHT BAR, FIXED CONNECT
For 120V Pendants using 14″ diameter shades MAX, with staggered heights.



SWAG ACCESSORY
For 120V Cord Pendants that allow installer to position cord drops as desired.
Order: T103-BR/SN



MULTIPORT CEILING CANOPY ORDERING

ITEM		-	FINISH
T33X	3-light round	**BR**	Bronze
T33XL	3-light large round	**SN**	Satin Nickel
T36X	6-light round		
T39X	9-light round		
T33V	3-light bar		
T34V	4-light bar		
T37V	7-light bar		

STEP 2 COMBINE THE CODES

Refer to the 120V pendants pages 13-75 to select your 120V pendants. Order your canopy with the selected 120V multi light pendants (indicated by "J" or "B" prefix) to create the complete fixture.

T33XL-SN + **J-MILO4PL-SN J-MILO4GR-SN J-MILO4SM-SN** =





Ordering code for the example shown to the left:

1x T33XL-SN
1x J-MILO4PL-SN
1x J-MILO4GR-SN
1x J-MILO4SM-SN

BESALIGHTING.COM

120V PENDANTS

MONOPOINT CORD HUNG

1BC/1JC 1 LIGHT PENDANT, DOME CANOPY



- Dome Canopy style. Dome style allows adjustment without cutting cord.
- Suitable for sloped ceilings
- Cord: 10′ SVT, 5″ sleeve at sockethold er
- Bronze or Satin Nickel

1BT/1JT 1 LIGHT PENDANT, FLAT CANOPY



- Flat Canopy style.
- Suitable for sloped ceilings
- Cord: 10′ SVT, 5″ sleeve at sockethold er
- Bronze or Satin Nickel

MONOPOINT CABLE HUNG

1KX MONOPOINT SINGLE CABLE DOME CANOPY



- 1x 10′ aircraft-quality stainless steel cable
- Suitable for sloped ceilings
- 1x lampholder
- 4-pin CFL options available
- Cord: 10′ AWM-type provided
- Bronze or Satin Nickel

1KG/1KV MONOPOINT THREE CABLE FLAT CANOPY



- 3x 10′ aircraft-quality stainless steel cable
- 1KG Series: 1x lampholder
  1KV Series: 3x lampholder
- 1KV Series includes flat glass glare shield
- Cord: 10′ AWM-type provided
- Bronze or Satin Nickel

MONOPOINT STEM HUNG

1KT/1TT MONOPOINT STEM PENDANT CANOPY



- Swivel at canopy, suitable for sloped ceilings
- Includes telescoping section plus 4 connectable stem sections, (1x 3″, 1x 6″, 1x 12″, 1x 18″), 10′ max
- Bronze or Satin Nickel

STEM SECTIONS

Interlocking stem sections may be ordered for Besa pendant luminaires. These 7/16″ diameter stem sections can easily be added to increase the overall drop length. Available in 4 different fixed lengths, plus a telescoping section that allows up to 3″ of length adjustment.

Note: When adding to pendants length, overall length is not to exceed 10′ (the provided wiring length). They may not be field cut.

T203-BR	3″ Section, Bronze
T203-SN	3″ Section, Satin Nickel
T206-BR	6″ Section, Bronze
T206-SN	6″ Section, Satin Nickel
T212-BR	12″ Section, Bronze
T212-SN	12″ Section, Satin Nickel
T218-BR	18″ Section, Bronze
T218-SN	18″ Section, Satin Nickel

BENITO

Formed by multiple laser cut arcs, the Benito pendant takes acrylic to a new level. Each segment is beautifully edge lit from the central light source, resulting in a subtly shimmering orb.



BENITOGL
GLOBE



EDIL: 4W Replaceable LED Filament T9 lamp, CL dimmable. 80+ CRI, 320 lumens, 15,000 hours, lamp included.

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
Cord Fixtures	**BENITOGL** Globe, ClearAcrylic	**EDIL** 4W LED Filament	**BR** Bronze
1JC 1 Lt. Dome			**BK** Black
1JT 1 Lt. Flat			**SN** Satin Nickel

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-BENITOGL-LED-BK
Benito Pendant, Globe, Black Finish

BLINK

The Blink Pendant is a transitional design composed of a transparent closed-bottom cylinder glass, with a clear bottom portion that is separated from the transcolor top by an interesting cut ellipse through the center.



BLINKSM
TRANS. SMOKE/CLEAR



BLINKCL
CLEAR



BLINKAM
TRANS. AMBER/CLEAR



BLINKBL
TRANS. BLUE/CLEAR



STD LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 4W Replaceable T-shape LED Filament lamp, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	**BLINKAM** Trans. Amber/Clear	**(blank)** 60W T10 Incan	**BK** Black	**L** 15' cord
1JT 1 Lt. Flat	**BLINKBL** Trans. Blue/Clear	**EDI** 40W Edison	**BR** Bronze	**LW** Low wattage labeling
Multi light (pg. 11)	**BLINKCL** Clear	**EDIL** 4W LED Filament	**SN** Satin Nickel	
J For Multi light Canopy	**BLINKSM** Trans. Smoke/Clear			



Multilight Canopies Available, see page. 11

Ex. 1JT-BLINKBL-SN
Blink Pendant, Trans. Blue/Clear Shade, Satin Nickel Finish

SULU

The Sulu Pendant is a transitional design composed of a transparent radiused cone-shaped glass, with a bottom clear point and an interesting bubble pattern blown randomly throughout the glass.





SULUBL
BLUE BUBBLE



SULUCL
CLEAR BUBBLE



SULUAM
AMBER BUBBLE



SULUSM
SMOKE BUBBLE

**Shown with Edison lamping option (EDI) and Satin Nickel finish (SN)*



STD LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 4W Replaceable T-shape LED Filament lamp, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	**SULUAM** Amber Bubble	**(blank)** 60W T10 Incan	**BK** Black	**L** 15′ cord
1JT 1 Lt. Flat	**SULUBL** Blue Bubble	**EDI** 40W Edison	**BR** Bronze	**LW** Low wattage labeling
Multi light (pg. 11)	**SULUCL** Clear Bubble	**EDIL** 4W LED Filament	**SN** Satin Nickel	
J For Multi light Canopy	**SULUSM** Smoke Bubble			



Multilight Canopies Available, see page. 11

Ex. 1JT-SULUSM-SN
Sulu Pendant, Trans. Smoke Bubble Shade, Satin Nickel Finish

BRAVO

The Bravo Pendant is a transitional design composed of a transparent gold geometric-shaped glass, with a bottom angled point and painted framing along the perimeter of the glass.



BRAVOBR
BRONZE/GOLD



BRAVOBK
BLACK/GOLD



STD LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 4W Replaceable T-shape LED Filament lamp, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1JC 1 Lt. Dome		**BRAVOBK** Black/Gold		**(blank)** 60W T10 Incan		**BK** Black		**L** 15' cord
1JT 1 Lt. Flat		**BRAVOBR** Bronze/Gold		**EDI** 40W Edison		**BR** Bronze		**LW** Low wattage labeling
				EDIL 4W LED Filament		**SN** Satin Nickel		

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-BRAVOBK-SN
Bravo Pendant, Black/Gold Shade, Satin Nickel Finish

JILLY

The Jilly Vapor Pendant is a contemporary design composed of a transparent globe glass, with a mysterious vapor-like patterning throughout the glass to partially conceal the inner portion of the shade.



JILLYSM
VAPOR SMOKE



JILLYCL
VAPOR CLEAR



JILLYAM
VAPOR AMBER



STD LAMP: 60W A19 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 5W Replaceable A15 LED Filament lamp, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	**JILLYAM** Vapor Amber	**(blank)** 60W A19 Incan	**BR** Bronze	**L** 15' cord
1JT 1 Lt. Flat	**JILLYCL** Vapor Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
Stem Fixture	**JILLYSM** Vapor Smoke	**EDIL** 5W LED Filament		
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-JILLYSM-SN
Jilly Pendant, Vapor Smoke Shade, Satin Nickel Finish

LAYLA

The Layla Pendant employs an outer trans glass globe, with an appealing dimple pattern blown throughout the glass and an inner opal cylinder for concealing the light source.



LAYLASM
SMOKE



LAYLACL
CLEAR



LAYLAAM
AMBER



STD LAMP: 60W T10 120V, *lamp not included.*

LED: 5W Replaceable source, CL dimmable. 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1JC 1 Lt. Dome		**LAYLAAM** Amber		**(blank)** 60W T10 Incan		**BR** Bronze		**L** 15' cord
1JT 1 Lt. Flat		**LAYLACL** Clear		**LED** 5W LED		**SN** Satin Nickel		**LW** Low wattage labeling
		LAYLASM Smoke						
Stem Fixture								
1TT 1 Lt. Flat								
Multi light (pg. 11)								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JT-LAYLAAM-SN
Layla Pendant, Amber Shade, Satin Nickel Finish

The Esa Pendant employs an outer trans glass cylinder, with an appealing dimple pattern blown throughout the glass and an inner opal cylinder for concealing the light source.



ESACL
CLEAR



ESAAM
AMBER



ESASM
SMOKE



STD LAMP: 60W T10 120V, *lamp not included.*

LED: 5W Replaceable source, CL dimmable. 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	**ESAAM** Amber	**(blank)** 60W T10 Incan	**BR** Bronze	**L** 15' cord
1JT 1 Lt. Flat	**ESACL** Clear	**LED** 5W LED	**SN** Satin Nickel	**LW** Low wattage labeling
Stem Fixture	**ESASM** Smoke			
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				

Ex. 1JT-ESASM-SN
Esa Pendant, Smoke Shade, Satin Nickel Finish



Multilight Canopies Available, see page. 11

BENJI

The Benji Pendant is the blending of natural elements, an outer trans glass globe, with an inverted lip blown into the glass bottom and an inner wood globe for concealing the light source.



BENJISMMD
SMOKE/MEDIUM



BENJICLNA
CLEAR/NATURAL



BENJIBLNA
CORAL BLUE/NATURAL



LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Cord Fixtures		**BENJICLNA** Clear/Natural		**LED** 9W LED		**BR** Bronze		**L** 15' cord
1JC 1 Lt. Dome		**BENJICLMD** Clear/Medium				**SN** Satin Nickel		**LW** Low wattage labeling
1JT 1 Lt. Flat		**BENJIBLNA** Coral Blue/Natural						
		BENJIBLMD Coral Blue/Medium						
Multi light (pg. 11)		**BENJISMNA** Smoke/Natural						
J For Multi light Canopy		**BENJISMMD** Smoke/Medium						



Multilight Canopies Available, see page. 11

Ex. 1JT-BENJICLMD-SN
BENJI Pendant, Clear/Medium Shade, Satin Nickel Finish

DANO

The Dano Pendant is the blending of natural elements, an outer trans glass cone with an inner wood cone for concealing the light source.



DANOCLNA
CLEAR/NATURAL



DANOSMMD
SMOKE/MEDIUM



LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixtures	**DANOCLNA** Clear/Natural	**LED** 9W LED	**BR** Bronze	**L** 15′ cord
1JC 1 Lt. Dome	**DANOCLMD** Clear/Medium		**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**DANOSMNA** Smoke/Natural			
	DANOSMMD Smoke/Medium			
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-DANOCLMD-SN
Dano Pendant, Clear/Medium Shade, Satin Nickel Finish

ALLY 8 / 12

The Ally Pendant is a contemporary look employing a bicolor globe glass, with a clear bottom that is separated by an sophisticated cut perimeter line.



ALLY12BL
CORAL BLUE/CLEAR



ALLY8AM
AMBER/CLEAR



ALLY8SM
SMOKE/CLEAR

Ally 8: ALLY8



Ally 12: ALLY12



CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	**ALLY8AM** 7.875″ Amber/Clear	**(blank)** 60W A19 Incan	**BR** Bronze	**L** 15′ cord
1JT 1 Lt. Flat	**ALLY8BL** 7.875″ Coral Blue/Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
Cable Fixture	**ALLY8SM** 7.875″ Smoke/Clear	**EDIL** 8W LED Filament		
1KX 1 Lt. Dome	**ALLY12AM** 11.75″ Amber/Clear			
Stem Fixture	**ALLY12BL** 11.75″ Coral Blue/Clear			
1TT 1 Lt. Flat	**ALLY12SM** 11.75″ Smoke/Clear			

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-ALLY8AM-SN
Ally 8 Pendant, Amber Shade, Satin Nickel Finish

STD LAMP: 60W A19 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 8W Replaceable A19 LED Filament lamp, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

BLOOM 12

The Bloom Pendant is a modern look consisting of a clear glass globe with an external matte applique, carefully cut out in longitude and latitude style lines.



BLOOM12WH
WHITE



BLOOM12CP
COPPER



BLOOM12BK
BLACK



STD LAMP: 75W A19 120V, *lamp not included.*

LED: 9W Replaceable source, CL dimmable. 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours L70 life

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1JC 1 Lt. Dome		**BLOOM12BK** Black		**(blank)** 75W A19 Incan		**BR** Bronze		**L** 15' cord
1JT 1 Lt. Flat		**BLOOM12CP** Copper		**LED** 9W LED		**SN** Satin Nickel		**LW** Low wattage labeling
		BLOOM12WH White						

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-BLOOM12BK-SN
Bloom 12 Pendant, Black Shade, Satin Nickel Finish

ROCKY

The Rocky Pendant features a unique globe shade that is enhanced by the beauty of shimmering glass cutouts, resulting in a compelling optical display in a smartly modern design.



ROCKYBK
BLACK



ROCKYWH
WHITE



ROCKYCP
COPPER



STD LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Pendant Fixtures		**ROCKYBK** Black		**(blank)** 60W Incan		**BR** Bronze		**L** 15' cord
1JC Dome Canopy		**ROCKYCP** Copper		**LED** 9W LED 120V, dimmable		**SN** Satin Nickel		**LW** Low wattage labeling
1JT Flat Canopy		**ROCKYWH** White						
Stem Fixtures								
1TT Flat Canopy								
Multi light (pg. 11)								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JT-ROCKYCP-SN
Rocky Glass Pendant, Copper, Satin Nickel Finish

KIEV

The Kiev Pendant features a unique shade that melds the beauty of shimmering glass with the visual advantages of cut metal, which results in a compelling optical display.





KIEVWH
WHITE



KIEVCP
COPPER



KIEVBK
BLACK



STD. LAMP: 60W A19 120V, lamp not included.

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Pendant Fixtures		**KIEVBK** Black		**(blank)** 60W Incan		**BR** Bronze		**L** 15' cord
1JC Dome Canopy		**KIEVCP** Copper		**LED** 9W LED 120V, dimmable		**SN** Satin Nickel		**LW** Low wattage labeling
1JT Flat Canopy		**KIEVWH** White						
Cable Fixture								
1KX 1 Lt. Dome								
Stem Fixtures								
1TT Flat Canopy								
Multi light (pg. 11)								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JT-KIEVWH-SN
Kiev Glass Pendant, White, Satin Nickel Finish

ZEN

The Zen Pendant is a transitional design using a transparent "Hour-Glass" shaped glass, with a tranquil bubble pattern blown randomly throughout the glass.



ZENBL
BLUE BUBBLE



ZENCL
CLEAR BUBBLE



ZENGD
GOLD BUBBLE



ZENLT
LATTE BUBBLE



ZENMS
MOSS BUBBLE



STD LAMP: 60W A19 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 8W Replaceable A19 LED Filament lamp, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1JC 1 Lt. Dome	**ZENBL** Blue Bubble	**(blank)** 60W A19 Incan	**BR** Bronze	**L** 15' cord
1JT 1 Lt. Flat	**ZENCL** Clear Bubble	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
Cable Fixture	**ZENGD** Gold Bubble	**EDIL** 8W LED Filament		
1KX 1 Lt. Dome	**ZENLT** Latte Bubble			
	ZENMS Moss Bubble			
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				

Ex. 1JT-ZENCL-SN
Zen Pendant, Clear Bubble Shade, Satin Nickel Finish



Multilight Canopies Available, see page. 11

NILES 10

The Niles Pendant is a broad transcolor glass cylinder, with an tranquil bubble pattern blown randomly throughout the glass.



NILES10BO
BLUE BUBBLE/OPAL



NILES10CL
CLEAR BUBBLE



NILES10AM
AMBER BUBBLE



NILES10SM
SMOKE BUBBLE

Niles 10:



(Without Inner Glass)



(With Inner Glass)

STD. LAMP: 60W T10 120V, *lamp not included.*

LED: 5W Replaceable source, 120V, CL dimmable, 90+ CRI, 550 lumens, 30,000 hours, *lamp included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 4W Replaceable LED Filament T-shape lamp, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Pendant Fixtures		**NILES10AM** Amber Bubble		**(blank)** 60W T10 Incan		**BR** Bronze		**L** 15' cord
1JC Dome Canopy		**NILES10BL** Blue Bubble		**LED** 5W LED (With Inner Glass)		**SN** Satin Nickel		**LW** Low wattage labeling
1JT Flat Canopy		**NILES10CL** Clear Bubble		**EDI** 40W Edison (Without Inner glass)				
Stem Fixtures		**NILES10SM** Smoke Bubble		**EDIL** 4W LED Filament (Without Inner glass)				
1TT Flat Canopy		**NILES10AO** Amber Bubble/Opal						
Multi light (pg. 11)		**NILES10BO** Blue Bubble/Opal						
J For Multi light Canopy		**NILES10CO** Clear Bubble/Opal						
		NILES10SO Smoke Bubble/Opal						



Multilight Canopies Available, see page. 11

Ex. 1JT-NILES10CL-SN
Niles 10 Pendant, Clear Bubble Glass, Satin Nickel Finish

JUNI 10 / 16

The Juni Pendant is a timeless glass cylinder with an interesting bubble pattern blown randomly throughout the glass. The pleasing play of light through the bubble accents make for a soothing affect.



JUNI16CL
CLEAR BUBBLE



JUNI10MS
MOSS BUBBLE



GOLD BUBBLE



LATTE BUBBLE



BLUE BUBBLE



PLUM BUBBLE



STD LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 4W Replaceable LED Filament T-shape lamp, CL dimmable, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**JUNI10BL** 10″ Blue Bubble	**(blank)** 60W T10 Incan	**BR** Bronze	**L** 15′ cord
1JC Dome Canopy	**JUNI10CL** 10″ Clear Bubble	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy	**JUNI10GD** 10″ Gold Bubble	**EDIL** 4W LED Filament		
	JUNI10LT 10″ Latte Bubble			
Stem Fixtures	**JUNI10MS** 10″ Moss Bubble			
1TT Flat Canopy	**JUNI10PL** 10″ Plum Bubble			
	JUNI16BL 16″ Blue Bubble			
Multi light (pg. 11)	**JUNI16CL** 16″ Clear Bubble			
J For Multi light Canopy	**JUNI16GD** 16″ Gold Bubble			
	JUNI16LT 16″ Latte Bubble			
	JUNI16MS 16″ Moss Bubble			
	JUNI16PL 16″ Plum Bubble			



Multilight Canopies Available, see page. 11

Ex. 1JT-JUNI10MS-SN
Juni 10 Pendant, Moss Bubble Glass, Satin Nickel Finish

LITHIUM 8 / 12

Our Lithium is a distinctive double-glass pendant, with a colored inner cylinder centered within the random etched mirror outer glass, designed to suit any modern decor ready for a splash of color.



LITH12BL
LITHIUM BLUE



LITH8RD
LITHIUM RED

**Shown as Stem Fixture (1TT)*



LITHIUM ORANGE



LITHIUM CREME



LITHIUM PURPLE

Lithium 8: LITH8



Lithium 12: LITH12



STD. LAMP: 100W A19 120V, lamp not included.

LED: 11W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

Lithium 8: **Lithium 12:**

For latest product information, scan QR code

CONNECTION	- GLASS OPTIONS	- LAMP OPTIONS	- METAL FINISH	- OPTIONS
3x Cable Fixtures	**LITH8BL** 8" Lithium Blue	**(blank)** 100W Incan	**BR** Bronze	**L** 15' cord
1KG Flat Canopy	**LITH8OR** 8" Lithium Orange	**LED** 11W LED	**SN** Satin Nickel	**LW** Low wattage labeling
	LITH8RD 8" Lithium Red			
Stem Fixture	**LITH8PL** 8" Lithium Purple			
1TT Flat Canopy	**LITH8CR** 8" Lithium Creme			

CONNECTION	- GLASS OPTIONS	- LAMP OPTIONS	- METAL FINISH	- OPTIONS
3x Cable Fixtures	**LITH12BL** 12" Lithium Blue	**(blank)** 100W Incan	**BR** Bronze	**L** 15' cord
1KG Flat Canopy	**LITH12OR** 12" Lithium Orange	**LED** 11W LED	**SN** Satin Nickel	**LW** Low wattage labeling
	LITH12RD 12" Lithium Red			
Stem Fixture	**LITH12PL** 12" Lithium Purple			
1TT Flat Canopy	**LITH12CR** 12" Lithium Creme			

Ex. 1KG-LITHIUM12BL-LED-SN
Lithium 12 LED Pendant, Lithium Blue Shade, Satin Nickel Finish

ALINA 12

The Alina 12 is a large scale glass pendant with an inner foil applique accented by a sparkling clear edge design. The softly curving lines of the Alina shape allows it to fit into any environment.



ALINA12GF
GOLD FOIL



ALINA12SF
SILVER FOIL

**Shown as Stem Fixture (1TT)*



LED: 9W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1x Cable Fixture		**ALINA12GF** Gold Foil		**LED** 9W LED		**BR** Bronze		**L** 15' cord
1KX 1 Lt. Flat		**ALINA12SF** Silver Foil				**SN** Satin Nickel		**LW** Low wattage labeling
Stem Fixture								
1TT 1 Lt. Flat								

Ex. 1KZ-ALINA12SF-SN
Alina 12 Pendant, Silver Foil Shade, Satin Nickel Finish

BRIO 14

The Brio 14 is a broad handcrafted glass, softly radiused to fit gracefully into contemporary spaces. When illuminated the inner foil glows warmly, while the bottom clear glass emits a pleasing sparkle.





4345SF
SILVER FOIL



4345GF
GOLD FOIL



LAMP: 75W A19 120V, *lamp not included*

LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**4345GF** Gold Foil	**(blank)** 75W A19 120V	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**4345SF** Silver Foil	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat				
Cable Fixture				
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				

Ex. 1JT-4345GF-SN
Brio 14 Pendant w/ Gold Foil Glass, Satin Nickel Finish



Multilight Canopies Available, see page. 11

VENUS

The urban stylings of our Venus LED pendant are ideal for today's modern architecture, composed of intricately cut layers of tan corrugated cardboard that are fused together in a broadly curved shade.





VENUS

**White Acrylic diffuser can be removed for an optional open bottom appearance.*



LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Pendant Fixtures **1JC** Dome Canopy **1JT** Flat Canopy		**VENUS** Venus		**LED** 9W LED 120V, dimmable		**BR** Bronze **SN** Satin Nickel		**L** 15' cord **LW** Low wattage labeling
Stem Fixtures **1TT** Flat Canopy								
Multi light (pg. 11) **J** For Multi light Canopy								

Ex. 1JT-VENUS-LED-SN
Venus Pendant,
Satin Nickel Finish



Multilight Canopies Available, see page. 11

KIRK 6 / 12

Our geometrically inspired Kirk LED pendant is composed of intricately cut layers of tan corrugated cardboard, joined together in a diminutive cube shade.



KIRK 12



KIRK 6



CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**KIRK6** 6″ Kirk	**LED** 9W LED 120V, dimmable	**BR** Bronze	**L** 15′ cord
1JC Dome Canopy	**KIRK12** 12″ Kirk		**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy				
1TT Flat Canopy				
Multi light (pg. 11)				
J For Multi light Canopy				

Ex. 1JT-KIRK12-LED-SN
Kirk 12 Pendant, Satin Nickel Finish



Multilight Canopies Available, see page. 11

LED: 9W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DRY

Kirk 6:

Kirk 12:

For latest product information, scan QR code

MANA

The Mana is a playful double-glass pendant, with a globe-shaped opal glass suspended with a radiused outer transcolor glass ring.





MANACL
CLEAR/OPAL



MANAAM
TRANS. AMBER/OPAL



MANASM
TRANS. SMOKE/OPAL



MANABL
TRANS. BLUE/OPAL



STD. LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

EDI: 40W Edison S-style lamp, *lamp included.* (Without Inner Glass only)

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**MANAAM** Trans. Amber/Opal	**(blank)** 60W Incan	**BR** Bronze	**L** 15' cord
1JC Dome Canopy	**MANABL** Trans. Blue/Opal	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy	**MANACL** Clear/Opal	**EDI** 40W Edison (Without Inner Glass)		**NI** No Inner Glass
Stem Fixtures	**MANASM** Trans. Smoke/Opal			
1TT Flat Canopy				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-MANACL-SN
Mana Glass Pendant, Clear/Opal, Satin Nickel Finish

PLATO

The Plato is a playful double-glass pendant, with a cylindrical-shaped opal glass centered in a radiused outer transparent glass ring. Also can be ordered without the inner Cylinder to display an exposed lamp.



PLATOAM
TRANS. AMBER/OPAL



PLATOCL
CLEAR/OPAL



PLATOBL
TRANS. BLUE/OPAL



PLATOSM
TRANS. SMOKE/OPAL

**Shown without Inner Glass*



STD. LAMP: 60W B10 120V, *lamp not included.*

LED: 5W Replaceable source, CL dimmable, 90+ CRI, 500 lumens, 30,000 hours.

EDI: 40W Edison S-style lamp, *lamp included.* (Without Inner Glass only)

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**PLATOAM** Trans. Amber/Opal	**(blank)** 60W Incan	**BR** Bronze	**L** 15′ cord
1JC Dome Canopy	**PLATOBL** Trans. Blue/Opal	**LED** 5W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy	**PLATOCL** Clear/Opal	**EDI** 40W Edison (Without Inner Glass)		**NI** No Inner Glass
	PLATOSM Trans. Smoke/Opal			
Stem Fixtures				
1TT Flat Canopy				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-PLATOCL-SN
Plato Glass Pendant, Clear/Opal, Satin Nickel Finish

OMEGA 12

The Omega 12 Pendant is a transitional design composed of a transparent blown glass cylinder pendant, with an artistic gradient pattern of color from top to bottom of the glass.





OMEGA12RD
RED/CLEAR

**Shown with LED Filament lamp (EDIL)*



OMEGA12CL
CLEAR



OMEGA12WH
WHITE/CLEAR



OMEGA12AM
AMBER/CLEAR



OMEGA12ST
STEEL/CLEAR



STD. LAMP: 60W T10 120V, *lamp not included.*

EDIL: 4W Replaceable LED Filament T-shape lamp, 120V, CL dimmable, 90+ CRI, 320 lumens, 15,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Pendant Fixtures		**OMEGA12AM** Amber/Clear		**(blank)** 60W T10		**BR** Bronze		**L** 15' cord
1JC Dome Canopy		**OMEGA12CL** Clear		**EDIL** 4W LED Filament		**SN** Satin Nickel		**LW** Low wattage labeling
1JT Flat Canopy		**OMEGA12RD** Red/Clear						
Stem Fixtures		**OMEGA12ST** Steel/Clear						
1TT Flat Canopy		**OMEGA12WH** White/Clear						
Multi light (pg. 11)								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JT-OMEGA12ST-EDIL-SN
Omega 12 LED Pendant, Steel Shade, Satin Nickel Finish

PINOT 9 / 13 / 18

The Pinots feature oblong, free form glass shades, with a soothing injection of random bubble patterning.



PINOT9SM
SMOKE BUBBLE



PINOT13CL
CLEAR BUBBLE



PINOT18BL
BLUE BUBBLE

Pinot 9:



Pinot 13:



Pinot 18:



STD. LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 4W Replaceable LED Filament lamp, 120V, dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**PINOT9BL** 9″ Blue Bubble	**(blank)** 60W T10	**BK** Black	**L** 15′ cord
1JC Dome Canopy	**PINOT9CL** 9″ Clear Bubble	**EDI** 40W Edison	**BR** Bronze	**LW** Low wattage labeling
1JT Flat Canopy	**PINOT9SM** 9″ Smoke Bubble	**EDIL** 4W LED Filament	**SN** Satin Nickel	
	PINOT13BL 13″ Blue Bubble			
Multi light (pg. 11)	**PINOT13CL** 13″ Clear Bubble			
J For Multi light Canopy	**PINOT13SM** 13″ Smoke Bubble			
	PINOT18BL 18″ Blue Bubble			
	PINOT18CL 18″ Clear Bubble			
	PINOT18SM 18″ Smoke Bubble			



Multilight Canopies Available, see page. 11

Ex. 1JT-PINOT9BL-EDIL-SN
Pinot 9 LED Pendant, Blue Bubble Shade, Satin Nickel Finish

SPIRIT 8 / 10

The Spirit Pendant consists of a transcolor glass globe, with an free-form circular optical pattern blown as an additional layered ring along the interior wall of the glass.



SMOKE/CLEAR



CLEAR



SMOKE

Spirit 8:



Spirit 10:



STD. LAMP: 60W A19 120V, lamp not included.

EDI: 40W Edison A-style lamp, lamp included.

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Pendant Fixtures		**SPIR8CL** 8″ Clear		**(blank)** 60W Incan		**BR** Bronze		**L** 15′ cord
1JC Dome Canopy		**SPIR8SC** 8″ Smoke/Clear		**EDI** 40W Edison		**SN** Satin Nickel		**LW** Low wattage labeling
1JT Flat Canopy		**SPIR8SM** 8″ Smoke		**EDIL** 8W LED Filament				
		SPIR10CL 10″ Clear						
Stem Fixtures		**SPIR10SC** 10″ Smoke/Clear						
1TT Flat Canopy		**SPIR10SM** 10″ Smoke						

Multi light (pg. 11)

J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-SPIR8CL-SN
Spirit 8 Glass Pendant, Clear, Satin Nickel Finish

PHANTOM 6

The Phantom 6 Pendant has a bell-shaped glass shade, with cascading optical pattern blown as an additional transparent layer along the top upper portion of the glass.



PHAN6CL
CLEAR



PHAN6SC
SMOKE/CLEAR



PHAN6WC
WHITE/CLEAR



STD. LAMP: 60W T10 120V, lamp not included.

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**PHAN6CL** Clear	**(blank)** 60W T10	**BR** Bronze	**L** 15' cord
1JC Dome Canopy	**PHAN6SC** Smoke/Clear	**EDIL** 8W LED Filament	**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy	**PHAN6WC** White/Clear			
Stem Fixtures				
1TT Flat Canopy				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-PHAN6SC-SN
Phantom 6 Pendant, Smoke/Clear Shade, Satin Nickel Finish

SOLO

The significant and stylish hemp rope suspension of our Solo pendant creates a striking backdrop for an exposed light source, and plays to the creativity of the installation, allowing for knots, sways, loops, etc.





**Shown with Grand Edison Lamp (EDI)*



STD. LAMP: 60W G40 120V, *lamp not included.*

EDI: 60W Grand Edison G63 lamp, *lamp included.*

EDIL: 4W Replaceable G40 LED Filament lamp, 120V, dimmable, *lamp included.*

LOCATION: DAMP

Natural Hemp rope, length of 6' and 2" diameter

For latest product information, scan QR code



Swag T104-BK



Canopy detail

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**SOLO** Rope 6' Length	**(blank)** 60W G40 Incan	**BK** Black	**L** 15' Rope
1JT Flat Canopy		**EDI** 60W Grand Edison G63		
3JW 3-Lt. 13" Round		**EDIL** 4W LED Filament		

Ex. 1JT-SOLO-BK
Solo Pendant, Black Finish

SULTANA

Our industrial styled Sultana pendants, employ a black aluminum bracket and artistic display of woven metal rods. The stylish hemp suspension plays to the creativity of the installation, allowing for knots, sways, loops, etc.



GLOBE



CYLINDER



FLARE

**Shown with Edison Lamp (EDI)*

Sultana C:



Sultana F:



Sultana G:





Swag T104-BK



Canopy detail

STD. LAMP: 40W T10 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 5W Replaceable LED Filament S-style lamp, dimmable, *lamp included.*

LOCATION: DAMP

Natural Hemp rope, length of 6′ and 2″ diameter

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Pendant Fixtures		**SULTANA-C** Cylinder		**(blank)** 40W T10 Incan		**BK** Black		**L** 15′ Rope
1JT Flat Canopy		**SULTANA-F** Flare		**EDI** 40W Edison				
3JW 3-Lt. 13″ Round		**SULTANA-G** Globe		**EDIL** 5W LED Filament				

Ex. 1JT-SULTANA-C-BK
Sultana Cylinder Pendant, Black Finish

TUNE

The Tune pendant is designed with a classic bell-shaped reflector, perfect for use in downlighting applications. Additionally, the shade can be rotated and angled to offer directional illumination via aiming.





SATIN NICKEL WITH SILVER REFLECTOR



BRONZE WITH CHAMPAGNE REFLECTOR



STD LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	- SHADE OPTIONS -	LAMP OPTIONS	- METAL FINISH -	OPTIONS
Pendant Fixtures	**TUNE** Tune	**(Blank)** 60W A19 120V	**BR** Bronze	**L** 15' cord
1JC Dome Canopy		**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy				
Stem Fixtures				
1TT Flat Canopy				
Multi light (pg. 11)				
J For Multi light Canopy				

Ex. 1JT-TUNE-SN
Tune Pendant,
Satin Nickel Finish



Multilight Canopies Available, see page. 11

LOTUS

Our industrial-styled Lotus pendant, composed of a unique metal reflector with an organically "pinched" shape, perfect for applications where a uniquely shaped pendant is needed.



SATIN NICKEL WITH
SILVER REFLECTOR



BRONZE WITH
CHAMPAGNE REFLECTOR



STD. LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1JC** Dome Canopy **1JT** Flat Canopy	**LOTUS** Lotus	**(blank)** 60W Incan **LED** 9W LED 120V dimmable	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **LW** Low wattage labeling
Stem Fixtures **1TT** Flat Canopy				
Multi light (pg. 11) **J** For Multi light Canopy				

Ex. 1JT-LOTUS-LED-SN
Lotus LED Pendant, Satin Nickel Finish



Multilight Canopies Available, see page. 11

GORDY

Our industrial styled Gordy pendant, composed of a dome-shaped metal reflector with an abstractly designed cutout patterning for uplight, offers a look that will easily merge into the recent urban decorating trend.



BRONZE WITH
CHAMPAGNE REFLECTOR



SATIN NICKEL WITH
SILVER REFLECTOR



STD. LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1JC** Dome Canopy **1JT** Flat Canopy	**GORDY** Gordy	**(blank)** 60W Incan **LED** 9W LED 120V dimmable	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **LW** Low wattage labeling
Stem Fixtures **1TT** Flat Canopy				
Multi light (pg. 11) **J** For Multi light Canopy				

Ex. 1JT-GORDY-LED-SN
Gordy LED Pendant, Satin Nickel Finish



Multilight Canopies Available, see page. 11

SPEZZA 7

Our industrial styled Spezza pendant, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend. The exposed hardware is designed to be celebrated, and and offers perfect synergy when combined with the exposed light source.



SATIN NICKEL

**Shown with Edison Lamp (EDI)*



BRONZE

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture **1JC** 1 Lt. Dome **1JT** 1 Lt. Flat	**SPEZ07** Spezza 7	**(blank)** 100W A19 Incan **EDI** 40W Edison **EDIL** 8W LED Filament	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **LW** Low wattage labeling
Stem Fixture **1TT** 1 Lt. Flat				
Multi light (pg. 11) **J** For Multi light Canopy				

Ex. 1JT-SPEZ07-SN
Spezza 7 Pendant w/ Satin Nickel Finish



LAMP: 100W A19 120V, *lamp not included.*

EDI: 40W A-style lamp, *lamp included.*

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



Multilight Canopies Available, see page. 11

LINDY

The Lindy Pendant merges a bold brushed metallic exterior with a subdued interior tint. Upon illumination, the reflector takes on a pleasing glow for an eye-catching effect.



LINDAQ
AQUA



LINDWH
WHITE



LINDGD
GOLD



LINDCN
CINNAMON



LINDCY
CYAN

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1JC** Dome Canopy **1JT** Flat Canopy	**LINDAQ** Aqua **LINDCN** Cinnamon **LINDCY** Cyan **LINDGD** Gold **LINDWH** White	**(Blank)** 60W A19 120V **LED** 9W LED 120V, dimmable	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **LW** Low wattage labeling
Multi light (pg. 11) **J** For Multi light Canopy				

Ex. 1JT-LINDAQ-SN
Lindy Pendant, Aqua, Satin Nickel Finish



STD LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



Multilight Canopies Available, see page. 11

GALA

Our Gala pendant is equipped with a stainable cement-based conical shade, concealing a focused light source for effective task lighting.





GALAWH
WHITE



GALATN
TAN



GALANA
NATURAL



LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	- SHADE OPTIONS	- LAMP OPTIONS	- METAL FINISH	- OPTIONS
Pendant Fixtures	**GALANA** Natural	**LED** 9W LED	**BR** Bronze	**L** 15′ cord
1JC Dome Canopy	**GALATN** Tan		**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy	**GALAWH** White			

Multi light (pg. 11)

J For Multi light Canopy



Multilight Canopies Available, see page. 11

Ex. 1JT-GALANA-LED-SN
Gala Pendant, Natural, Satin Nickel Finish

MILO 4

The Milo is a nostalgic pendant inspired by the traditional glass jars used for canning, only enhanced with various modern colors.





MILO4GR
GREEN



MILO4AM
AMBER



MILO4PL
PURPLE



MILO4SM
SMOKE



MILO4WF
WHITE FROST



LAMP: 40W A15 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 5W Replaceable A15 LED filament lamp, 120V, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**MILO4AM** Amber	**(blank)** 40W A15 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**MILO4GR** Green	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**MILO4PL** Purple	**EDIL** 5W LED Filament		
	MILO4SM Smoke			
Multi light (pg. 11)	**MILO4WF** White Frost			
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-MILO4AM-SN
Milo 4 Pendant w/ Amber Glass, Satin Nickel Finish

CRUISE

The Cruise is consists of a broad transcolor glass cylinder, with interesting stretched oval optical patterns blown throughout the interior of the glass.



CRUSCL
CLEAR



CRUSAM
AMBER



CRUSSM
SMOKE

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**CRUSAM** Amber	**(blank)** 60W T10 Incan	**BR** Bronze	**L** 15' cord
1JC Dome Canopy	**CRUSCL** Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy	**CRUSSM** Smoke	**EDIL** 4W LED Filament		
Stem Fixtures				
1TT Flat Canopy				
Multi light (pg. 11)				
J For Multi light Canopy				



STD LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 4W Replaceable T-shape LED filament lamp, 120V, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



Multilight Canopies Available, see page. 11

Ex. 1JT-CRUSCL-SN
Cruise Pendant, Clear Glass, Satin Nickel Finish

BOMBAY

The Bombay Pendant is composed of a transcolor glass globe, with interesting stretched circular optical patterns blown throughout the interior of the glass.



BOMYSM
SMOKE



BOMYCL
CLEAR



BOMYAM
AMBER

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**BOMYAM** Amber	**(blank)** 60W A19 Incan	**BR** Bronze	**L** 15' cord
1JC Dome Canopy	**BOMYCL** Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT Flat Canopy	**BOMYSM** Smoke	**EDIL** 8W LED Filament		
Stem Fixtures				
1TT Flat Canopy				
Multi light (pg. 11)				
J For Multi light Canopy				



STD LAMP: 60W A19 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



Multilight Canopies Available, see page. 11

Ex. 1JT-BOMYCL-SN
Bombay Pendant, Clear Glass, Satin Nickel Finish

BANA 11 / 15

Our Bana is a modern compact torus shape, with a graceful inverted open bottom.



BANASM
SMOKE

BANA15AM
AMBER



BANACL
CLEAR



BANAFR
FROST

Bana 11:



Bana 15:



CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**BANAAM** 11″ Amber	**(blank)** 60W T10 Incan	**BR** Bronze	**L** 15′ cord
1JC 1 Lt. Dome	**BANACL** 11″ Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**BANAFR** 11″ Frost	**EDIL** 4W LED Filament		
	BANASM 11″ Smoke			
Stem Fixture	**BANA15AM** 15″ Amber			
1TT 1 Lt. Flat	**BANA15CL** 15″ Clear			
	BANA15FR 15″ Frost			
Multi light (pg. 11)	**BANA15SM** 15″ Smoke			
J For Multi light Canopy				

Ex. 1JT-BANACL-SN
Bana Pendant w/ Clear Glass, Satin Nickel Finish



Multilight Canopies Available, see page. 11

LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 4W Replaceable T-shape LED filament lamp, 120V, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

OLIN

Our Olin is a transitional closed bottom cylindrical shape, with a gently pointed accent, its retro styling will gracefully blend into today's environments.



OLINCL
CLEAR



OLINAM
AMBER



OLINSM
SMOKE



OLINFR
FROST



LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 4W Replaceable T-shape LED filament lamp, 120V, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**OLINAM** Amber	**(blank)** 60W T10 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**OLINCL** Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**OLINFR** Frost	**EDIL** 4W LED Filament		
	OLINSM Smoke			
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-OLINCL-SN
Olin Pendant w/ Clear Glass, Satin Nickel Finish

MIRA

Our Mira is a transitional compact heart shape, with a closed bottom, its retro styling will gracefully blend into today's environments.



MIRAAM
AMBER

**Shown with Bronze finish*



MIRACL
CLEAR



MIRASM
SMOKE



MIRAFR
FROST



LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 4W Replaceable T-shape LED filament lamp, 120V, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**MIRAAM** Amber	**(blank)** 60W T10 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**MIRACL** Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**MIRAFR** Frost	**EDIL** 4W LED Filament		
	MIRASM Smoke			
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-MIRACL-SN
Mira Pendant w/ Clear Glass, Satin Nickel Finish

PICA 9

Pica 9 is a tapered glass treated with a band of natural sand applied to the interior, with an angled top and a radiused return at the bottom.



PIC9GD
GOLD SAND

PIC9WH
WHITE SAND



PIC9CR
CREME SAND



PIC9RD
RED SAND



LAMP: 75W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Cord Fixture		**PIC9CR** Creme Sand		**(blank)** 75W A19 Incan		**BR** Bronze		**L** 15' cord
1JC 1 Lt. Dome		**PIC9GD** Gold Sand		**LED** 9W LED 120V, dimmable		**SN** Satin Nickel		**LW** Low wattage labeling
1JT 1 Lt. Flat		**PIC9RD** Red Sand						
		PIC9WH White Sand						
Cable Fixture								
1KX 1 Lt. Dome								
Stem Fixture								
1TT 1 Lt. Flat								
Multi light (pg. 11)								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JT-PIC9WH-SN
Pica 9 Pendant w/ White Sand Glass, Satin Nickel Finish

PINTA 10 / 12

Pinta's unique optical lines are a sophisticated refinement to clear glass, where the lines visually play with the image of the exposed Light source.





464488
CLEAR



464588
CLEAR

Pinta 10: #4644



Pinta 12: #4645



CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**464488** 10" Clear	**(blank)** 100W A19	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**464588** 12" Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat		**EDIL** 8W LED Filament		
Cable Fixture				
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				

Ex. 1JT-464588-SN
Pinta 12 Pendant w/ Clear Glass, Satin Nickel Finish

LAMP: 100W A19 120V, *lamp not included*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



Multilight Canopies Available, see page. 11

WAVE 10

The Wave is a globe-shaped clear glass, with a romantic wrap of glass rope that spirals around the exterior.





462702
SMOKE

**Shown with Edison Lamp (EDI)*



462761
CLEAR



462782
AMBER

**Shown with LED Filament (EDIL)*



STD LAMP: 60W A19 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**462702** Smoke	**(blank)** 60W A19	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**462761** Clear	**EDI** 40W Edison	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**462782** Amber	**EDIL** 8W LED Filament		
Cable Fixture				
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-462702-SN
Wave 10 Pendant w/ Smoke Glass, Satin Nickel Finish

KRISTALL 8

The Kristall is a transcolor ribbed globe shape, with distinctive ridges that allows it to merge easily into modern environments.



461682
AMBER



461600
CLEAR



461602
SMOKE



4616GL
GLITTER



LAMP: 60W A19 120V, *lamp not included*

LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**461600** 8″ Clear	**(blank)** 60W A19	**BR** Bronze	**L** 15′ cord
1JC 1 Lt. Dome	**461602** 8″ Smoke	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**461682** 8″ Amber			
	4616GL 8″ Glitter			
Cable Fixture				
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-461602-SN
Kristall 8 Pendant w/ Smoke Glass, Satin Nickel Finish

PAPE 10 / 12

The Pape is a broad handcrafted glass, with distinctive ridges, softly radiused to fit gracefully into contemporary spaces. Our Glitter option is a clear blown and a technologically advanced crystal coating applied to the inside. The coating contains multiple micro-layers of glass particles that create unique prismatic optical properties, which effectively alter both the reflected and transmitted light. So unlit, it appears like a frosted glass; when lit, it becomes alive with dazzling light effects.



GLITTER



OPAL MATTE



GOLD GLITTER

Pape 10: #4912



Pape 12: #4913



STD LAMP: 100W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**491207** 10″ Opal Ribbed	**(blank)** 100W A19 Incan	**BR** Bronze	**L** 15′ cord
1JC 1 Lt. Dome	**4912GL** 10″ Glitter	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**4912GD** 10″ Gold Glitter			
	491307 12″ Opal Ribbed			
Cable Fixture	**4913GL** 12″ Glitter			
1KX 1 Lt. Dome	**4913GD** 12″ Gold Glitter			
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JC-491307-SN
Pape 12 Pendant w/ 12″ Opal Ribbed Glass, Satin Nickel Finish

LUNA

The Luna pendant features a flattened globe-shaped glass, creating a refined contemporary look that is truly timeless.



477619
CARRERA



477607
OPAL MATTE



477699
OPAL-FROST

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture **1JC** 1 Lt. Dome **1JT** 1 Lt. Flat	**477607** Opal Matte **477619** Carrera **477699** Opal-Frost	**(blank)** 100W A19 Incan **LED** 9W LED 120V, dimmable	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **LW** Low wattage labeling
Cable Fixture **1KX** 1 Lt. Dome				
Stem Fixture **1TT** 1 Lt. Flat				
Multi light (pg. 11) **J** For Multi light Canopy				



STD LAMP: 100W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



Multilight Canopies Available, see page. 11

Ex. 1JC-477699-SN
Luna Pendant w/ Opal-Frost Glass, Satin Nickel Finish

JORDO

The Jordo pendant features a large-scale flattened globe-shaped glass, creating a refined contemporary look that is truly timeless



477507
OPAL MATTE



STD LAMP: 150W A21 120V, *lamp not included.*

LED: 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cable Fixture **1KX** 1 Lt. Dome	**477507** Opal Matte	**(blank)** 150W A21 Incan **LED** 11W LED 120V, dimmable	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **LW** Low wattage labeling
Stem Fixture **1TT** 1 Lt. Flat				

Ex. 1KX-477507-SN
Jordo Pendant w/ Opal Matte Glass, Satin Nickel Finish

COCO 8 / 10 / 12 / 14

The globe-shaped Coco is a blown glass with a neutral decor and classic shape that blends into virtually all designs. Ideally suited for multi light applications employing the various decors and sizes.



COCOON



OPAL MATTE



CARRERA

Coco 8: #COCO8



Coco 10: #COCO10



Coco 12: #COCO12



Coco 14: #COCO14



STD LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION		SHADE OPTIONS		LAMP OPTIONS		METAL FINISH		OPTIONS	
Cord Fixture		**COCO807**	8″ Opal Matte	**(blank)**	60W A19 Incan	**BR**	Bronze	**L**	15′ cord
1JC	1 Lt. Dome	**COCO819**	8″ Carrera	**LED**	9W LED 120V, dimmable	**SN**	Satin Nickel	**LW**	Low wattage labeling
1JT	1 Lt. Flat	**COCO860**	8″ Cocoon						
Stem Fixture		**COCO1007**	10″ Opal Matte						
1TT	1 Lt. Flat	**COCO1019**	10″ Carrera						
Multi light (pg. 11)		**COCO1060**	10″ Cocoon						
J	For Multi light Canopy	**COCO1207**	12″ Opal Matte						
		COCO1219	12″ Carrera						
		COCO1260	12″ Cocoon						
		COCO1407	14″ Opal Matte						
		COCO1419	14″ Carrera						
		COCO1460	14″ Cocoon						



Multilight Canopies Available, see page. 11

Ex. 1JC-COCO819-SN
Coco 8 Pendant w/ Carrera Shade, Satin Nickel Finish

POGO

The Pogo 120V pendant is composed of an exceptional radiused drum-shaped glossy glass shade accented with inner metal foil, with a white glass lamp shield.



POGOGF
BLACK/INNER GOLD FOIL



POGOSF
WHITE/INNER SILVER FOIL



POGOGG
GOLD/INNER GOLD FOIL



POGOSS
SILVER/INNER SILVER FOIL



Includes frosted glass glare shield

STD LAMP: 3x 60W A19 120V, *lamp not included.*

LED: 3x 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	**POGOGF** Black/Inner Gold Foil	**(blank)** 3x 60W A19 Incan	**BR** Bronze	**L** 15' cord
1KV 1 Lt. Flat	**POGOGG** Gold/Inner Gold Foil	**LED** 3x 11W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
	POGOSF White/Inner Silver Foil			
Stem Fixture	**POGOSS** Silver/Inner Silver Foil			
1KT 1 Lt. Flat				

Ex. 1KV-POGOSF-SN
Pogo Pendant w/ White/Inner Silver Foil Glass, Satin Nickel Finish

PAHU 8 / 12 / 16

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a translucent outer glass. Can also be ordered without the inner glass to expose the light source.



PAHU 16
TRANS. OLIVE
(NO INNER GLASS)



PAHU 12
CLEAR
(NO INNER GLASS)

STD LAMP: 120V, *lamp not included.*

LED: 11W Replaceable source, 120V, dim*mable, 90+ CRI,* 3000°K CCT, 1100 lumens, 30,000 hours.

EDI: 40W Edison S-style lamp, *lamp included. (For No Inner Glass option)*

Ex. 1KG-C00607-SN
Pahu 8 Pendant w/ Clear/Opal Glass, Satin Nickel Finish

EDIL: 8W Replaceable LED Filament A19 lamp, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

Pahu 8: Pahu 12: Pahu 16:

For latest product information, scan QR code

Pahu 8:



(No Inner Glass)

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	**A00607** Trans. Amethyst/Opal	**(blank)** 100W A19 Incan	**BR** Bronze	**L** 15' cord
1KG 1 Lt. Flat	**C00607** Clear/Opal	**EDI** 40W Edison (For NI option)	**SN** Satin Nickel	**NI** No Inner glass
	G00607 Trans. Armagnac/Opal			
Stem Fixture	**L00607** Trans. Olive/Opal	**EDIL** 8W LED Filament (For NI option)		**LW** Low wattage labeling
1TT 1 Lt. Flat	**S00607** Trans. Smoke/Opal	**LED** 11W LED 120V, dimmable		





PAHU 8
TRANS. ARMAGNAC
(NO INNER GLASS)

**Shown with Bronze finish (BR)*



CLEAR/OPAL



TRANS. SMOKE/OPAL



TRANS. ARMAGNAC/OPAL



TRANS. OLIVE/OPAL



TRANS. AMETHYST/OPAL

Pahu 12:



(No Inner Glass)

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	**A18407** Trans. Amethyst/Opal	**(blank)** 100W A19 Incan	**BR** Bronze	**L** 15' cord
1KG 1 Lt. Flat	**C18407** Clear/Opal	**EDI** 40W Edison (For NI option)	**SN** Satin Nickel	**NI** No Inner glass, 3 Lt.
	G18407 Trans. Armagnac/Opal			
Stem Fixture	**L18407** Trans. Olive/Opal	**EDIL** 8W LED Filament (For NI option)		**LW** Low wattage labeling
1TT 1 Lt. Flat	**S18407** Trans. Smoke/Opal	**LED** 11W LED 120V, dimmable		

Pahu 16:



(No Inner Glass)

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	**A00707** Trans. Amethyst/Opal	**(blank)** 150W A21 Incan	**BR** Bronze	**L** 15' cord
1KG 1 Lt. Flat	**C00707** Clear/Opal	**EDI** 40W Edison (For NI option)	**SN** Satin Nickel	**NI** No Inner glass, 3 Lt.
	G00707 Trans. Armagnac/Opal			
Stem Fixture	**L00707** Trans. Olive/Opal	**EDIL** 8W LED Filament (For NI option)		**LW** Low wattage labeling
1TT 1 Lt. Flat	**S00707** Trans. Smoke/Opal	**LED** 11W LED 120V, dimmable		

TAMBURO 8 / 16

Tamburo is a classic open-ended cylinder of handcrafted glass, with a spun patterning of 4 various colors, a shape that will stand the test of time.



TAMBURO 16
4008OK
OAK



TAMBURO 8
OPAL MATTE



TAMBURO 8
CHERRY



TAMBURO 8
CHALK



TAMBURO 8
TITAN

Tamburo 8: #4006



Tamburo 16: #4008



Includes frosted glass glare shield (For Tamburo 16 only)

STD LAMP: 100W A19 120V, *lamp not included.*

LED: 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

Tamburo 8: #4006

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
3x Cable Fixture		**400607** Opal Matte		**(blank)** 100W A19 Incan		**BR** Bronze		**L** 15' cord
1KG 1 Lt. Flat		**4006CH** Cherry		**LED** 11W LED 120V, dimmable		**SN** Satin Nickel		**LW** Low wattage labeling
		4006KR Chalk						
Stem Fixture		**4006OK** Oak						
1TT 1 Lt. Flat		**4006TN** Titan						
		400600 Clear Stone						
		4006CS Stone Copper Foil						
		4006GL Glitter Stone						
		4006GS Stone Gold Foil						
		4006SS Stone Silver Foil						

Ex. 1KG-4006TN-SN
Tamburo 8 Pendant w/ Tiian Glass, Satin Nickel Finish

TAMBURO STONE 8 / 16

Tamburo is a classic open-ended cylinder of handcrafted glass, with outer texture of coarse sandstone, a shape that will stand the test of time.



TAMBURO 8
4006GL
GLITTER STONE



TAMBURO 16
STONE GOLD FOIL



TAMBURO 16
STONE COPPER FOIL



TAMBURO 16
STONE SILVER FOIL



TAMBURO 16
CLEAR STONE

Tamburo 8: #4006



Tamburo 16: #4008



Includes frosted glass glare shield (For Tamburo 16 only)

STD LAMP: 100W A19 120V, *lamp not included.*

LED: 11W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

Tamburo 16: #4008

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
3x Cable Fixture	**400807** Opal Matte	**(blank)** 3x 100W A19 Incan	**BR** Bronze	**L** 15' cord
1KV 1 Lt. Flat	**4008CH** Cherry	**LED** 3x 11W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
	4008KR Chalk			
Stem Fixture	**40080K** Oak			
1KT 1 Lt. Flat	**4008TN** Titan			
	400800 Clear Stone			
	4008CS Stone Copper Foil			
	4008GL Glitter Stone			
	4008GS Stone Gold Foil			
	4008SS Stone Silver Foil			

Ex. 1KV-40080K-SN
Tamburo 16 Pendant w/ Oak Glass, Satin Nickel Finish

RENFRO 16 / 20

The ultra low-profile Renfro is a multi-layered glass, with two radiused glossy white top/bottom sections fused together.



WHITE SPARKLE



OPAL GLOSSY

Renfro 16:



Renfro 20:



10' AWM-type cord, tinted to coordinate with metal finish

3x 10' stainless steel cables

LED: 16W or 24W integrated source, 120V, dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	DECOR		-	LAMP OPTIONS	-	FINISH
1KV 1 Lt. Flat		**RENFRO16**	15.75" Dia. Opal Glossy		**LED** 16W LED 120V, 1500 lumens		**BR** Bronze
		RENFRO16WS	15.75" Dia. White Sparkle				**SN** Satin Nickel

FIXTURE	-	DECOR		-	LAMP OPTIONS	-	FINISH
1KV 1 Lt. Flat		**RENFRO20**	19.75" Dia. Opal Glossy		**LED** 24W LED 120V, 2500 lumens		**BR** Bronze
		RENFRO20WS	19.75" Dia. White Sparkle				**SN** Satin Nickel

Ex. 1KV-RENFRO20-LED-SN
Renfro 20 LED Suspension w/ Opal Glossy Glass, Satin Nickel Finish

MANTA 13 / 18

The ultra low-profile Manta is a multi-layered glass, with a glossy white diffuser fused to a sparkling clear glass ring.



OPAL GLOSSY

Manta 13: #9129



Manta 18: #9130



10' AWM-type cord, tinted to coordinate with metal finish

3x 10' stainless steel cables

LED: 16W or 24W integrated source, 120V, dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	DECOR		-	LAMP OPTIONS	-	FINISH
1KV 1 Lt. Flat		**912939**	13.5" Dia. Opal Glossy		**LED** 16W LED 120V, 1500 lumens		**BR** Bronze
							SN Satin Nickel

FIXTURE	-	DECOR		-	LAMP OPTIONS	-	FINISH
1KV 1 Lt. Flat		**913039**	17.75" Dia. Opal Glossy		**LED** 24W LED 120V, 2500 lumens		**BR** Bronze
							SN Satin Nickel

Ex. 1KV-912939-LED-SN
Manta 13 LED Suspension w/ Opal Glossy Glass, Satin Nickel Finish

SOPHI 14 / 18

Our low-profile Sophi collection offers three cased glass decors, finished off with a bottom frosted glass diffuser.



COBALT MATTE



AMBER MATTE



VANILLA MATTE

Sophi 14:



Sophi 18:



10' AWM-type cord, tinted to coordinate with metal finish

3x 10' stainless steel cables

LED: 16W or 24W integrated source, 120V, dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	FINISH
1KV 1 Lt. Flat		**SOPHI1480** 14.8" Dia. Amber Matte		**LED** 16W LED 120V, 1500 lumens		**BR** Bronze
		SOPHI14CM 14.8" Dia. Cobalt Matte				**SN** Satin Nickel
		SOPHI14VM 14.8" Dia. Vanilla Matte				

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	FINISH
1KV 1 Lt. Flat		**SOPHI1880** 18.2" Dia. Amber Matte		**LED** 24W LED 120V, 2500 lumens		**BR** Bronze
		SOPHI18CM 18.2" Dia. Cobalt Matte				**SN** Satin Nickel
		SOPHI18VM 18.2" Dia. Vanilla Matte				

Ex. 1KV-SOPHI18CM-LED-SN
Sophi 18 LED Suspension, Cobalt Matte Shade, Satin Nickel Finish

SUZI 14 / 18

The Suzi collection features slender yet shapely handcrafted glasses with a open top and bottom.



412719
CARRERA



489707
OPAL MATTE

Suzi 14: #4897



Suzi 18: #4127



STD LAMP: 100W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Cord Fixture		**489707** 14″ Opal Matte		**(blank)** 100W A19 120V		**BR** Bronze		**L** 15′ cord
1JC 1 Lt. Dome		**489719** 14″ Carrera		**LED** 9W LED 120V, dimmable		**SN** Satin Nickel		**LW** Low wattage labeling
1JT 1 Lt. Flat		**412707** 18″ Opal Matte						
		412719 18″ Carrera						
Cable Fixture								
1KX 1 Lt. Dome								
Stem Fixture								
1TT 1 Lt. Flat								
Multi light (pg. 11)								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JT-489707-SN
Suzi Pendant w/ Opal Matte Glass, Satin Nickel Finish

STILO 12 / 16 / 18

Stilo is a narrow open-ended cylinder of handcrafted glass, creating a refined contemporary look.



722407
OPAL MATTE



412807
OPAL MATTE



412019
CARRERA

**Shown with Stem Option (1TT)*

Stilo 12: #4120



Stilo 16: #7224



Stilo 18: #4128



LAMP: 100W A19 120V, *lamp not included*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Cord Fixture		**412007** 12″ Opal Matte		**(blank)** 100W A19 120V		**BR** Bronze		**L** 15′ cord
1JC 1 Lt. Dome		**412019** 12″ Carrera		**LED** 9W LED 120V, dimmable		**SN** Satin Nickel		**LW** Low wattage labeling
1JT 1 Lt. Flat		**722407** 16″ Opal Matte						
		722419 16″ Carrera						
Cable Fixture		**412807** 18″ Opal Matte						
1KX 1 Lt. Dome		**412819** 18″ Carrera						
Stem Fixture								
1TT 1 Lt. Flat								
Multi light (pg. 11)								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JT-722419-SN
Stilo 16 Pendant w/ Carrera Glass, Satin Nickel Finish

EUKA

The compact sized Euka is a modern and pleasing teardrop shape, with open bottom, that will fit seamlessly into any contemporary space.





1720HN
HONEY



1720SK
SMOKE TWIST



1720BL
BLUE TWIST



LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Cord Fixture		**1720BL** Blue Twist		**(blank)** 60W A19 Incan		**BR** Bronze		**L** 15' cord
1JC 1 Lt. Dome		**1720HN** Honey		**LED** 9W LED 120V, dimmable		**SN** Satin Nickel		**LW** Low wattage labeling
1JT 1 Lt. Flat		**1720SK** Smoke Twist						
Multi light (pg. 11)								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JT-1720HN-SN
Euka Pendant w/ Honey Glass, Satin Nickel Finish

JULI

The Juli pendant inverts a teardrop glass featuring a dazzling clear bottom, resulting in a unique addition to any environment.



412506
OPAL GLOSSY



412518
AMBER CLOUD



412541
GARNET



4125CE
CEYLON



412586
BLUE CLOUD



STD LAMP: 100W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**412506** Opal Glossy	**(blank)** 100W A19 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**412518** Amber Cloud	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**412541** Garnet			
	412586 Blue Cloud			
Cable Fixture	**4125CE** Ceylon			
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-412506-SN
Juli Pendant w/ Opal Glossy Glass, Satin Nickel Finish

CHRISSY

The Chrissy pendant features a softly radiused glass, that will gracefully blend into almost any decorating theme.



1509HN
HONEY



150907
OPAL MATTE



1509VM
VANILLA MATTE



150941
GARNET



150918
AMBER CLOUD



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *lamp not included.*

MED: 40W B10 Medium-base 120V, *lamp not included*

HALOGEN: 40W G9 Lamp 120V, *lamp included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**150907** Opal Matte	**(blank)** 40W B10 Cand	**BR** Bronze	**L** 15′ cord
1BC 1 Lt. Dome	**150918** Amber Cloud	**HAL** 40W G9 Hal	**SN** Satin Nickel	**LW** Low wattage labeling
1BT 1 Lt. Flat	**150941** Garnet	**MED** 40W A19 Med		
Multi light (pg. 11)	**1509HN** Honey	**LED** 9W LED 120V, dimmable		
B For Multi light Canopy	**1509VM** Vanilla Matte			



Multilight Canopies Available, see page. 11

Ex. 1BT-1509HN-SN
Chrissy Pendant w/ Honey Glass, Satin Nickel Finish

TESSA

Tessa has a broad bell shape that complements aesthetic, while also built for optimal illumination.



4201SL
SOLARE



420107
WHITE



420131
RED MATTE



420183
MOCHA



420152
MARBLE



STD LAMP: 75W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**420107** White	**(blank)** 75W A19 Incan	**BR** Bronze	**L** 15′ cord
1JC 1 Lt. Dome	**420131** Red Matte	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**420152** Marble			
	420183 Mocha			
Cable Fixture	**4201SL** Solare			
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				
Multi light (pg. 11)				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JT-420183-SN
Tessa Pendant w/ Mocha Glass, Satin Nickel Finish

RIVA 9

The Riva 9 pendant features a softly radiused glass, that will gracefully blend into almost any decorating theme.



151107
OPAL MATTE



1511VM
VANILLA MATTE



151180
AMBER MATTE



1511RM
RUBY MATTE



1511CM
COBALT BLUE MATTE

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**151107** Opal Matte	**(blank)** 75W A19 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**151180** Amber Matte	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**1511CM** Cobalt Blue Matte			
	1511RM Ruby Matte			
Stem Fixture	**1511VM** Vanilla Matte			
1TT 1 Lt. Flat				

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11



STD LAMP: 75W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

Ex. 1JT-1511RM-SN
Riva 9 Pendant w/ Ruby Matte Glass, Satin Nickel Finish

TAO 10

The Tao 10 pendant features an open top radiused glass featuring a spun patterning of 4 colors, creating a casual look.



1512CH
CHERRY



151207
OPAL MATTE



1512KR
CHALK



1512TN
TITAN



1512OK
OAK

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**151207** Opal Matte	**(blank)** 100W A19 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**1512CH** Cherry	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**1512KR** Chalk			
	15120K Oak			
Cable Fixture	**1512TN** Titan			
1KX 1 Lt. Dome				
Stem Fixture				
1TT 1 Lt. Flat				

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11



STD LAMP: 100W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

Ex. 1JT-1512OK-SN
Tao 10 Pendant w/ Oak Glass, Satin Nickel Finish

TRILO 15

Trilo 15 is comprised of three complementary glass segments, resulting in a playful glass display.



451397
CHAMPAGNE



451325
FROST



451331
RED MATTE



451323
BLUE MATTE



STD LAMP: 75W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**451323** Blue Matte	**(blank)** 75W A19 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**451325** Frost	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**451331** Red Matte			
	451397 Champagne			
Stem Fixture				
1TT 1 Lt. Flat				

***Consult factory for multi light options**

Ex. 1JC-451397-SN
Trilo 15 Pendant w/ Champagne Glass, Satin Nickel Finish

COPA

Copa is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.



4930CE
CEYLON



493007
OPAL MATTE



4930VM
VANILLA MATTE



493080
AMBER MATTE



493019
CARRERA



493018
AMBER CLOUD



493041
GARNET



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *lamp not included.*

MED: 40W B10 Medium-base 120V, *lamp not included.*

HALOGEN: 40W G9 Lamp 120V, *lamp included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**493007** Opal Matte	**(blank)** 40W B10 Cand	**BR** Bronze	**L** 15' cord
1BC 1 Lt. Dome	**493018** Amber Cloud	**MED** 40W B10 Med	**SN** Satin Nickel	**LW** Low wattage labeling
1BT 1 Lt. Flat	**493019** Carrera	**HAL** 40W G9 Hal		
	493041 Garnet	**LED** 9W LED 120V, dimmable		
Stem Fixture	**493080** Amber Matte			
1TT 1 Lt. Flat	**4930CE** Ceylon			
	4930VM Vanilla Matte			
Multi light (pg. 11)				
B For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1BT-493019-SN
Copa Pendant w/ Carrera Glass, Satin Nickel Finish

CAMINO

Camino is a softly tapered narrow cylinder, creating a refined contemporary look.



5674CM
COBALT BLUE MATTE



567407
OPAL MATTE



567480
AMBER MATTE



5674RM
RUBY MATTE



567419
CARRERA

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**567407** Opal Matte	**(blank)** 40W B10 Cand	**BR** Bronze	**L** 15' cord
1BC 1 Lt. Dome	**567419** Carrera	**HAL** 40W G9 Hal	**SN** Satin Nickel	**LW** Low wattage labeling
1BT 1 Lt. Flat	**567480** Amber Matte	**LED** 5W LED, dimmable		
	5674CM Cobalt Blue Matte			
Stem Fixture	**5674RM** Ruby Matte			
1TT 1 Lt. Flat				

Multi light (pg. 11)
B For Multi light Canopy



Multilight Canopies Available, see page. 11



STD LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *lamp not included.*

HALOGEN: 40W G9 Lamp 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1400 lumens, 25,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

Ex. 1BT-5674RM-SN
Camino Pendant w/ Ruby Matte Glass, Satin Nickel Finish

CIERRO

Cierro is a softly tapered narrow cylinder, creating a refined contemporary look.



412435
CHARTREUSE



412407
OPAL MATTE



4124VM
VANILLA MATTE



412480
AMBER MATTE



4124RM
RUBY MATTE



4124CM
COBALT BLUE MATTE

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**412407** Opal Matte	**(blank)** 100W A19 120V	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**412435** Chartreuse	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**412480** Amber Matte			
	4124CM Cobalt Blue Matte			
Cable Fixture	**4124RM** Ruby Matte			
1KX 1 Lt. Dome	**4124VM** Vanilla Matte			
Stem Fixture				
1TT 1 Lt. Flat				

Multi light (pg. 11)
J For Multi light Canopy



Multilight Canopies Available, see page. 11



LAMP: 100W A19 120, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

Ex. 1JT-412435-SN
Cierro Pendant w/ Chartreuse Glass, Satin Nickel Finish

STILO 7

Stilo 7 is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



4404HN
HONEY



LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *lamp not included.*

MED: 40W Medium base, 120V, *lamp not included.*

HALOGEN: 40W G9 Lamp 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1400 lumens, 25,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



440407 OPAL MATTE | 440480 AMBER MATTE | 440419 CARRERA | 440441 GARNET | 4404CE CEYLON



440486 BLUE CLOUD | 4404OK OAK | 4404CH CHERRY | 4404KR CHALK | 4404TN TITAN

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**440407** Opal Matte	**(blank)** 40W B10 Cand	**BR** Bronze	**L** 15' cord
1BC 1 Lt. Dome	**440419** Carrera	**MED** 40W B10 Med	**SN** Satin Nickel	**LW** Low wattage labeling
1BT 1 Lt. Flat	**440441** Garnet	**HAL** 40W G9 Halogen		
	440480 Amber Matte	**LED** 5W LED 120V, dimmable		
Stem Fixture	**440486** Blue Cloud			
1TT 1 Lt. Flat	**4404CE** Ceylon			
	4404CH Cherry			
Multi light (pg. 11)	**4404HN** Honey			
B For Multi light Canopy	**4404KR** Chalk			
	4404OK Oak			
	4404TN Titan			



Multilight Canopies Available, see page. 11

Ex. 1BT-4404HN-SN
Stilo 7 Pendant w/ Honey Glass, Satin Nickel Finish

STILO 10

Stilo 10 is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



412319
CARRERA



LAMP: 100W A19, 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



412307 OPAL MATTE | 4123VM VANILLA MATTE | 412318 AMBER CLOUD | 412341 GARNET | 4123CE CEYLON | 412386 BLUE CLOUD

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**412307** Opal Matte	**(blank)** 100W A19 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**412318** Amber Cloud	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**412319** Carrera			
	412341 Garnet			
Cable Fixture	**412386** Blue Cloud			
1KX 1 Lt. Dome	**4123CE** Ceylon			
	4123VM Vanilla Matte			
Stem Fixture				
1TT 1 Lt. Flat				
Multi light				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JC-412319-SN
Stilo 10 Pendant w/ Carrera Glass, Satin Nickel Finish

TU TU

The Tu Tu is a slender yet shapely handcrafted glass with an open top and bottom.



4121MA
MAGMA



412107
OPAL MATTE



412119
CARRERA



412118
AMBER CLOUD



4121HB
HABANERO



412141
GARNET



4121CE
CEYLON



412186
BLUE CLOUD

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**412107** Opal Matte	**(blank)** 40W B10 Cand	**BR** Bronze	**L** 15' cord
1BC 1 Lt. Dome	**412118** Amber Cloud	**MED** 40W B10 Med	**SN** Satin Nickel	**LW** Low wattage labeling
1BT 1 Lt. Flat	**412119** Carrera	**HAL** 40W G9 Halogen		
	412141 Garnet	**LED** 5W LED 120V, dimmable		
Stem Fixture	**412186** Blue Cloud			
1TT 1 Lt. Flat	**4121CE** Ceylon			
	4121HB Habanero			
Multi light (pg. 11)	**4121MA** Magma			
B For Multi light Canopy				

Ex. 1BT-4121MA-SN
Tu Tu Pendant w/ Magma Glass, Satin Nickel Finish



LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *lamp not included.*

MED: 40W Medium base, 120V, *lamp not included.*

HALOGEN: 40W G9 Lamp 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 1400 lumens, 25,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



Multilight Canopies Available, see page. 11

PERA 9

The Pera 9 is a curvy bell-bottomed shape, that fits nicely into any contemporary design.



412618
AMBER CLOUD



412607
OPAL MATTE



412680
AMBER MATTE



412619
CARRERA



4126MG
MARBLE GRIGIO



412641
GARNET



4126HN
HONEY



4126HB
HABANERO



4126MA
MAGMA



4126CE
CEYLON



412686
BLUE CLOUD

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**412607** Opal Matte	**(blank)** 100W A19 Incan	**BR** Bronze	**L** 15' cord
1JC 1 Lt. Dome	**412618** Amber Cloud	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**412619** Carrera			
	412641 Garnet			
Cable Fixture	**412680** Amber Matte			
1KX 1 Lt. Dome	**412686** Blue Cloud			
	4126CE Ceylon			
Stem Fixture	**4126HB** Habanero			
1TT 1 Lt. Flat	**4126HN** Honey			
	4126MA Magma			
Multi light	**4126MG** Marble Grigio			
J For Multi light Canopy				

Ex. 1JC-412618-SN
Pera 9 Pendant w/ Amber Cloud Glass, Satin Nickel Finish



LAMP: 100W A19, 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code



Multilight Canopies Available, see page. 11

SASHA

Sasha has a classical bell shape that complements any aesthetic, while also built for optimal illumination.



757241
GARNET



757207 OPAL MATTE
757280 AMBER MATTE
757219 CARRERA
7572MG MARBLE GRIGIO
7572HV HALVA
7572HN HONEY
757218 AMBER CLOUD
7572HB HABANERO
7572CE CEYLON
757286 BLUE CLOUD



LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *lamp not included.*

MED: 40W Medium base, 120V, *lamp not included.*

HALOGEN: 40W G9 Lamp 120V, *lamp included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**757207** Opal Matte	**(blank)** 40W B10 Cand	**BR** Bronze	**L** 15′ cord
1BC 1 Lt. Dome	**757218** Amber Cloud	**MED** 40W B10 Med	**SN** Satin Nickel	**LW** Low wattage labeling
1BT 1 Lt. Flat	**757219** Carrera	**HAL** 40W G9 Halogen		
	757241 Garnet	**LED** 9W LED 120V, dimmable		
Multi light (pg. 11)	**757280** Amber Matte			
B For Multi light Canopy	**757286** Blue Cloud			
	7572CE Ceylon			
	7572HB Habanero			
	7572HN Honey			
	7572HV Halva			
	7572MG Marble Grigio			



Multilight Canopies Available, see page. 11

Ex. 1BT-757241-SN
Sasha Pendant w/ Garnet Glass, Satin Nickel Finish

VILA

Vila has a classical bell shape that complements any aesthetic, while also built for optimal illumination.



447086
BLUE CLOUD



447007 OPAL MATTE
447019 CARRERA
4470MG MARBLE GRIGIO
4470HN HONEY
4470HB HABANERO
447041 GARNET
4470MA MAGMA
4470CE CEYLON
4470GF GOLD FOIL



LAMP: 60W A19, 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Cord Fixture	**447007** Opal Matte	**(blank)** 60W A19 Incan	**BR** Bronze	**L** 15′ cord
1JC 1 Lt. Dome	**447019** Carrera	**LED** 9W LED 120V, dimmable	**SN** Satin Nickel	**LW** Low wattage labeling
1JT 1 Lt. Flat	**447041** Garnet			
	447086 Blue Cloud			
Cable Fixture	**4470CE** Ceylon			
1KX 1 Lt. Dome	**4470GF** Gold Foil			
	4470HB Habanero			
Stem Fixture	**4470HN** Honey			
1TT 1 Lt. Flat	**4470MA** Magma			
	4470MG Marble Grigio			
Multi light				
J For Multi light Canopy				



Multilight Canopies Available, see page. 11

Ex. 1JC-447086-SN
Vila Pendant w/ Blue Cloud Glass, Satin Nickel Finish

BOLLA

The Bolla is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



412260
COCOON



412207 OPAL MATTE
412280 AMBER MATTE
412219 CARRERA
4122HN HONEY
412218 AMBER CLOUD
4122HB HABANERO
4122MA MAGMA
412241 GARNET
4122CE CEYLON
412286 BLUE CLOUD



LAMP: 40W B10 or 50W Xenon E12 (candelabra-base) 120V, *lamp not included.*

MED: 40W Medium base, 120V, *lamp not included.*

HALOGEN: 40W G9 Lamp 120V, *lamp included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Cord Fixture		**412207** Opal Matte		**(blank)** 40W B10 Cand		**BR** Bronze		**L** 15' cord
1BC 1 Lt. Dome		**412218** Amber Cloud		**MED** 40W B10 Med		**SN** Satin Nickel		**LW** Low wattage labeling
1BT 1 Lt. Flat		**412219** Carrera		**HAL** 40W G9 Halogen				
		412241 Garnet		**LED** 9W LED 120V, dimmable				
Stem Fixture		**412260** Cocoon						
1TT 1 Lt. Flat		**412280** Amber Matte						
		412286 Blue Cloud						
Multi light (pg. 11)		**4122CE** Ceylon						
B For Multi light Canopy		**4122HB** Habanero						
		4122HN Honey						
		4122MA Magma						



Multilight Canopies Available, see page. 11

Ex. 1BT-412260-SN
Bolla Pendant w/ Cocoon Glass, Satin Nickel Finish

LUCIA

The Lucia is a classically curved open-bottom shape, that clearly transitions into virtually all designs.



169707
OPAL MATTE



1697VM VANILLA MATTE
1697HN HONEY
169718 AMBER CLOUD
169741 GARNET
1697CE CEYLON
169786 BLUE CLOUD



LAMP: 75W A19, 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Cord Fixture		**169707** Opal Matte		**(blank)** 75W A19 Incan		**BR** Bronze		**L** 15' cord
1JC 1 Lt. Dome		**169718** Amber Cloud		**LED** 9W LED 120V, dimmable		**SN** Satin Nickel		**LW** Low wattage labeling
1JT 1 Lt. Flat		**169741** Garnet						
		169786 Blue Cloud						
Cable Fixture		**1697CE** Ceylon						
1KX 1 Lt. Dome		**1697HN** Honey						
		1697VM Vanilla Matte						
Stem Fixture								
1TT 1 Lt. Flat								
Multi light								
J For Multi light Canopy								



Multilight Canopies Available, see page. 11

Ex. 1JC-169707-SN
Lucia Pendant w/ Opal Matte Glass, Satin Nickel Finish

BUILD YOUR OWN 12V MULTI LIGHT MINI PENDANT



6-light Round 12V multiport canopy with six Juliette Mini Pendants in Vanilla Glossy.

1x T26X-SN
6x X-4096VM-SN



9-light Round 12V LED multiport canopy with nine Lasso 12V LED Mini Pendants in Glitter.

1x T29X-LED-SN
9x X-5612GL-LED-SN

STEP 1 SELECT THE 12V MULTIPORT CEILING CANOPY

Select from 3, 4, 6, 7 or 9 lights canopies available as round or bar configurations.

3-LIGHT ROUND, FIXED CONNECT
For 12V Mini Pendants using 10" diameter shades MAX, with staggered heights.



3-LIGHT LARGE ROUND, FIXED CONNECT
For 12V Mini Pendants using 16" diameter shades MAX, with staggered heights.



6-LIGHT ROUND, FIXED CONNECT
For 12V Mini Pendants using 10" diameter shades MAX, with staggered heights.



3-LIGHT BAR, FIXED CONNECT
For 12V Mini Pendants using 20" diameter shades MAX, with staggered heights.



4-LIGHT BAR, FIXED CONNECT
For 12V Mini Pendants using 20" diameter shades MAX, with staggered heights.



9-LIGHT ROUND, FIXED CONNECT
For 12V Mini Pendants using 10" diameter shades MAX, with staggered heights.



7-LIGHT BAR, FIXED CONNECT
For 12V Mini Pendants using 14" diameter shades MAX, with staggered heights.



SWAG ACCESSORY
For 12V Cord Pendants that allow installer to position cord drops as desired.
Order: T100-BR/SN



MULTIPORT CEILING CANOPY ORDERING

ITEM		-	LAMPING		-	FINISH		-	OPTIONS	
T23X	3-light round	-	**(blank)**	Halogen, includes 60W 12V Electronic Transformer per port	-	**BR**	Bronze	-	**277**	277V
T23XL	3-light large round					**SN**	Satin Nickel		**DIM010**	0-10V Dimming
T26X	6-light round									
T29X	9-light round									
T23V	3-light bar		**LED**	LED, includes 60W LED 12V (no load) Electronic Transformer per port						
T24V	4-light bar									
T27V	7-light bar									

STEP 2 COMBINE THE CODES

Refer to the 12V pendants pages 79-115 to select your 12V pendants. Order your canopy with the selected 12V pendants multi light pendants (Indicated by "X" prefix) for the complete fixture.



Ordering code for the example shown to the left:

1x T23X-SN
1x X-461500-SN
1x X-461502-SN
1x X-461582-SN

***For LED pendants, LED Canopy must be ordered.**

12V MINI PENDANTS



9-light round 12V LED multiport canopy with five Boca 3 12V LED Mini pendants in Clear Bubble and four Boca 5 12V LED Mini Pendants in Clear Bubble.

Ordering Code:
1x T29X-LED-SN
5x X-BOCA3BB-LED-SN
4x X-BOCA5BB-LED-SN

MONOPOINT CORD HUNG

1XC 1 LIGHT PENDANT, DOME CANOPY



EASY INSTALL: NO CORD CUTTING REQUIRED

- Suitable for use on sloped ceilings
- 1x electronic 60W dimmable 120V transformer (No load type included with LED)
- Installs to standard 4″ junction box
- 10′ Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5″ sleeve at socketholder
- Bronze or Satin Nickel

1XT 1 LIGHT PENDANT, FLAT CANOPY



- Suitable for use on sloped ceilings
- 1x electronic 60W dimmable 120V transformer (No load type included with LED), fits partially in junction box
- Installs to standard 4″ junction box
- 10′ Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5″ sleeve at socketholder
- Bronze or Satin Nickel

MONOPOINT QUICK-CONNECT

XP PENDANT ELEMENT ONLY



- Pendant Shade and Cord/Socket Set
- 10′ Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5″ sleeve at socketholder
- Quick-Connect Jack provided
- Compatible with Besa Quick-Connect Canopies and Rail Adapter
- Bronze or Satin Nickel

RXP PENDANT + RAIL ADAPTER



READY FOR RAIL

- Pendant Shade and Cord/Socket Set, plus Rail Adapter
- 10′ Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5″ sleeve at socketholder
- Quick-Connect Jack provided
- Compatible with Besa Monorail System
- Bronze or Satin Nickel

1XP PENDANT + MONOPOINT FLAT CANOPY



- Pendant Shade and Cord/Socket Set, plus Flat Canopy
- 1x electronic 60W dimmable transformer (No load type included with LED), fits partially in junction box
- 10′ Field-adjustable braided coaxial-type cord with teflon jacket (clear or bronze tint) with 5″ sleeve at socketholder
- Quick-Connect Jack provided
- Integral Quick-Connect adapter
- Bronze or Satin Nickel

1XA ADJUSTABLE PENDANT + FLAT CANOPY



- Easy cord adjuster, just squeeze and move up/down
- Adjustable Cable/Socket set plus Flat Canopy
- 1x electronic 60W dimmable transformer, fits partially in junction box
- 8′ Field-adjustable bare silver-color braided cable
- Swivel/pivot feature, suitable for use on sloped ceilings
- Integral Quick-Connect Jack
- Bronze or Satin Nickel metal finishes

BOCA 3 / 5

The Boca LED Mini Pendant is comprised of an appealing globe-shaped clear or bubble-patterned solid crystal, accented by an inner frosted tube to diffuse the light source.



BOCA3BB
CLEAR BUBBLE



BOCA5CL
CLEAR

Boca 3:



Boca 5:



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Quick-Connect		**BOCA3BB** 3.15″ Clear Bubble		**(blank)** 35W Hal		**BR** Bronze		**L** 15′ cord
XP Jack Only		**BOCA3CL** 3.15″ Clear		**LED** 3W LED		**SN** Satin Nickel		**277** 277V
RXP Rail-Ready		**BOCA5BB** 4.75″ Clear Bubble						**DIM010** 0-10V Dimming
1XP Flat Canopy		**BOCA5CL** 4.75″ Clear						
Pendant Fixtures								
1XC Dome Canopy								
1XT Flat Canopy								
Multi light								
X For Multi light Canopy								



Multilight Canopies Available, see page. 77

Ex. 1XT-BOCA5CL-LED-SN
Boca 5 LED Pendant, Clear Shade, Satin Nickel Finish

SPUR

The Spur is a distinctive double-glass pendant, with an inner frosted cylinder centered within a transcolor softly radiused outer glass.



SPURSM
SMOKE



SPURCL
CLEAR



SPURRD
RED



SPURBL
BLUE



SPURPL
PLUM

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**SPURBL** Blue	**(blank)** 35W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**SPURCL** Clear	**LED** 3W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**SPURPL** Plum			**DIM010** 0-10V Dimming
1XP Flat Canopy	**SPURRD** Red			
	SPURSM Smoke			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				

Ex. 1XT-SPURRD-SN
Spur Pendant, Red Glass, Satin Nickel Finish



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code



Multilight Canopies Available, see page. 77

SPAZIO

The Spazio pendant features two softly radiused prismatic glasses, fused together to create a refined contemporary look.



6294RD
RED/FROST



6294CL
CLEAR/FROST



629406
OPAL GLOSSY



6294GD
GOLD/FROST



6294BL
BLUE/FROST

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**629406** Opal Glossy	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**6294BL** Blue/Frost	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**6294CL** Clear/Frost			**DIM010** 0-10V Dimming
1XP Flat Canopy	**6294GD** Gold/Frost			
	6294RD Red/Frost			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				

Ex. 1XT-629406-SN
Spazio Pendant w/ Opal Glossy Glass, Satin Nickel Finish



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included

LOCATION: DRY

For latest product information, scan QR code



Multilight Canopies Available, see page. 77

KIBA

The Kiba Mini Pendant is a transitional design composed of a transcolor glass bell, with an interesting bubble pattern blown randomly throughout the glass.



KIBALT
LATTE BUBBLE



KIBACL
CLEAR BUBBLE



KIBAGD
GOLD BUBBLE



KIBAMS
MOSS BUBBLE



KIBABL
BLUE BUBBLE



KIBAPL
PLUM BUBBLE



LED: 3W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 300 lumens, 30,000 hours.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION		GLASS OPTIONS		LAMP OPTIONS	METAL FINISH		OPTIONS	
Cord Fixtures		**KIBABL**	Blue Bubble	**LED**	3W LED	**BR**	Bronze	**L**	15' cord
1XC	1 Lt. Dome	**KIBACL**	Clear Bubble			**SN**	Satin Nickel	**277**	277V
1XT	1 Lt. Flat	**KIBAGD**	Gold Bubble					**DIM010**	0-10V Dimming
		KIBALT	Latte Bubble						
Multi light		**KIBAMS**	Moss Bubble						
X	For Multi light Canopy	**KIBAPL**	Plum Bubble						

Ex. 1XT-KIBAMS-SN
Kiba Pendant, Moss Bubble Glass Shade, Satin Nickel Finish



Multilight Canopies Available, see page. 77

PRINCE

The Prince Mini Pendant is a Modern design composed of a machined aluminum metal shade with a Aluminum plated finish. The deep metal body fully conceals the light source and casts an effective level of tasklighting, while the bottom horizontal cutouts project a subtle amount of pleasing sidelight.



PRINCECNBR
BRONZE



PRINCECNSN
SATIN NICKEL



LED: 9W Replaceable 12V LED MR16, dimmable. 82+ CRI, 3000°K CCT, 670 lumens, 25,000 hours.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Cord Fixtures		**PRINCECNBR** Cone Bronze		**LED** 9W LED		**BR** Bronze		**L** 15' cord
1XC 1 Lt. Dome		**PRINCECNSN** Cone Satin Nickel				**SN** Satin Nickel		**277** 277V
1XT 1 Lt. Flat								**DIM010** 0-10V Dimming
Multi light								
X For Multi light Canopy								



Multilight Canopies Available, see page. 77

Ex. 1XT-PRINCEYBR-LED-SN
Prince Cone Pendant, Bronze Shade, Bronze Finish

CREED

Our industrial styled Creed mini pendant, composed of a parabolic-shaped metal reflector with an upper accent tightly wrapped in natural twine, offers a look that will easily merge into the recent urban decorating trend.



SATIN NICKEL/ INNER SILVER REFLECTOR



BRONZE/INNER CHAMPAGNE REFLECTOR



LED: 9W Replaceable 12V LED MR16, dimmable, 90+ CRI, 3000°K CCT, 525 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	- SHADE OPTIONS -	LAMP OPTIONS	- METAL FINISH -	OPTIONS
Quick-Connect	**CREED** Creed	**LED** 9W LED	**BR** Bronze	**L** 15′ cord
XP Jack Only			**SN** Satin Nickel	**277** 277V
RXP Rail-Ready				**DIM010** 0-10V Dimming
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-CREED-LED-SN
Creed LED Pendant, Satin Nickel Finish

RONDO

Our Rondo metal shade LED Pendant is a sleek modern trumpet with aluminum finish and semi-specular alzak reflector for shielding the light source. The result is the perfect tasklight, providing functional illumination and a pleasing appearance from below.





SATIN NICKEL WITH
SILVER ALZAK REFLECTOR



BRONZE WITH
CHAMPAGNE ALZAK REFLECTOR



LED: 9W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 525 lumens, 30,000 hours.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	SHADE OPTION	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1XT** Flat Canopy	**RONDO** Rondo	**LED** 9W LED	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **277** 277V **DIM010** 0-10V Dimming
Multi light **X** For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-RONDO-LED-SN
Rondo LED Pendant, Satin Nickel Finish

PERSIA

Our Persia metal shade LED Pendant is an updated RLM look with aluminum finish and semi-specular alzak reflector for shielding the light source. The result is the perfect tasklight, providing functional illumination and a pleasing appearance from below.



BRONZE WITH
CHAMPAGNE ALZAK REFLECTOR



SATIN NICKEL WITH
SILVER ALZAK REFLECTOR



LED: 9W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 525 lumens, 30,000 hours.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	SHADE OPTION	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1XT** Flat Canopy	**PERSIA** Persia	**LED** 9W LED	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **277** 277V **DIM010** 0-10V Dimming
Multi light **X** For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-PERSIA-LED-SN
Persia LED Pendant, Satin Nickel Finish

FELIX

Our Felix metal shade LED Pendant is a stylish globe with aluminum finish and semi-specular alzak reflector for shielding the light source. The result is the perfect tasklight, providing functional illumination and a pleasing appearance from below.



SATIN NICKEL WITH
SILVER ALZAK REFLECTOR



BRONZE WITH
CHAMPAGNE ALZAK REFLECTOR



LED: 9W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 525 lumens, 30,000 hours.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	SHADE OPTION	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1XT** Flat Canopy	**FELIX** Felix	**LED** 9W LED	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **277** 277V **DIM010** 0-10V Dimming
Multi light **X** For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-FELIX-LED-SN
Felix LED Pendant, Satin Nickel Finish

MODUS

Our classically RLM-shaped Modus mini pendant is equipped with a cement-based shade, while concealing a focused light source.



MODUSTN
TAN



MODUSNA
NATURAL



MODUSWH
WHITE



LED: 9W Replaceable 12V LED MR16, dimmable. 82+ CRI, 3000° CCT, 670 lumens, 25,000 hours.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**MODUSNA** Natural	**LED** 9W LED	**BR** Bronze	**L** 15' cord
XP Jack Only	**MODUSTN** Tan		**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**MODUSWH** White			**DIM010** 0-10V Dimming
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-MODUSTN-LED-SN
Modus Pendant, Tan, Satin Nickel Finish

GLIDE

Our diminutive Glide mini pendant is equipped with a cement-based tubular shade, while concealing a focused light source.



GLIDEWH
WHITE



GLIDETN
TAN



GLIDENA
NATURAL



LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**GLIDENA** Natural	**LED** 3W LED	**BR** Bronze	**L** 15' cord
XP Jack Only	**GLIDETN** Tan		**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**GLIDEWH** White			**DIM010** 0-10V Dimming
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-GLIDEWH-LED-SN
Glide Pendant, White, Satin Nickel Finish

SKIP

Our four sided geometrically-shaped Skip mini pendant is equipped with a cement-based angle cut shade, while concealing a focused light source.



SKIPNA
NATURAL



SKIPTN
TAN



SKIPWH
WHITE



LED: 9W Replaceable 12V LED MR16, dimmable. 90+ CRI, 3000° CCT, 525 lumens, 25,000 hours.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**SKIPNA** Natural	**LED** 9W LED	**BR** Bronze	**L** 15' cord
XP Jack Only	**SKIPTN** Tan		**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**SKIPWH** White			**DIM010** 0-10V Dimming
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-SKIPWH-LED-SN
Skip Pendant, White, Satin Nickel Finish

VIBE 8

The Vibe 8 LED Mini Pendant is comprised of an appealing clear tubular glass, accented by an interesting dimensioned metal spiral formed into the glass from top to the bottom. The splash of concealed LED downlight onto the encased metal winding makes the Vibe 8 a stunning display of light accents and shadows.



VIBE8SM
SMOKE



VIBE8CL
CLEAR



LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**VIBE8CL** 8.5″ Clear	**LED** 3W LED	**BR** Bronze	**L** 15′ cord
XP Jack Only	**VIBE8SM** 8.5″ Smoke		**SN** Satin Nickel	**277** 277V
RXP Rail-Ready				**DIM010** 0-10V Dimming
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-VIBE8CL-LED-SN
Vibe 8 LED Pendant, Clear Glass, Satin Nickel Finish

TIMO 6

Our Timo 6 LED Mini Pendant is equipped with a black or white capped conical transparent shade, concealing a focused downlight source for effective task lighting.





TIMO6BC
CLEAR/BLACK



TIMO6WC
CLEAR/WHITE



TIMO6BS
SMOKE/BLACK



TIMO6WS
SMOKE/WHITE

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**TIMO6BC** 6″ Clear/Black	**LED** 9W LED	**BR** Bronze	**L** 15′ cord
XP Jack Only	**TIMO6WC** 6″ Clear/White		**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**TIMO6BS** 6″ Smoke/Black			**DIM010** 0-10V Dimming
1XP Flat Canopy	**TIMO6WS** 6″ Smoke/White			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-TIMO6BC-LED-SN
Timo 6 LED Pendant, Clear/Black Shade, Satin Nickel Finish



LED: 9W Replaceable 12V LED MR16, dimmable, 90+ CRI, 3000°K CCT, 525 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

POGO

The Pogo is a playful double-glass pendant, with a globe-shaped opal glass suspended in a radiused glass ring with inner foil accent.





4293GF
BLACK/INNER GOLD FOIL



4293SF
WHITE/INNER SILVER FOIL



4293SS
SILVER/INNER SILVER FOIL



4293GG
GOLD/INNER GOLD FOIL



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**4293GG** Gold/Inner Gold Foil	**(blank)** 35W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**4293GF** Black/Inner Gold Foil	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**4293SF** White/Inner Silver Foil			**DIM010** 0-10V Dimming
1XP Flat Canopy	**4293SS** Silver/Inner Silver Foil			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-4293GF-SN
Pogo Pendant w/ Black/Inner Gold Glass, Satin Nickel Finish

TERRA

The Terra LED Mini Pendant is comprised of an appealling heart-shaped clear glass, accented by an interesting dimensioned clear tip with dazzling clear crystals laid onto the bottom. The splash of concealed LED downlight onto the cut crystals makes the Terra a stunning display of light refractions.



TERRACL
CLEAR CRYSTALS



LED: 3W replaceable 12V LED MR11, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1XT** Flat Canopy	**TERRACL** Clear Crystals	**LED** 3W LED	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **277** 277V **DIM010** 0-10V Dimming
Multi light **X** For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-TERRACL-LED-SN
Terra LED Pendant, Clear Crystal Glass, Satin Nickel Finish

GROOVE

The Groove is a unique piece comprised of three segments of mirrored glass fused into an arc-shaped shade.



6773MR
MIRROR

**Groove shown unlit*



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect **XP** Jack Only **RXP** Rail-Ready **1XP** Flat Canopy	**6773MR** Mirror	**(blank)** 50W Hal **LED** 5W LED	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **277** 277V **DIM010** 0-10V Dimming
Pendant Fixtures **1XC** Dome Canopy **1XT** Flat Canopy				
Adjustable **1XA** Flat Canopy				
Multi light **X** For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-6773MR-SN
Groove Mini Pendant w/ Mirror-Frost Glass, Satin Nickel Finish

WANDA 12

The Wanda 12 LED Pendant is composed of a narrow transparent glass cylinder, with an interesting bubble pattern blown randomly throughout the glass.



WAND12CL
CLEAR BUBBLE



WAND12PL
PLUM BUBBLE



WAND12GD
GOLD BUBBLE



WAND12LT
LATTE BUBBLE



WAND12MS
MOSS BUBBLE



WAND12BL
BLUE BUBBLE



LED: 3W replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	- GLASS OPTIONS	- LAMP OPTIONS	- METAL FINISH	- OPTIONS
Pendant Fixtures	**WAND12BL** Blue Bubble	**LED** 3W LED	**BR** Bronze	**L** 15' cord
1XT Flat Canopy	**WAND12CL** Clear Bubble		**SN** Satin Nickel	**277** 277V
	WAND12GD Gold Bubble			**DIM010** 0-10V Dimming
Multi light	**WAND12LT** Latte Bubble			
X For Multi light Canopy	**WAND12MS** Moss Bubble			
	WAND12PL Plum Bubble			



Multilight Canopies Available, see page. 77

Ex. 1XT-WAND12GD-LED-SN
Wanda LED Pendant, Gold Bubble Glass, Satin Nickel Finish

PIVOT

Our Pivot LED Pendant is a clean and simple machined aluminum design, with a fused 3-piece glass diffuser for shielding the light source.





PIVOTCL
OPAL GLOSSY/CLEAR



PIVOTAM
OPAL GLOSSY/AMBER



PIVOTSM
OPAL GLOSSY/SMOKE



LED: 3W replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1XT** Flat Canopy	**PIVOTAM** Opal Glossy/Amber **PIVOTCL** Opal Glossy/Clear **PIVOTSM** Opal Glossy/Smoke	**LED** 3W LED	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **277** 277V **DIM010** 0-10V Dimming
Multi light **X** For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-PIVOTAM-LED-SN
Pivot LED Pendant, Opal Glossy/Amber Glass, Satin Nickel Finish

EVE

Eve is a classic bell-shaped shade of handcrafted glass, a shape that stands the test of time. The decor is a clear blown glass with on outer texture of coarse sandstone, with distressed metal foil hand applied on the inner surface.



EVESS
STONE SILVER FOIL



EVEGS
STONE GOLD FOIL



EVECS
STONE COPPER FOIL



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Quick-Connect		**EVECS** Stone Copper Foil		**(blank)** 50W Hal		**BR** Bronze		**L** 15' cord
XP Jack Only		**EVEGS** Stone Gold Foil		**LED** 5W LED		**SN** Satin Nickel		**277** 277V
RXP Rail-Ready		**EVESS** Stone Silver Foil						**DIM010** 0-10V Dimming
1XP Flat Canopy								

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-EVECS-LED-SN
Eve LED Pendant, Stone Copper Foil Shade, Satin Nickel Finish

The Jade Mini pendant features a bicolor glass, melding the two complimentary colors to create a refined contemporary look. Our prismatic cone-shaped glass is internally stippled with a glossy outer finish, enhancing the appeal of the vibrant colors.



JADEEG
EMERALD/GOLD



JADEAC
AMBER/CREME



JADEPB
PURPLE/BLUE



JADEBP
BLACK/PLUM



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, lamp included.

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**JADEAC** Amber/Creme	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**JADEBP** Black/Plum	**LED** 3W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**JADEEG** Emerald/Gold			**DIM010** 0-10V Dimming
1XP Flat Canopy	**JADEPB** Purple/Blue			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-JADEEG-LED-SN
Jade LED Pendant, Emerald/Gold Shade, Satin Nickel Finish

FLOWER

Our Flower LED Pendant is a compactly radiused machined aluminum design with multiple tiered acrylic rings and a frosted acrylic diffuser for shielding the light source. The interesting play of light through the acrylic accents make for a bold appearance, and along with the strong burst of focused downlight makes the Flower ideal for task oriented applications in modern environments.



FLOW00-RD/BL
RED/BLUE



FLOW00-FRAM
FROST/AMBER



FLOW00-YLPL
YELLOW/PURPLE



FLOW00-BKGR
BLACK/GREEN



AM
AMBER



BL
BLUE



BK
BLACK



CL
CLEAR



GR
GREEN



FR
FROST



PL
PURPLE



RD
RED



SL
SILVER



YL
YELLOW



LED: 3W replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	-	SHADE OPTIONS	-	OUTER ACRYLIC	INNER ACRYLIC	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Pendant Fixtures		**FLOW00** Flower		**AM** Amber	**AM** Amber		**LED** 3W LED		**BR** Bronze		**L** 15' cord
1XT Flat Canopy				**BL** Blue	**BL** Blue				**SN** Satin Nickel		**277** 277V
				BK Black	**BK** Black						**DIM010** 0-10V
Multi light				**CL** Clear	**CL** Clear						Dimming
X For Multi light Canopy				**GR** Green	**GR** Green						
				FR Frost	**FR** Frost						
				PL Purple	**PL** Purple						
				RD Red	**RD** Red						
				SL Silver	**SL** Silver						
				YL Yellow	**YL** Yellow						



Multilight Canopies Available, see page. 77

Ex. 1XT-FLOW00-BKGR-LED-SN
Flower LED Mini Pendant, Black/Green Acrylics, Satin Nickel Finish

SPUTNIK

Our Sputnik LED Pendant is a clean and simple machined aluminum design with a frosted acrylic diffuser for shielding the light source. The diminutive scale, along with the strong burst of focused downlight is ideal for task oriented applications in modern environments.



SPUTNIK



LED: 7W replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures **1XT** Flat Canopy	**SPUTNK** Sputnik	**LED** 7W LED	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **277** 277V **DIM010** 0-10V Dimming
Multi light **X** For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-SPUTNK-LED-SN
Sputnik LED Mini Pendant, Satin Nickel Finish

BRIO 7

The Brio 7 is a wide yet compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces. When illuminated the inner foil glows beautifully and bottom clear glass emits a sparkle.



2492GF
GOLD FOIL



2492SF
SILVER FOIL



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect **XP** Jack Only **RXP** Rail-Ready **1XP** Flat Canopy	**2492GF** Gold Foil **2492SF** Silver Foil	**(blank)** 35W Hal **LED** 5W LED	**BR** Bronze **SN** Satin Nickel	**L** 15' cord **277** 277V **DIM010** 0-10V Dimming
Pendant Fixtures **1XC** Dome Canopy **1XT** Flat Canopy				
Multi light **X** For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-2492GF-SN
Brio 7 Mini Pendant w/ Gold Foil Glass, Satin Nickel Finish

PICA 6

Pica 6 is a compact tapered glass treated with a band of natural sand applied to the inerior with a broad angled top and a chamfer-cut bottom, its retro styling will gracefully blend into today's environments.





PIC6RD
RED SAND



PIC6WH
WHITE SAND



PIC6CR
CREME SAND



PIC6GD
GOLD SAND



PIC6BL
BLUE SAND



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**PIC6BL** Blue Sand	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**PIC6CR** Creme Sand	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**PIC6GD** Gold Sand			**DIM010** 0-10V Dimming
1XP Flat Canopy	**PIC6RD** Red Sand			
	PIC6WH White Sand			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-PIC6TN-SN
Pica 6 Mini Pendant w/ Tan Sand Glass, Satin Nickel Finish

BOTELLA 10 / 12

Available in two sizes and three frosted colors, our Botella's are inspired by the timeless and cherished fermented grape beverages.



1685GF
GREEN-FROST



1684AF
AMBER-FROST



1684BF
BLUE-FROST

Botella 10: #1684 Botella 12: #1685



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**1684AF** 10″ Amber-Frost	**(blank)** 35W Hal	**BR** Bronze	**L** 15′ cord
XP Jack Only	**1684BF** 10″ Blue-Frost	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**1684GF** 10″ Green-Frost			**DIM010** 0-10V Dimming
1XP Flat Canopy	**1685AF** 12″ Amber-Frost			
	1685BF 12″ Blue-Frost			
Pendant Fixtures	**1685GF** 12″ Green-Frost			
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-1684AF-SN
Botella 10 Mini Pendant w/ 10″ Amber-Frost Glass, Satin Nickel Finish

PAHU 4

The Pahu is a distinctive yet timeless double-glass pendant, with an inner opal cylinder centered within a transcolor outer glass.



G44007
TRANS. ARMAGNAC/OPAL



C44007
CLEAR/OPAL



S44007
TRANS. SMOKE/OPAL



L44007
TRANS. OLIVE/OPAL



A44007
TRANS. AMETHYST/OPAL



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**A44007** Trans. Amethyst/Opal	**(blank)** 35W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**C44007** Clear/Opal	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**G44007** Trans. Armagnac/Opal			**DIM010** 0-10V Dimming
1XP Flat Canopy	**L44007** Trans. Olive/Opal			
	S44007 Trans. Smoke/Opal			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-C44007-SN
Pahu 4 Mini Pendant w/ Clear/Opal Glass, Satin Nickel Finish

WILLOW

Willow is an exciting composition created by a clear tubular glass, which showcases sparkling crystal-like beads on chrome rods.





1688WW
CRYSTAL RODS



LED: 3W Replaceable 12V LED MR11, dimmable, 90+ CRI, 3000°K CCT, 200 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Pendant Fixtures	**1688WW** Crystal Rods	**LED** 3W LED	**BR** Bronze	**L** 15' cord
1XT Flat Canopy			**SN** Satin Nickel	**277** 277V
				DIM010 0-10V Dimming
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-1688WW-LED-SN
Willow LED Mini Pendant w/ Clear-Crystal Rods, Satin Nickel Finish

LASSO

The Lasso is a wide yet compact handcrafted glass, with distinctive ridges, softly radiused to enhances virtually any architecture.





5612GL
GLITTER



561207
OPAL MATTE



5612GD
GOLD GLITTER



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**561207** Opal Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**5612GD** Gold Glitter	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**5612GL** Glitter			**DIM010** 0-10V Dimming
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-5612GL-SN
Lasso Mini Pendant w/ Glitter Glass, Satin Nickel Finish

KRISTALL 6

The Kristall is a transcolor globe shape, with distinctive ridges, that fits gracefully into contemporary spaces.



461502
SMOKE



461500
CLEAR



461582
AMBER



4615GL
GLITTER



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**461500** 6″ Clear	**(blank)** 35W Hal	**BR** Bronze	**L** 15′ cord
XP Jack Only	**461502** 6″ Smoke	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**461582** 6″ Amber			**DIM010** 0-10V Dimming
1XP Flat Canopy	**4615GL** 6″ Glitter			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-461502-SN
Kristall 6 Mini Pendant w/ Smoke Glass, Satin Nickel Finish

SCOPE

Scope is a compact cylinder of handcrafted glass with a transcolor design accented by the frosted band, that demonstrates contemporary sensibilities.



6524EL
TRANS. OLIVE/FROST



6524EC
CLEAR/FROST



6524ES
TRANS. SMOKE/FROST



6524EG
TRANS. ARMAG/FROST
** shown with Bronze finish*



6524EA
TRANS. AMETHYST/FROST



Scope is made of borosilicate glass

LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 5W Replaceable 12V LED MR16 with backlight, dimmable. 82+ CRI, 3000°K CCT, 300 lumens, 25,000 hours.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Quick-Connect		**6524EA** Amethyst/Frost		**(blank)** 50W Hal MR16		**BR** Bronze		**L** 15' cord
XP Jack Only		**6524EC** Clear/Frost		**LED** 5W LED, dimmable		**SN** Satin Nickel		**277** 277V
RXP Rail-Ready		**6524EG** Armagnac/Frost						**DIM010** 0-10V Dimming
1XP Flat Canopy		**6524EL** Olive/Frost						
		6524ES Smoke/Frost						
Pendant Fixtures								
1XC Dome Canopy								
1XT Flat Canopy								
Multi light								
X For Multi light Canopy								



Multilight Canopies Available, see page. 77

Ex. 1XT-6524EC-SN
Scope Mini Pendant w/ Clear/Frost Glass, Satin Nickel Finish

FOCUS

The Focus has a glossy Opal body with a fused lens at the bottom, with a choice of four lens styles. The cool or warm dicro lens cast colored light onto adjacent surfaces.



2633CD
COOL DICRO



2633CL
CLEAR



2633FR
FROST



2633WD
WARM DICRO



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**2633CD** Cool Dicro	**(blank)** 35W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**2633CL** Clear	**LED** 3W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**2633FR** Frost			**DIM010** 0-10V Dimming
1XP Flat Canopy	**2633WD** Warm Dicro			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-2633FR-SN
Focus Mini Pendant w/ Opal Glass/Frost Lens, Satin Nickel Finish

DIVI

Divi has a classical bell shape with either a spun metal or glass/foil shade.



1758CF
COPPER FOIL



1758GF
GOLD FOIL



1758SF
SILVER FOIL



1858MN
METAL NICKEL



1858MB
METAL BRONZE

CONNECTION	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Quick-Connect		**1758CF** Copper Foil		**(blank)** 50W Hal		**BR** Bronze		**L** 15' cord
XP Jack Only		**1758GF** Gold Foil		**LED** 9W LED		**SN** Satin Nickel		**277** 277V
RXP Rail-Ready		**1758SF** Silver Foil						**DIM010** 0-10V Dimming
1XP Flat Canopy		**1858MB** Metal Bronze						
		1858MN Metal Satin Nickel						

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77



LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 9W Replaceable 12V LED MR16 Flood, dimmable. 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours.

LOCATION: DRY

For latest product information, scan QR code

Ex. 1XT-1758GF-SN
Divi Mini Pendant w/ Gold Foil Shade, Satin Nickel Finish

JODI

The Jodi is a striking piece comprised of multiple segments of radiused white glass, with clear glass segments fused at each end.



673006
OPAL GLOSSY



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
Quick-Connect		**673006** Opal Glossy		**(blank)** 50W Hal		**BR** Bronze		**L** 15' cord
XP Jack Only				**LED** 5W LED		**SN** Satin Nickel		**277** 277V
RXP Rail-Ready								**DIM010** 0-10V Dimming
1XP Flat Canopy								

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-673006-SN
Jodi Mini Pendant w/ Opal Glossy Glass, Satin Nickel Finish

NICO 4

Nico 4 features a tapered drum shape with a natural stone texture.



5125SF
STONE SILVER FOIL



5125OS
OPAL STONE



512500
CLEAR STONE



5125GL
GLITTER STONE



5125GF
STONE GOLD FOIL



5125CF
STONE COPPER FOIL

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**512500** Clear Stone	**(blank)** 35W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**5125CF** Stone Copper Foil	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**5125GF** Stone Gold Foil			**DIM010** 0-10V Dimming
1XP Flat Canopy	**5125GL** Glitter Stone			
	5125OS Opal Stone			
Pendant Fixtures	**5125SF** Stone Silver Foil			
1XC Dome Canopy				
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code



Multilight Canopies Available, see page. 77

Ex. 1XT-512500-SN
Nico 4 Mini Pendant w/ Clear Stone Glass, Satin Nickel Finish

SWIRL



550493
DICRO SWIRL



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**550493** Dicro Swirl	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only		**LED** 3W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready				**DIM010** 0-10V Dimming
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-550493-SN
Swirl Mini Pendant w/ Dicro Swirl Glass, Satin Nickel Finish

HOPPI

The Hoppi pendant features a wide cone-shaped glass, that demonstrates contemporary sensibilities.



181304
MARBLE/CLEAR

191383
MOCHA



191352
MARBLE



181305
MOCHA/CLEAR

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**181304** Marble/Clear	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**181305** Mocha/Clear	**LED** 3W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**191352** Marble			**DIM010** 0-10V
1XP Flat Canopy	**191383** Mocha			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-191352-SN
Hoppi Mini Pendant w/ Marble Glass, Satin Nickel Finish



Asymmetric glass design

LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

KANI

The Kani pendant features a compact cone-shaped glass, that will gracefully blend into almost any decorating theme.



512107
OPAL MATTE



5121VM
VANILLA MATTE



5121RM
RUBY MATTE



5121CM
COBALT BLUE MATTE

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**512107** Opal Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**5121CM** Cobalt Blue Matte	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**5121RM** Ruby Matte			**DIM010** 0-10V
1XP Flat Canopy	**5121VM** Vanilla Matte			Dimming

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-512107-SN
Kani Mini Pendant w/ Opal Matte Glass, Satin Nickel Finish



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

PERI

The Peri is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



541035
CHARTREUSE



541007
OPAL MATTE

5410VM
VANILLA MATTE

541080
AMBER MATTE

541087
BLUE MATTE

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**541007** Opal Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**541035** Chartreuse	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**541080** Amber Matte			**DIM010** 0-10V Dimming
1XP Flat Canopy	**541087** Blue Matte			
	5410VM Vanilla Matte			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

Ex. 1XT-541035-SN
Peri Mini Pendant w/ Chartreuse Glass, Satin Nickel Finish

TRILO 7

Trilo 7 is comprised of three complementary glass segments, resulting in a playful glass display.



271897
CHAMPAGNE



271825
FROST

271831
RED MATTE

271823
BLUE MATTE

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**271823** Blue Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**271825** Frost	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**271831** Red Matte			**DIM010** 0-10V Dimming
1XP Flat Canopy	**271897** Champagne			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

Ex. 1XT-271823-SN
Trilo 7 Mini Pendant w/ Blue Matte Glass, Satin Nickel Finish

ZUMI

The Zumi is a slender yet shapely handcrafted glass with a look that transitions well into any design.



439519
CARRERA



439507
OPAL MATTE



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**439507** Opal Matte	**(blank)** 35W Hal	**BR** Bronze	**L** 15′ cord
XP Jack Only	**439519** Carrera	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready				**DIM010** 0-10V Dimming
1XP Flat Canopy				
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XP-439519-SN
Zumi Mini Pendant w/ Carrera Glass, Satin Nickel Finish

JULIETTE

The Juliette pendant inverts a narrow teardrop glass, resulting in a unique addtion to any environment.



409641
GARNET



4096VG
VANILLA GLOSSY



409618
AMBER CLOUD



4096CE
CEYLON



409686
BLUE CLOUD



LAMP: 35W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**409618** Amber Cloud	**(blank)** 35W Hal	**BR** Bronze	**L** 15′ cord
XP Jack Only	**409641** Garnet	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**409686** Blue Cloud			**DIM010** 0-10V Dimming
1XP Flat Canopy	**4096CE** Ceylon			
	4096VG Vanilla Glossy			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-409618-SN
Juliette Mini Pendant w/ Amber Cloud Glass, Satin Nickel Finish

SPRITE

The compact sized Sprite is a modern and pleasing ovoid shape, with open bottom, that will fit seamlessly into any contemporary space.



1716BL
BLUE TWIST



1716HN
HONEY



1716SK
SMOKE TWIST

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**1716BL** Blue Twist	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**1716HN** Honey	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**1716SK** Smoke Twist			**DIM010** 0-10V Dimming
1XP Flat Canopy				

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-1716BL-SN
Sprite Mini Pendant w/ Blue Twist Glass, Satin Nickel Finish



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

PALLA 5

The Palla 5 features a diminutive orb-shaped glass, that merges easily into modern environments.



565807
OPAL MATTE



565819
CARRERA



5658HB
HABANERO

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**565807** Opal Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**565819** Carrera	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**5658HB** Habanero			**DIM010** 0-10V Dimming
1XP Flat Canopy	**5658MA** Magma			

Pendant Fixtures
1XC Dome Canopy
1XT Flat Canopy

Adjustable
1XA Flat Canopy

Multi light
X For Multi light Canopy



Multilight Canopies Available, see page. 77

Ex. 1XT-5658MA-SN
Palla 5 Mini Pendant w/ Magma Glass, Satin Nickel Finish



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

DOMI

Domi has a compact bell shape that complements aesthetic, while also built for optimal illumination.

CHOICE
COLLECTION



1743CH
CHERRY



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code



174307 WHITE | 174352 MARBLE | 174383 MOCHA | 1743SL SOLARE

1743KR CHALK | 1743TN TITAN | 1743OK OAK

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**174307** White	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**174352** Marble	**LED** 3W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**174383** Mocha			**DIM010** 0-10V Dimming
1XP Flat Canopy	**1743CH** Cherry			
	1743KR Chalk			
Pendant Fixtures	**17430K** Oak			
1XC Dome Canopy	**1743SL** Solare			
1XT Flat Canopy	**1743TN** Titan			
Adjustable				
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				

Ex. 1XT-1743CH-SN
Domi Mini Pendant w/ Cherry Glass, Satin Nickel Finish



Multilight Canopies Available, see page. 77

BRELLA

Brella has a compact bell shape that complements aesthetic, while also built for optimal illumination.

CHOICE
COLLECTION



4679SL
SOLARE



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code



467907 WHITE | 467983 MOCHA | 4679KR CHALK

4679TN TITAN | 4679OK OAK | 4679CH CHERRY

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**467907** White	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**467983** Mocha	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**4679CH** Cherry			**DIM010** 0-10V Dimming
1XP Flat Canopy	**4679KR** Chalk			
	46790K Oak			
Pendant Fixtures	**4679SL** Solare			
1XC Dome Canopy	**4679TN** Titan			
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				

Ex. 1XT-4679SL-SN
Brella Mini Pendant w/ Solare Glass, Satin Nickel Finish



Multilight Canopies Available, see page. 77

KONA

The Kona pendant features a wide cone-shaped glass, that demonstrates contemporary sensibilities.

CHOICE COLLECTION



117681
SUNSET



117607
WHITE



117652
MARBLE



282453
WHITE STARPOINT



282490
MANGO STARPOINT



282484
BLUE STARPOINT



117691
BI-COLOR

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**117607** White	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**117652** Marble	**LED** 3W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**117681** Sunset			**DIM010** 0-10V Dimming
1XP Flat Canopy	**117691** Bi-Color			
	282453 White Starpoint			
Pendant Fixtures	**282484** Blue Starpoint			
1XC Dome Canopy	**282490** Mango Starpoint			
1XT Flat Canopy				
Adjustable				
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				

Ex. 1XT-117681-SN
Kona Mini Pendant w/ Sunset Glass, Satin Nickel Finish



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 3W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code



Multilight Canopies Available, see page. 77

MIA

Mia has an elongated bell shape that complements any aesthetic, while also built for optimal illumination.

CHOICE COLLECTION



1779MG
MARBLE GRIGIO



177907
OPAL MATTE



177919
CARRERA



1779HN
HONEY



1779HB
HABANERO



177918
AMBER CLOUD



177941
GARNET



1779MA
MAGMA



1779CE
CEYLON



177986
BLUE CLOUD

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**177907** Opal Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**177918** Amber Cloud	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**177919** Carrera			**DIM010** 0-10V Dimming
1XP Flat Canopy	**177941** Garnet			
	177986 Blue Cloud			
Pendant Fixtures	**1779CE** Ceylon			
1XC Dome Canopy	**1779HB** Habanero			
1XT Flat Canopy	**1779HN** Honey			
	1779MG Marble Grigio			
Adjustable	**1779MA** Magma			
1XA Flat Canopy				
Multi light				
X For Multi light Canopy				

Ex. 1XT-1779MG-SN
Mia Mini Pendant w/ Marble Grigio Glass, Satin Nickel Finish



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code



Multilight Canopies Available, see page. 77

KARLI

The Karli features a softly radiused glass, that will gracefully blend into almost any decorating theme.

CHOICE COLLECTION



719819
CARRERA



719807 OPAL MATTE | 719818 AMBER CLOUD | 7198HN HONEY | 719841 GARNET | 7198CE CEYLON | 719886 BLUE CLOUD



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**719807** Opal Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**719818** Amber Cloud	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**719819** Carrera			**DIM010** 0-10V Dimming
1XP Flat Canopy	**719841** Garnet			
	719886 Blue Cloud			
Pendant Fixtures	**7198CE** Ceylon			
1XC Dome Canopy	**7198HN** Honey			
1XT Flat Canopy				
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-719819-SN
Karli Mini Pendant w/ Carrera Glass, Satin Nickel Finish

TAY TAY

The Tay Tay is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spcaes.

CHOICE COLLECTION



5605MA
MAGMA



560507 OPAL MATTE | 5605VM VANILLA MATTE | 560580 AMBER MATTE | 560519 CARRERA | 560560 COCOON | 5605HN HONEY



560518 AMBER CLOUD | 5605HB HABANERO | 560541 GARNET | 5605CE CEYLON | 560586 BLUE CLOUD



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**560507** Opal Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**560518** Amber Cloud	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**560519** Carrera			**DIM010** 0-10V Dimming
1XP Flat Canopy	**560541** Garnet			
	560560 Cocoon			
Pendant Fixtures	**560580** Amber Matte			
1XC Dome Canopy	**560586** Blue Cloud			
1XT Flat Canopy	**5605CE** Ceylon			
	5605HB Habanero			
Adjustable	**5605HN** Honey			
1XA Flat Canopy	**5605MA** Magma			
	5605VM Vanilla Matte			
Multi light				
X For Multi light Canopy				



Multilight Canopies Available, see page. 77

Ex. 1XT-5605MA-SN
Tay Tay Mini Pendant w/ Magma Glass, Satin Nickel Finish

PERA 6

The Pera 6 is a curvy bell-bottomed shape, that fits nicely into any contemporary design.

CHOICE COLLECTION



1713HN
HONEY



171307
OPAL MATTE



1713VM
VANILLA MATTE



171380
AMBER MATTE



171319
CARRERA



1713MG
MARBLE GRIGIO



171318
AMBER CLOUD



1713HB
HABANERO



171341
GARNET



1713MA
MAGMA



1713CE
CEYLON



171386
BLUE CLOUD



LAMP: 50W Low-pressure Halogen 12V Bi-Pin GY6.35, *lamp included.*

LED: 5W Replaceable 12V LED, dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	**171307** Opal Matte	**(blank)** 50W Hal	**BR** Bronze	**L** 15' cord
XP Jack Only	**171318** Amber Cloud	**LED** 5W LED	**SN** Satin Nickel	**277** 277V
RXP Rail-Ready	**171319** Carrera			**DIM010** 0-10V Dimming
1XP Flat Canopy	**171341** Garnet			
	171380 Amber Matte			
Pendant Fixtures	**171386** Blue Cloud			
1XC Dome Canopy	**1713CE** Ceylon			
1XT Flat Canopy	**1713HB** Habanero			
	1713HN Honey			
Multi light	**1713MA** Magma			
X For Multi light Canopy	**1713MG** Marble Grigio			
	1713VM Vanilla Matte			



Multilight Canopies Available, see page. 77

Ex. 1XT-1713HN-SN
Pera 6 Mini Pendant w/ Honey Glass, Satin Nickel Finish

12V SPOTLIGHTS



Either as a complement to our 12V mini pendants or employed by themselves, our spotlights are an excellent combination of form & function.

SCOPE

Scope is a compact cylinder of handcrafted glass with a transcolor design accented by the frosted band, that demonstrates contemporary sensibilities.



6524EC
CLEAR/FROST



6524ES
SMOKE/FROST



6524EG
ARMAGNAC/FROST



6524EA
AMETHYEST/FROST



6524EL
OLIVE/FROST



LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 7W Replaceable 12V LED MR16 with backlight, dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	**6524EA** Amethyst/Frost	**(blank)** 50W Hal MR16	**(blank)** Standard	**BR** Bronze
RSP Rail-Ready	**6524EC** Clear/Frost	**LED** 7W LED MR16, dimmable	**06** 6″	**SN** Satin Nickel
1SP 1 Lt Flat	**6524EG** Armagnac/Frost		**12** 12″	
	6524EL Olive/Frost		**18** 18″	
	6524ES Smoke/Frost			

** Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-6524EL-SN
Scope Spotlight w/ Olive/Frost Shade, Satin Nickel Finish

MOJO

Mojo is a compact spun metal spotlight, softly radiused to fit gracefully into modern spaces.



BRONZE



SATIN NICKEL



LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 9W Replaceable 12V LED MR16 Flood, dimmable, 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	**MOJOMB** Metal Bronze	**(blank)** 50W Hal MR16	**(blank)** Standard	**BR** Bronze
RSP Rail-Ready	**MOJOMN** Metal Nickel	**LED** 9W LED MR16, dimmable	**06** 6″	**SN** Satin Nickel
1SP 1 Lt Flat			**12** 12″	
			18 18″	

** Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-MOJOMN-SN
Mojo Spotlight w/ Metal Nickel Shade, Satin Nickel Finish

DIVI METAL

Divi has a classical bell shape with either a spun metal or glass/ foil shade.





1758GF
GOLD FOIL



1758SF
SILVER FOIL



1758CF
COPPER FOIL



1858MN
METAL SATIN NICKEL



1858MB
METAL BRONZE



LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 9W Replaceable 12V LED MR16 Flood, dimmable, 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT		SHADE OPTIONS		LAMP OPTIONS		STEM OPTIONS		METAL FINISH	
SP	Jack Only	**1758CF**	Copper Foil	**(blank)**	50W Hal MR16	**(blank)**	Standard	**BR**	Bronze
RSP	Rail-Ready	**1758GF**	Gold Foil	**LED**	9W LED MR16, dimmable	**06**	6″	**SN**	Satin Nickel
1SP	1 Lt Flat	**1758SF**	Silver Foil			**12**	12″		
		1858MB	Metal Bronze			**18**	18″		
		1858MN	Metal Satin Nickel						

** Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-1758GF-SN
Divi Spotlight w/ Gold Foil Shade, Satin Nickel Finish

TIPSTER

The Tipster spotlight features an off-axis wing for easy aiming. Minimalist design Halogen or LED lamping options.



QF3-BR
BRONZE

QF3-SN
SATIN NICKEL

*shown with LED MR16



LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 9W Replaceable 12V LED MR16 Flood, dimmable, 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	**QF3** No Shade	**(blank)** 50W Hal MR16	**(blank)** Standard	**BR** Bronze
RSP Rail-Ready		**LED** 9W LED MR16, dimmable	**06** 6"	**SN** Satin Nickel
1SP 1 Lt Flat			**12** 12"	
			18 18"	

* *Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-QF3-SN
Tipster Spotlight w/ No Shade, Satin Nickel Finish

DIVI

Divi has a classical bell shape that complements any aesthetic, while also built for optimal illumination.



185819
CARRERA



185807
OPAL MATTE



1858VB
BLACK DICRO VINE



1858DW
BLACK DICRO WAVY



LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 7W Replaceable 12V LED MR16 with backlight, dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	**185807** Opal Matte	**(blank)** 50W Hal MR16	**(blank)** Standard	**BR** Bronze
RSP Rail-Ready	**185819** Carrera	**LED** 7W LED MR16, dimmable	**06** 6"	**SN** Satin Nickel
1SP 1 Lt Flat	**1858DW** Black Dicro Wavy		**12** 12"	
	1858VB Black Dicro Vine		**18** 18"	

* *Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-185841-SN
Divi Spotlight w/ Garnet Shade, Satin Nickel Finish

NICO 3

Nico 3 features a tapered drum shape with a natural stone texture.





514500
CLEAR STONE

*shown with LED MR16



5145GF
STONE GOLD FOIL



5145SF
STONE SILVER FOIL



5145CF
STONE COPPER FOIL



LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 9W Replaceable 12V LED MR16 Flood, dimmable, 90+ CRI, 3000°K CCT, 670 lumens, 25,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT		SHADE OPTIONS		LAMP OPTIONS		STEM OPTIONS		METAL FINISH	
SP	Jack Only	**514500**	Clear Stone	**(blank)**	50W Hal MR16	**(blank)**	Standard	**BR**	Bronze
RSP	Rail-Ready	**5145CF**	Stone Copper Foil	**LED**	9W LED MR16, dimmable	**06**	6"	**SN**	Satin Nickel
1SP	1 Lt Flat	**5145GF**	Stone Gold Foil			**12**	12"		
		5145SF	Stone Silver Foil			**18**	18"		

* *Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-514500-SN
Nico 3 Spotlight w/ Clear Stone Shade, Satin Nickel Finish

PALLA 3

The Palla 3 spotlight features a diminutive orb-shaped glass, that merges easily in modern environments.



155907
OPAL MATTE



155919
CARRERA



155918
AMBER CLOUD



155941
GARNET



1559CE
CEYLON



LAMP: 35W Shielded Flood 12V MR11, *lamp included.*

LED: 3W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 30,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	**155907** Opal Matte	**(blank)** 35W Hal MR11	**(blank)** Standard	**BR** Bronze
RSP Rail-Ready	**155918** Amber Cloud	**LED** 3W LED	**06** 6″	**SN** Satin Nickel
1SP 1 Lt Flat	**155919** Carrera		**12** 12″	
	155941 Garnet		**18** 18″	
	1559CE Ceylon			

** Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-1559CE-SN
Palla 3 Spotlight w/ Ceylon Shade, Satin Nickel Finish

CANTO 3

Canto 3 features a tapered drum shape that shows its versatility in all designs.



5042VM
VANILLA MATTE



504280
AMBER MATTE



5042OP
BICOLOR ORANGE/PINA



5042GY
BICOLOR GREEN/YELLOW



5042SL
SOLARE



LAMP: 35W Shielded Flood 12V MR11, *lamp included.*

LED: 3W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 30,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT	SHADE OPTIONS	LAMP OPTIONS	STEM OPTIONS	METAL FINISH
SP Jack Only	**504280** Amber Matte	**(blank)** 35W Hal MR11	**(blank)** Standard	**BR** Bronze
RSP Rail-Ready	**5042GY** Bicolor Green/Yellow	**LED** 3W LED	**06** 6″	**SN** Satin Nickel
1SP 1 Lt Flat	**5042OP** Bicolor Orange/Pina		**12** 12″	
	5042SL Solare		**18** 18″	
	5042VM Vanilla Matte			

** Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-5042SL-SN
Canto 3 Spotlight w/ Solare Shade, Satin Nickel Finish

ANDI

Andi has an elongated bell shape that complements aesthetic, while also built for optimal illumination.



5044SL
SOLARE



504431
RED MATTE



5044OP
BICOLOR ORANGE/
PINA



5044GY
BICOLOR GREEN/
YELLOW



5044MG
MARBLE GRIGIO



5044HB
HABANERO



5044MA
MAGMA



LAMP: 35W Shielded Flood 12V MR11, *lamp included.*

LED: 3W Replaceable source, dimmable, 90+ CRI, 3000°K CCT, 300 lumens, 30,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT		SHADE OPTIONS		LAMP OPTIONS		STEM OPTIONS		METAL FINISH	
SP	Jack Only	**504431**	Red Matte	**(blank)**	35W Hal MR11	**(blank)**	Standard	**BR**	Bronze
RSP	Rail-Ready	**5044GY**	Bicolor Green/Yellow	**LED**	3W LED	**06**	6"	**SN**	Satin Nickel
1SP	1 Lt Flat	**5044HB**	Habanero			**12**	12"		
		5044MA	Magma			**18**	18"		
		5044MG	Marble Grigio						
		5044OP	Bicolor Orange/Pina						
		5044SL	Solare						

** Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-5044SL-SN
Andi Spotlight w/ Solare Glass, Satin Nickel Finish

TAMMI 3

Tammi 3 features a tapered drum shape, open at the top, that fits beautifully in transitional spaces.



5118CH
CHERRY



5118VM
VANILLA MATTE



511880
AMBER MATTE



5118AM
APRICOT MATTE



5118OK
OAK



LAMP: 50W Shielded Flood 12V MR16, *lamp included.*

LED: 7W Replaceable 12V LED MR16 with backlight, dimmable, 90+ CRI, 3000°K CCT, 500 lumens, 25,000 hours, *lamp included.*

LOCATION: DRY

For latest product information, scan QR code

QUICK-CONNECT		SHADE OPTIONS		LAMP OPTIONS		STEM OPTIONS		METAL FINISH	
SP	Jack Only	**511880**	Amber Matte	**(blank)**	50W Hal MR16	**(blank)**	Standard	**BR**	Bronze
RSP	Rail-Ready	**5118AM**	Apricot Matte	**LED**	7W LED MR16, dimmable	**06**	6"	**SN**	Satin Nickel
1SP	1 Lt Flat	**5118CH**	Cherry			**12**	12"		
		5118OK	Oak			**18**	18"		
		5118VM	Vanilla Matte						

** Quick-Connect Canopy information and options: pg. 123*

Ex. 1SP-5118CH-SN
Tammi 3 Spotlight w/ Cherry Glass, Satin Nickel Finish

STEP 1 SELECT THE QUICK CONNECT CEILIING CANOPY

Select from 1, 3 or 6 light Quick connect canopies available as round or bar configurations.

1-LIGHT FLAT, QUICK CONNECT



3-LIGHT ROUND, QUICK CONNECT



3-LIGHT LINEAR ROUND, QUICK CONNECT



3-LIGHT LARGE ROUND, QUICK CONNECT



6-LIGHT ROUND, QUICK CONNECT



QUICK CONNECT CEILING CANOPY ORDERING

ITEM		- LAMPING		- FINISH		- OPTIONS	
T21Q	1-light flat	**(blank)**	Halogen	**BR**	Bronze	**277**	277V
T23XQ	3-light round	**LED**	LED	**SN**	Satin Nickel		
T23BQ	3-light linear round						
T23XQL	3-light large round						
T26XQ	6-light round						

STEP 2 COMBINE THE CODES

Refer to the 12V spotlights pages 117-122 to select your 12V spotlights. Order your canopy with the selected 12V spotlights multi light pendants (no monopoint canopy) for the complete fixture.

T23XQ-SN



+

SP-1758GF-06-SN SP-1758SF-12-SN SP-1758CF-18-SN =





Ordering code for the example shown to the left:

1x T23XQ-SN
1x SP-1758GF-06-SN
1x SP-1758SF-12-SN
1x SP-1758CF-18-SN

12V MONORAIL





ACTUAL SIZE

LOW-PROFILE RAIL

- Less than half inch tall, one of the smallest rails on the market
- Hand-bendable, no tools required
- Brass rail keep its shape
- Field-cuttable



EASY TO PLAN & ORDER

- Available as components or kits
- Simple 4 step planning guide builds your system ordering list(pg. 128-129)
- Designed to utilize our full line of 12v pendants and spotlights

MAXIMUM SYSTEM FLEXIBILITY

- Designed to achieve almost any system need
- Standoffs and transformers include optional hardware to accommodate multiple applications
- Simple line of components covers even complex plans such as sloped or high ceilings
- Low profile system options
- Support hardware designed to work with all power supply options. No confusion about which parts go with which transformers

RAIL SECTIONS

Low profile brass rail is hand-bendable and field-cuttable for a variety of configurations.

4FT: 48" L x 0.18" W x 0.4" H **8FT:** 96" L x 0.18" W x 0.4" H



4' Rail Item / Finish	
R12-RAIL4-BR	Bronze
R12-RAIL4-SN	Satin Nickel

8' Rail Item / Finish	
R12-RAIL8-BR	Bronze
R12-RAIL8-SN	Satin Nickel

LIVE RAIL CONNECTOR

Physically & electrically connects two rail sections on same transformer.

Item / Finish	
R12-ICONN-BR	Bronze
R12-ICONN-SN	Satin Nickel



ISOLATING RAIL CONNECTOR

Physically connects two rail sections, on separate transformers.

Item / Finish	
R12-DCONN-BR	Bronze
R12-DCONN-SN	Satin Nickel



LIVE "L" RAIL CONNECTOR

Physically & electrically connects two rail sections on same transformer.

Item / Finish	
R12-LCONN-BR	Bronze
R12-LCONN-SN	Satin Nickel



END CAP

Finish off the end of the rail.

Item / Finish	
R12-NDCAP-BR	Bronze
R12-NDCAP-SN	Satin Nickel



RIGID STANDOFF

For use with all power supplies. Includes dual height hardware, for either 2" or 4.75."

Item / Finish	
R12-STAN1-BR	Bronze
R12-STAN1-SN	Satin Nickel



EXTENSION POSTS

Field-cuttable posts for longer suspensions with Besa standoffs (Rigid or Swivel).

R12-EXT06-BR **R12-EXT06-SN**	6"
R12-EXT12-BR **R12-EXT12-SN**	12"
R12-EXT18-BR **R12-EXT18-SN**	18"

RAIL ADAPTER

For connecting Spotlight or Pendant Elements to Besa monorail systems. Available separately for use with #SP or #XP series elements, or included as part of the #RSP and #RXP element configurations.

Item / Finish	
R12-QCADP-BR	Bronze
R12-QCADP-SN	Satin Nickel



ADJUSTABLE CABLE SUPPORT

For longer drops, includes 5' of cable. Recommended for use with minimal curves.
Rail connection includes an adjustable cable retainer, for ease of use.

Item / Finish	
R12-CBL60-BR	5' Bronze
R12-CBL60-SN	5' Satin Nickel
R12-CBL120-BR	10' Bronze
R12-CBL120-SN	10' Satin Nickel



T-BAR CLIPS:

All Besa standoffs and cable supports are compatible with standard T-Bar clips, for use with suspended ceiling systems. Standard clips utilize a 1/4-20 threaded post, 5/8" long.

LOCATION: Besa monorail components are listed **DRY**

96W & 150W ELECTRONIC SURFACE TRANSFORMER:

Supports up to 96W and 150W output spotlights or pendants. 120V input.

5.5" Dia. x 3.25" H, overall height with rail connector 4.75t"



R12-SA96-BR	96W, Bronze
R12-SA96-SN	96W, Satin Nickel
R12-SA150-BR	150W, Bronze
R12-SA150-SN	150W, Satin Nickel

LOCATION: DRY

60W ELECRONIC LED SURFACE TRANSFORMER:

Low-profile LED rail power supply, specifically for use with LED spotlights and pendants.

60W no-load 12V dimmable electronic transformer fits in the junction box. No remote transformer required.

5" Dia. x 0.75" H, overall height with rail connector 2.0"



R12-SA60LED-BR	Bronze, 120V
R12-SA60LED-BR-DIM010	Bronze, 0-10V Dimming
R12-SA60LED-SN	Satin Nickel, 120V
R12-SA60LED-SN-DIM010	Satin Nickel, 0-10V Dimming

96W & 150W ELECTRONIC LED SURFACE TRANSFORMER:

Supports up to 150W output spotlights or pendants. 120V input.

5.5" Dia. x 3.25" H, overall height with rail connector 4.75"



R12-SA96LED-BR	96W, Bronze
R12-SA96LED-SN	96W, Satin Nickel
R12-SA150LED-BR	150W, Bronze
R12-SA150LED-SN	150W, Satin Nickel

LOCATION: DRY

150W & 300W REMOTE TRANSFORMER:

Provides 150W AC output at 12V

R12-RA150-120	150W, 120V, Electronic AC
R12-RA300-120	300W, 120V, Electronic AC

96W, 150W & 300W REMOTE LED AND MAGNETIC TRANSFORMER:

R12-RM150-120	150W, 120V, Magnetic AC
R12-RM150-277	150W, 277V, Magnetic AC
R12-RM300-120	300W, 120V, Magnetic AC
R12-RM300-277	300W, 277V, Magnetic AC
R12-RA96LED-120	96W, 120V, LED
R12-RA150LED-120	150W, 120V, LED
R12-RA300LED-120	300W, 120V, LED

LOCATION: DRY

REMOTE FEED CANOPY

For use with Remote Transformer applications, includes 2' of 10AWG Flexible Feed Cable.

5" Dia. x 0.75" H, overall height with rail connector 2.0".



Remote Feed Canopy / Finish

R12-REMFC-BR	Bronze
R12-REMFC-SN	Satin Nickel

FLEXIBLE FEED CABLE

Cable for longer reach. 10AWG.



Feed Cable / Finish

R12-FLX60-BR	5' Bronze
R12-FLX60-CL	5' Clear
R12-FLX120-BR	10' Bronze
R12-FLX120-CL	10' Clear

LOCATION: Besa monorail power supplies are listed **DRY**

PACKAGED MONORAIL KITS WITH SURFACE TRANSFORMERS



8' Monorail System shown above

STEP 1 SELECT LENGTH FOR THE RAIL KIT

08	8' Rail length, includes: 1x 8' Rail Section, 3x Rigid Standoff, 2x Rail Endcaps
12	12' Rail length, includes: 1x 8' Rail Section, 1x 4' Rail Section, 3x Rigid Standoff, 1x Live Rail Connector, 2x Rail Endcaps
16	16' Rail length, includes: 2x 8' Rail Section, 4x Rigid Standoff, 1x Live Rail Connector, 2x Rail Endcaps
20	20' Rail length, includes: 2x 8' Rail Section, 1x 4' Rail Section, 5x Rigid Standoff, 3x Live Rail Connector, 2x Rail Endcaps
24	24' Rail length, includes: 3x 8' Rail Section, 6x Rigid Standoff, 3x Live Rail Connector, 2x Rail Endcaps

STEP 2 SELECT A SURFACE TRANSFORMER

SA60LED	60W LED Surface Transformer, 120V
SA60LEDDIM010	60W LED Surface Transformer, 120V, 010V Dimming
SA96LED	96W LED Surface Transformer, 120V
SA150	150W Electronic Surface Transformer, 120V
SA150LED	150W LED Surface Transformer, 120V


150W TRANSFORMER


60W & 96W TRANSFORMER

STEP 3 SELECT A METAL FINISH

BR Bronze finish
SN Satin NIckel finish


BR BRONZE


SN SATIN NICKEL

STEP 4 USE ORDERING GUIDE TO CREATE ITEM NUMBER

SYSTEM	-	LENGTH	-	POWER TRANSFORMER	-	METAL FINISH
R12 Monorail System		**08** 8' Length		**SA60LED** 60W LED Transformer		**BR** Bronze
		12 12' Length		**SA60LEDDIM010** 60W LED Transformer, 0-10V		**SN** Satin Nickel
		16 16' Length		**SA96LED** 96W LED Transformer		
		20 20' Length		**SA150** 150W Electronic Transformer		
		24 24' Length		**SA150LED** 150W LED Transformer		

Ex. R12-08-SA60LED-SN
8' Monorail kit with 60W LED Surface Transformer in Satin Nickel.

PACKAGED MONORAIL KITS WITH REMOTE TRANSFORMERS



8' Monorail System shown above

STEP 1 SELECT LENGTH FOR THE RAIL KIT

08	8' Rail length, includes: 1x 8' Rail Section, 3x Rigid Standoff, 2x Rail Endcaps
12	12' Rail length, includes: 1x 8' Rail Section, 1x 4' Rail Section, 3x Rigid Standoff, 1x Live Rail Connector, 2x Rail Endcaps
16	16' Rail length, includes: 2x 8' Rail Section, 4x Rigid Standoff, 1x Live Rail Connector, 2x Rail Endcaps
20	20' Rail length, includes: 2x 8' Rail Section, 1x 4' Rail Section, 5x Rigid Standoff, 3x Live Rail Connector, 2x Rail Endcaps
24	24' Rail length, includes: 3x 8' Rail Section, 6x Rigid Standoff, 3x Live Rail Connector, 2x Rail Endcaps

STEP 2 SELECT A REMOTE TRANSFORMER

RA60LED	60W LED Remote Transformer, 120V
RA150	150W Electronic Remote Transformer, 120V
RA300	300W Electronic Transformer, 120V
RM150	150W Magnetic Remote Transformer, 120V
RM300	300W Magnetic Remote Transformer, 120V
RA150LED	150W LED Remote Transformer, 120V
RA300LED	300W LED Remote Transformer, 120V



60W, 150W & 300W

*Kit includes a Remote Feed Canopy shown above

STEP 3 SELECT A METAL FINISH

BR Bronze finish
SN Satin NIckel finish



BR
BRONZE



SN
SATIN NICKEL

STEP 4 USE ORDERING GUIDE TO CREATE ITEM NUMBER

SYSTEM	-	LENGTH	-	POWER TRANSFORMER	-	METAL FINISH
R12 Monorail System		**08** 8' Length		**RA60LED** 60W LED Remote Transformer		**BR** Bronze
		12 12' Length		**RA150** 150W Electronic Remote Transformer		**SN** Satin Nickel
		16 16' Length		**RA300** 300W Electronic Remote Transformer		
		20 20' Length		**RM150** 150W Magnetic Remote Transformer		
		24 24' Length		**RM300** 300W Magnetic Remote Transformer		
				RA150LED 150W LED Remote Transformer		
				RA300LED 300W LED Remote Transformer		

Ex. R12-08-RA60LED-SN
8' Monorail kit with 60W LED Surface Transformer in Satin Nickel.

CEILING LUMINAIRES



From transitional to clean & contemporary, our ceiling collection includes a wide variety of styles.

VIVA 13 / 16

The Viva ceiling fixture has an Opal Matte perimeter accented with a sparkling prismatic disc fused to the clear bottom center.



OPAL/CLEAR

Viva 13:



Viva 16:



LED: 16W or 24W Integrated source, 120V, CL dimmable. 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE OPTIONS	-	LAMP OPTIONS
VIVA13C 13″ Opal/Clear		**LED** 16W LED 1500 lumens

FIXTURE OPTIONS	-	LAMP OPTIONS
VIVA16C 16″ Opal/Clear		**LED** 24W LED 2500 lumens

Ex. VIVA13C-LED
Viva 13 Ceiling, Opal/Clear Shade,

CUE

Our Cue LED semi flush is composed of a laser cut and formed circular aluminum body and fabricated mounting plate, with an inner LED array and frosted acrylic overlay applied to the concealed face.



WHITE



BLACK





LED: 15W Integrated LED, ELV dimmable. 90+ CRI, 3000°K CCT, 1450 lumens, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	LAMP OPTIONS	-	METAL FINISH
CUE Cue		**LED** 15W LED		**BK** Black **WH** White

Ex. CUE-LED-WH
Cue Semi-flush Mount Ceiling, White Finish

MATRIX

Our Matrix LED semi flush is composed of a laser cut and formed square aluminum body and fabricated mounting plate, with an inner LED array and frosted acrylic overlay applied to the concealed face.



BLACK



WHITE



LED: 15W Integrated LED, ELV dimmable. 90+ CRI, 3000°K CCT, 1450 lumens, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	LAMP OPTIONS	-	METAL FINISH
MATRIX Matrix		**LED** 15W LED		**BK** Black
				WH White

Ex. MATRIX-LED-WH
Matrix Semi-flush Mount Ceiling, White Finish

TUCA 15 / 19

Tuca LED flush mount marries a clean white handcrafted glass diffuser with a decorative glass ring, consisting of a glossy clear face and distressed metal foil applied to the back.



TUCA19SFC
OPAL/SILVER FOIL



TUCA19GFC
OPAL/GOLD FOIL

Tuca 15:



Tuca 19:



LED: 16W or 24W Integrated source, 120V, CL dimmable. 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURES	-	LAMP OPTIONS
TUCA15GFC 15.75″ Opal/Gold Foil		**LED** 16W LED, 1500 lumens
TUCA15SFC 15.75″ Opal/Silver Foil		

FIXTURES	-	LAMP OPTIONS
TUCA19GFC 19.25″ Opal/Gold Foil		**LED** 24W LED, 2500 lumens
TUCA19SFC 19.25″ Opal/Silver Foil		

UNO 16

The Uno 16 semi-flush mount uses a visually appealing weave patterning hand applied onto the transcolor cloud-shaped glass diffuser.



9289SMC
SMOKE

**Shown with Edison lamp (EDI)*



9289CLC
CLEAR

**Shown with Edison lamp (EDI)*



STD. LAMP: 100W A19 120V, lamp not included.

EDI: 40W Edison lamp, lamp included.

EDIL: 8W Replaceable A19 LED Filament lamp, 120V, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours, lamp included.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS	
9289CLC	Uno 15.75″ Clear		**(blank)**	2x 100W Incan
9289SMC	Uno 15.75″ Smoke		**EDI**	2x 40W Edison
			EDIL	2x 5W LED Filament

Ex. 9289SMC
Uno 16 Ceiling, Smoke Shade

TOPPER 12

The low-profile Topper 12 flush mount uses a multi-layered glass, with an upper white ring and lower transparent ring fused together onto a flat white glass.





TOPPER12CLC
OPAL/CLEAR



TOPPER12SMC
OPAL/SMOKE



STANDARD HALOGEN: 40W G9 Halogen, lamp included, suitable for dimming.

LED: 16W integrated source, 120V, CL dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS	
TOPPER12CLC	12" Dia. Opal/Clear		**HAL**	2x40W G9 Hal
TOPPER12SMC	12" Dia. Opal/Smoke		**LED**	16W LED, 1500 lumens

Ex. TOPPER12CLC-LED
Topper 12 Ceiling,Opal/Clear Stone Shade

PACO 12

The low-profile Paco 12 flush mount uses a multi-layered glass design, with an upper opal cylinder and lower textured cylinder fused together onto a flat white glass.



PACO12CLC
OPAL/CLEAR STONE



PACO12SMC
OPAL/SMOKE STONE



STANDARD HALOGEN: 40W G9 Halogen, *lamp included*, suitable for dimming

LED: 16W integrated source, 120V, CL dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS	
PACO12CLC	12″ Dia. Opal/Clear Stone		**HAL**	2x40W G9 Hal
PACO12SMC	12″ Dia. Opal/Smoke Stone		**LED**	16W LED, 1500 lumens

Ex. PACO12CLC-LED
Paco 12 Ceiling, Opal/Clear Stone Shade

SOPHI 14 / 18

Our low-profile Sophi collection offers Opal and two swirl-style decors, finished off with a bottom frosted glass diffuser.





AMBER CLOUD



WHITE CLOUD



CEYLON

Sophi 14:



Sophi 18:



STD LAMPS: 40W G9 Halogen, *lamp included*, suitable for dimming

LED: 16W or 24W integrated source, 120V, dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS
SOPHI14ACC	14.8" Dia. Amber Cloud		**(blank)** 2x 40W Hal
SOPHI14CEC	14.8" Dia. Ceylon		**LED** 16W LED,
SOPHI14WCC	14.8" Dia. White Cloud		1500 lumens

FIXTURE/DECOR		-	LAMP OPTIONS
SOPHI18ACC	18.2" Dia. Amber Cloud		**(blank)** 3x 40W Hal
SOPHI18CEC	18.2" Dia. Ceylon		**LED** 24W LED,
SOPHI18WCC	18.2" Dia. White Cloud		2500 lumens

Ex. SOPHI18WCC
Sophi 18 Ceiling, White Cloud Glass

PELLA 13 / 16

Our Pella Flush mount is a low profile contemporary design, composed of a softly radiused blown opal glass shade which can suit any classic or modern decor.



CHALK



OPAL MATTE



CHERRY



OAK

Pella 13:



Pella 16:



LED: 16W or 24W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS
PELLA1307C 12.5″ Opal Matte		**LED** 16W LED, 1500 lumens
PELLA13CHC 12.5″ Cherry		
PELLA130KC 12.5″ Oak		
PELLA13KRC 12.5″ Chalk		

FIXTURE/DECOR	-	LAMP OPTIONS
PELLA1607C 15.75″ Opal Matte		**LED** 24W LED, 2500 lumens
PELLA16CHC 15.75″ Cherry		
PELLA160KC 15.75″ Oak		
PELLA16KRC 15.75″ Chalk		

Ex. PELLA13CHC-LED
Pella 13 LED Ceiling, Cherry

RENFRO 16 / 20

The ultra low-profile Renfro is a multi-layered glass, with two radiused glossy white sections fused together.





WHITE SPARKLE



OPAL GLOSSY

Renfro 16:



Renfro 20:



HALOGEN: 40W G9 Halogen 120V, *lamps included.*

LED: 16W or 24W integrated source, 120V, CL dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		LAMP OPTIONS
RENFRO16	15.75" Dia. Opal Glossy	**HAL** 2x 40W G9 Hal
RENFRO16WS	15.75" Dia. White Sparkle	**LED** 16W LED, 1500 lumens

FIXTURE/DECOR		LAMP OPTIONS
RENFRO20	19.75" Dia. Opal Glossy	**HAL** 3x 40W G9 Hal
RENFRO20WS	19.75" Dia. White Sparkle	**LED** 24W LED, 2500 lumens

Ex. RENFRO20-HAL
Renfro 20 Ceiling w/ Opal Glossy Glass

MANTA 13 / 18

The ultra low-profile Manta is a multi-layered glass, with a glossy white diffuser applied to a sparkling clear glass ring.



OPAL GLOSSY

Manta 13: #9129



Manta 18: #9130



HALOGEN: 40W G9 Halogen 120V, *lamps included.*

LED: 16W or 24W integrated source, 120V, CL dimmable, 85+ CRI, 3000°K CCT, 30,000 hours.

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS
912939C 13.5" Dia. Opal Glossy		**HAL** 2x 40W G9 Hal **LED** 16W LED, 1500 lumens

FIXTURE/DECOR	-	LAMP OPTIONS
913039C 17.75" Dia. Opal Glossy		**HAL** 3x 40W G9 Hal **LED** 24W LED, 2500 lumens

Ex. 912939C-HAL
Manta 13 Ceiling w/ Opal Glossy Glass

GLEEM 12 / 16

The Gleem ceiling fixture collection is comprised of an Opal Glossy perimeter accented with dazzling clear crystals fused to the clear bottom center.



OPAL GLOSSY/CLEAR

Gleem 12:



Gleem 16:



Handcrafted glass attaches with twist & lock bayonet action

STD LAMPS: 60W A19 120V, *lamp not included.*

LED: 17W or 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS	
GLEEM12CLC	12.5" Opal Glossy/Clear		**(blank)**	2x 60W A19 Incan
			LED	17W LED, 1200 lumens

FIXTURE/DECOR		-	LAMP OPTIONS	
GLEEM16CLC	15.75" Opal Glossy/Clear		**(blank)**	3x 60W A19 Incan
			LED	28W LED, 2160 lumens

Ex. GLEEM12CLC
Gleem 12 Ceiling, Clear Glass, Satin Nickel Finish

GLITTER 15

The Glitter Ceiling, utilizing tightly ridged contours and technologically advanced inner crystal coating, projects an awe-inspiring sparkle effect.





GLITTER



Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: 60W A19 Clear 120V, *lamps not included*, suitable for dimming

LED: 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS		-	OPTIONS
9116GLC 14.5" Dia.		**(blank)**	3x 60W A19 Clear Incan	**LW**	Low Wattage labeling
		LED	28W LED, 2160 lumens		

Ex. 9116GLC
Glitter 15 Ceiling w/ Glitter Glass

PICA 11 / 14 / 17

Our Pica flush mount begins with a clear blown glass, with glossy outer finish and frosted bottom. We then, using a handcrafting technique, carefully apply a band of actual fine-grained sand to the inner surface of the glass, where colour is fully saturated into the coating for a bold statement.



WHITE SAND



CREME SAND



GOLD SAND

Pica 11: #9664



Pica 14: #9663



Pica 17: #9662



Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours, *lamps included.*

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS	
9664CRC	11.0″ Dia. Creme Sand		**(blank)**	1x 60W A19 Incan
9664GDC	11.0″ Dia. Gold Sand		**LED**	1x 9W LED
9664WHC	11.0″ Dia. White Sand			

FIXTURE/DECOR		-	LAMP OPTIONS	
9663CRC	13.4″ Dia. Creme Sand		**(blank)**	2x 60W A19 Incan
9663GDC	13.4″ Dia. Gold Sand		**LED**	2x 9W LED
9663WHC	13.4″ Dia. White Sand			

FIXTURE/DECOR		-	LAMP OPTIONS	
9662CRC	16.6″ Dia. Creme Sand		**(blank)**	3x 60W A19 Incan
9662GDC	16.6″ Dia. Gold Sand		**LED**	3x 9W LED
9662WHC	16.6″ Dia. White Sand			

Ex. 9662GDC
Pica 17 Ceiling, Gold Sand Glass

LUMA 12 / 14 / 18

Luma features hand-blown glossy Opal glass with a stunning "halo" clear-edge effect.



OPAL GLOSSY/CLEAR

Luma 12: #9095



Luma 14: #9096



Luma 18: #9097



Handcrafted glass attaches with twist & lock bayonet action

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming

LED: 10W, 17W or 28W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	OPTIONS
1CS 11.875" Dia.		**909539** Opal Glossy/Clear		**(blank)** 1x 60W A19 Incan **LED** 10W LED, 750 lumens		**LW** Low Wattage labeling

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	OPTIONS
2CS 14.375" Dia.		**909639** Opal Glossy/Clear		**(blank)** 2x 60W A19 Incan **LED** 17W LED, 1200 lumens		**LW** Low Wattage labeling

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	OPTIONS
3CS 17.75" Dia.		**909739** Opal Glossy/Clear		**(blank)** 3x 60W A19 Incan **LED** 28W LED, 2160 lumens		**LW** Low Wattage labeling

Ex. 1CS-909539
Luma 12 Slim Ceiling w/ Opal Glossy/Clear Glass

PINTA 12 / 15

Pinta's unique optical lines are a sophisticated refinement to clear glass, where the lines visually play with the image of the exposed light source.



PINTA 15
CLEAR



PINTA 12
CLEAR

Pinta 12: #9062



Pinta 15: #9063



Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: A19 Clear 120V, *lamp not included*, suitable for dimming

EDI: 40W Edison A-style lamp, 120V, *lamp included.*

EDIL: 7W Replaceable LED Filament A-style lamp,120V, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	OPTIONS
906288C 11.75" Dia. Clear		**(blank)** 1x 100W A19 Clear Incan **EDI** 1x 40W Edison **EDIL** 1x 7W LED Filament		**LW** Low Wattage labeling

FIXTURE/DECOR	-	LAMP OPTIONS	-	OPTIONS
906388C 15.0" Dia. Clear		**(blank)** 3x 60W A19 Clear Incan **EDI** 3x 40W Edison **EDIL** 3x 7W LED Filament		**LW** Low Wattage labeling

Ex. 906288C
Pinta 12 Ceiling w/ Clear Glass

WAVE 12 / 15

The Wave is a half globe-shaped clear glass, with a romantic wrap of glass rope that spirals around the exterior.



WAVE 15
CLEAR



WAVE 12
CLEAR



WAVE 12
SMOKE

Wave 12: #9062



Wave 15: #9063



Handcrafted glass attaches with twist & lock bayonet action.

STD LAMPS: A19 Clear 120V, *lamp not included*, suitable for dimming

EDI: 40W Edison A-style lamp, 120V, *lamp included.*

EDIL: 7W Replaceable LED Filament A-style lamp,120V, CL dimmable, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	OPTIONS
906202C 11.75" Dia. Smoke		**(blank)** 1x 100W A19 Clear Incan		**LW** Low Wattage labeling
906261C 11.75" Dia. Clear		**EDI** 1x 40W Edison		
		EDIL 1x 7W LED Filament		

FIXTURE/DECOR	-	LAMP OPTIONS	-	OPTIONS
906302C 15.0" Dia. Smoke		**(blank)** 3x 60W A19 Clear Incan		**LW** Low Wattage labeling
906361C 15.0" Dia. Clear		**EDI** 3x 40W Edison		
		EDIL 3x 7W LED Filament		

Ex. 906202C
Wave 12 Ceiling w/ Smoke Glass

SONYA 13 / 17 / 20

Sonya's glass is suspended near the ceiling by three decorative twist-lock clips.



GLITTER



SATIN FROST



Hardware detail

Sonya 13 #8417:



Sonya 17 #8418:



Sonya 20 #8419:



STD LAMPS: 100W G9 Halogen, *lamp included*, suitable for dimming

MED: 100W A19, 120V, *lamp not included*, suitable for dimming

LED: 11W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

GLASS OPTIONS		LAMP OPTIONS		METAL FINISH	
841725	13.0″ Satin Frost	**(blank)**	1x 100W G9 Hal	**BR**	Bronze
8417GL	13.0″ Glitter	**MED**	1x 100W A19 Incan	**PN**	Polished Nickel
		LED	1x 11W LED 120V, dimmable	**SN**	Satin Nickel
				WH	White

GLASS OPTIONS		LAMP OPTIONS		METAL FINISH	
841825	17.0″ Satin Frost	**(blank)**	2x 100W G9 Hal	**BR**	Bronze
8418GL	17.0″ Glitter	**MED**	2x 100W A19 Incan	**PN**	Polished Nickel
		LED	2x 11W LED 120V, dimmable	**SN**	Satin Nickel
				WH	White

GLASS OPTIONS		LAMP OPTIONS		METAL FINISH	
841925	20.875″ Satin Frost	**(blank)**	3x 100W G9 Hal	**BR**	Bronze
8419GL	20.875″ Glitter	**MED**	3x 100W A19 Incan	**PN**	Polished Nickel
		LED	3x 11W LED 120V, dimmable	**SN**	Satin Nickel
				WH	White

Ex. 8417GD-SN
Sonya 13 Ceiling w/ Gold Glitter Glass, Satin Nickel Clips

TRIO 12 / 16 / 20

Trio showcases a contemporary glass diffuser suspended from the low profile pan via three decorative metal clips.



WHITE



MARBLE

STUCCO



Hardware detail

Trio 12 #9682:



Trio 16: #9681



Trio 20: #9680



STD. LAMPS: 100W A19, 120V, *lamp not included*, suitable for dimming

LED: 11W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

HALOGEN: 150W 3.125" Double-ended 120V thermally protected, *lamp included*, suitable for dimming

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

GLASS OPTIONS		LAMP OPTIONS		METAL FINISH		OPTIONS	
968207	11.875"White	**(blank)**	1x 100W A19 Incan	**BR**	Bronze	**LW**	Low Wattage labeling
968252	11.875"Marble	**LED**	1x 11W LED 120V, dimmable	**PN**	Polished Nickel		
9682ST	11.875"Stucco			**SN**	Satin Nickel		
				WH	White		

GLASS OPTIONS		LAMP OPTIONS		METAL FINISH		OPTIONS	
968107	15.75"White	**(blank)**	2x 100W A19 Incan	**BR**	Bronze	**LW**	Low Wattage labeling
968152	15.75"Marble	**LED**	2x 11W LED 120V, dimmable	**PN**	Polished Nickel		
9681ST	15.75"Stucco			**SN**	Satin Nickel		
				WH	White		

GLASS OPTIONS		LAMP OPTIONS		METAL FINISH		OPTIONS	
968007	19.75"White	**(blank)**	3x 100W A19 Incan	**BR**	Bronze	**LW**	Low Wattage labeling
968052	19.75"Marble	**LED**	3x 11W LED 120V, dimmable	**PN**	Polished Nickel		
9680ST	19.75"Stucco			**SN**	Satin Nickel		
				WH	White		

Ex. 9680ST-SN
Trio 20 Ceiling w/ Stucco Glass, Satin Nickel Clips

AURA 12 / 16

Our Aura opal Flush mount is a low profile contemporary design, composed of an interestingly radiused blown opal glass shade which can suit any classic or modern decor.





Aura 12:



Aura 16:



LED: 17W or 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE OPTIONS	-	LAMP OPTIONS
AURA1207C 12.5″ Opal Matte		**LED** 17W LED, 1200 lumens

FIXTURE OPTIONS	-	LAMP OPTIONS
AURA1607C 16″ Opal Matte		**LED** 28W LED, 2160 lumens

Ex. AURA1207C-LED
Aura 12 Ceiling, Opal Matte Shade

PRIMO 11 / 14

Our Primo opal Flush mount is a low profile contemporary design, composed of an soft cornered square-shaped blown opal glass shade which can suit any classic or modern decor.



Primo 11:



Primo 14:



LED: 17W or 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE OPTIONS	-	LAMP OPTIONS
PRIMO11C 11.5″ Opal Matte		**LED** 17W LED, 1200 lumens

FIXTURE OPTIONS	-	LAMP OPTIONS
PRIMO14C 14″ Opal Matte		**LED** 28W LED, 2160 lumens

Ex. PRIMO11C-LED
Primo 11 Ceiling, Opal Matte Shade

SLOPE





LED: 17W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE OPTIONS	-	LAMP OPTIONS
SLOPE11C 11″ Opal Matte		**LED** 17W LED, 1200 lumens

KATIE 10 / 12

Katie features handcrafted Opal glass with radiating ribs and a matte finish, to realize a look both contemporary and natural.



OPAL MATTE

Katie 10: #9451



Katie 12: #9450



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 10W or 17W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

DECOR	-	LAMP OPTIONS	-	OPTIONS
945107C 10.5″ Dia. Opal Matte		**(blank)** 1x 60W A19 Incan **LED** 10W LED, 750 lumens		**LW** Low Wattage labeling

DECOR	-	LAMP OPTIONS	-	OPTIONS
945007C 12.0″ Dia. Opal Matte		**(blank)** 2x 60W A19 Incan **LED** 17W LED, 1200 lumens		**LW** Low Wattage labeling

Ex. 945007C
Katie 12 Ceiling w/ Opal Matte Glass

GEO 9 / 11

Geo is a simple, contemporary flushmount featuring handcrafted Opal glass.



OPAL MATTE

Geo 9: #888407



Geo 11: #888307



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 10W or 17W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

DECOR	-	LAMP OPTIONS	-	OPTIONS
888407C 9.0″ Sq. Opal Matte		**(blank)** 1x 60W A19 Incan **LED** 10W LED, 750 lumens		**LW** Low Wattage labeling

DECOR	-	LAMP OPTIONS	-	OPTIONS
888307C 11.0″ Sq. Opal Matte		**(blank)** 2x 60W A19 Incan **LED** 17W LED, 1200 lumens		**LW** Low Wattage labeling

Ex. 888407C
Geo 9 Ceiling w/ Opal Matte Glass

NOVA 10 / 13 / 16

Nova is clean and contemporary handcrafted glass.



CARRERA



WHITE



MARBLE

Nova 10: #9772



Nova 13: #9771



Nova 16: #9770



Handcrafted glass attaches with twist & lock bayonet action

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 10W, 17W or 28W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

DECOR	-	LAMP OPTIONS	-	OPTIONS
977207C 10.25" Dia. White		**(blank)** 1x 60W A19 Incan		**LW** Low Wattage labeling
977219C 10.25" Dia. Carrera		**LED** 10W LED, 750 lumens		
977252C 10.25" Dia. Marble				

DECOR	-	LAMP OPTIONS	-	OPTIONS
977107C 12.5" Dia. White		**(blank)** 2x 60W A19 Incan		**LW** Low Wattage labeling
977119C 12.5" Dia. Carrera		**LED** 17W LED, 1200 lumens		
977152C 12.5" Dia. Marble				

DECOR	-	LAMP OPTIONS	-	OPTIONS
977007C 15.75" Dia. White		**(blank)** 3x 60W A19 Incan		**LW** Low Wattage labeling
977019C 15.75" Dia. Carrera		**LED** 28W LED, 2160 lumens		
977052C 15.75" Dia. Marble				

Ex. 977019C
Nova 16 Ceiling w/ Carrera Glass

SOLA 10 / 12 / 16

Sola features a contemporary round shape with low profile, created in handcrafted glass with a low-profile aluminum pan.



OPAL MATTE



MARBLE

Sola 10: #9432



Sola 12: #9431



Sola 16: #9430



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 10W, 17W or 28W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

DECOR	-	LAMP OPTIONS	-	OPTIONS
943207C 10.0" Dia. Opal Matte		**(blank)** 1x 60W A19 Incan		**LW** Low Wattage labeling
943252C 10.0" Dia. Marble		**LED** 10W LED, 750 lumens		

DECOR	-	LAMP OPTIONS	-	OPTIONS
943107C 12.5" Dia. Opal Matte		**(blank)** 2x 60W A19 Incan		**LW** Low Wattage labeling
943152C 12.5" Dia. Marble		**LED** 17W LED, 1200 lumens		

DECOR	-	LAMP OPTIONS	-	OPTIONS
943007C 16.0" Dia. Opal Matte		**(blank)** 3x 60W A19 Incan		**LW** Low Wattage labeling
943052C 16.0" Dia. Marble		**LED** 28W LED, 2160 lumens		

Ex. 943007C
Sola 16 Ceiling w/ Opal Matte Glass

BOBBI 10 / 12

Bobbi's swirling threads of white woven into the matte hand-blown glass create a suggestion of natural marble.



OPAL CUT



MARBLE

Bobbi 10: #9111



Bobbi 12: #9110



Handcrafted glass attaches to aluminum pan with set-screws.

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 10W or 17W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

DECOR	-	LAMP OPTIONS	-	OPTIONS
911152C 10.0" Dia. Marble		**(blank)** 1x 60W A19 Incan		**LW** Low Wattage labeling
911110C 10.0" Dia. Opal Cut		**LED** 10W LED, 750 lumens		

DECOR	-	LAMP OPTIONS	-	OPTIONS
911052C 12.0" Dia. Marble		**(blank)** 2x 60W A19 Incan		**LW** Low Wattage labeling
911010C 12.0" Dia. Opal Cut		**LED** 17W LED, 1200 lumens		

Ex. 911052C
Bobbi 12 Ceiling w/ Marble Glass

RING 13 / 15 / 19

Ring marries a clean white handcrafted glass diffuser with a decorative glass ring.



WHITE/CLEAR



WHITE/FROST



WHITE/SMOKE

Ring 13: #9772



Ring 15: #9771



Ring 19: #9770



Handcrafted glass attaches with twist & lock bayonet action

STD. LAMPS: 60W A19, 120V, *lamp not included*, suitable for dimming

LED: 10W, 17W or 28W Integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE /DECOR	-	LAMP OPTIONS	-	OPTIONS
977200C 12.625" White/Clear Ring		**(blank)** 1x 60W A19 Incan		**LW** Low Wattage labeling
977202C 12.625" White/Smoke Ring		**LED** 10W LED, 750 lumens		
977225C 12.625" White/Frost Ring				

FIXTURE /DECOR	-	LAMP OPTIONS	-	OPTIONS
977100C 15.5" White/Clear Ring		**(blank)** 2x 60W A19 Incan		**LW** Low Wattage labeling
977102C 15.5" White/Smoke Ring		**LED** 17W LED, 1200 lumens		
977125C 15.5" White/Frost Ring				

FIXTURE /DECOR	-	LAMP OPTIONS	-	OPTIONS
977000C 19" White/Clear Ring		**(blank)** 3x 60W A19 Incan		**LW** Low Wattage labeling
977002C 19" White/Smoke Ring		**LED** 28W LED, 2160 lumens		
977025C 19" White/Frost Ring				

Ex. 977100C
Ring 15 Ceiling w/ White/Clear Ring Glass

VENUS

The urban stylings of our Venus LED semi-flush mount are ideal for today's modern architecture, composed of intricately cut layers of tan corrugated cardboard.



VENUS

**White Acrylic diffuser can be removed for an optional open bottom appearance.*



LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH
VENUSC Venus Corrugated Cardboard		**LED** 9W LED 120V, dimmable		**BR** Bronze **SN** Satin Nickel

Ex. VENUSC-LED-SN
Venus Ceiling, Satin Nickel Finish

KIRK 12

The urban stylings of our Kirk 12 LED semi-flush mount are ideal for today's modern architecture, composed of intricately cut layers of tan corrugated cardboard.



KIRK 12

**White Acrylic diffuser can be removed for an optional open bottom appearance.*



LED: 9W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH
KIRK12C Kirk 12 Corrugated Cardboard		**LED** 9W LED 120V, dimmable		**BR** Bronze **SN** Satin Nickel

Ex. KIRK12C-LED-SN
Kirk 12 Ceiling, Satin Nickel Finish

SPEZZA 13 / 18

Our industrial styled Spezza flushmount, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend . The exposed hardware is designed to be celebrated, and offers perfect synergy when combined with the illuminated exposed light source.



SPEZZA 13
BRONZE

**Shown with Edison Lamp (EDI)*



SPEZZA 18
SATIN NICKEL

Spezza 13:



Spezza 18:



STD LAMPS: A19 Clear 120V, *lamp not included*, suitable for dimming.

EDI: 40W Edison A19 lamp, 120V, *lamp included.*

EDIL: 9W LED Filament A19 lamp,120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000, lamp included.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
SPEZZA13C 13" Dia.		**(blank)** 3x 100W A19 Clear Incan		**BR** Bronze		**LW** Low Wattage labeling
		EDI 3x 40W Edison		**SN** Satin Nickel		
		EDIL 3x 9W LED Filament				

FIXTURE	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
SPEZZA18C 18" Dia.		**(blank)** 4x 100W A19 Clear Incan		**BR** Bronze		**LW** Low Wattage labeling
		EDI 4x 40W Edison		**SN** Satin Nickel		
		EDIL 4x 9W LED Filament				

Ex. SPEZZA18C-SN
Spezza 18 Ceiling w/ Satin Nickel Finish

CRUISE

The Cruise is composed of a broad glass cylinder, with interesting stretched oval optical patterns blown throughout the interior of the glass. The dramatic play of light through the accents and onto adjacent surfaces make for a striking affect, along with the modest display of the lamp filament behind the glass.





CRUISECL
CLEAR



CRUISEAM
AMBER



CRUISESM
SMOKE



STD LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, 120V, *lamp included.*

EDIL: 9W LED Filament A19 lamp,120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000, lamp included.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS		-	METAL FINISH	
CRUISEAMC	Amber		**(blank)**	60W T10 Incan		**BR**	Bronze
CRUISECLC	Clear		**EDI**	40W Edison		**SN**	Satin Nickel
CRUISESMC	Smoke		**EDIL**	9W LED Filament			

Ex. CRUISESMC-SN
Cruise Ceiling, Smoke Glass, Satin Nickel Finish

BOMBAY

The Bombay is employs a glass globe, with interesting stretched circular optical patterns blown throughout the interior of the glass. The dramatic play of light through the accents and onto adjacent surfaces make for a striking affect, along with the modest display of the lamp filament behind the glass.



BOMBAYCL
CLEAR



BOMBAYAM
AMBER



BOMBAYSM
SMOKE



STD LAMP: 60W A19 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, 120V, *lamp included.*

EDIL: 9W LED Filament A19 lamp,120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000, lamp included.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		- LAMP OPTIONS		- METAL FINISH	
BOMBAYAMC	Amber	**(blank)**	60W A19 Incan	**BR**	Bronze
BOMBAYCLC	Clear	**EDI**	40W Edison	**SN**	Satin Nickel
BOMBAYSMC	Smoke	**EDIL**	9W LED Filament		

Ex. BOMBAYSMC-SN
Bombay Ceiling, Smoke Glass, Satin Nickel Finish

NILES 10

The Niles consists of a broad transparent glass cylinder, with an interesting bubble pattern blown randomly throughout the glass and exposed light source.



NILES10BO
BLUE BUBBLE/OPAL



NILES10CL
CLEAR BUBBLE



NILES10AM
AMBER BUBBLE



NILES10SM
SMOKE BUBBLE





STD. LAMP: 60W T10 120V, lamp not included.

LED: 5W Replaceable source, 120V, CL dimmable, 90+ CRI, 550 lumens, 30,000 hours, *lamp included. (For with Inner Opal only)*

EDI: 40W Edison S-style lamp, *lamp included. (For without Inner Opal only)*

EDIL: 4W Replaceable LED Filament T-shape lamp, CL dimmable, *lamp included. (For without Inner Opal only)*

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS		-	METAL FINISH	
NILES10AMC	Amber Bubble		**(blank)**	60W T10 Incan		**BR**	Bronze
NILES10BLC	Blue Bubble		**LED**	5W LED (For Inner Opal)		**SN**	Satin Nickel
NILES10CLC	Clear Bubble						
NILES10SMC	Smoke Bubble		**EDI**	40W Edison (For No Inner Opal)			
NILES10AOC	Amber Bubble/Opal						
NILES10BOC	Blue Bubble/Opal		**EDIL**	4W LED Filament (For No Inner Opal)			
NILES10COC	Clear Bubble/Opal						
NILES10SOC	Smoke Bubble/Opal						

Ex. NILES10BLC-SN
Niles 10 Ceiling, Blue Bubble Shade, Satin Nickel Finish

POGO

The Pogo Ceiling is an exceptional radiused drum-shaped glass shade accented with inner foil, with a white glass lamp shield.





POGOSF
WHITE/INNER SILVER FOIL



POGOSS
SILVER/INNER SILVER FOIL



POGOGG
GOLD/INNER GOLD FOIL



POGOGF
BLACK/INNER GOLD FOIL



STD. LAMP: 60W A19 120V, *lamp not included.*

28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1KM Flat Canopy	**POGOGG** Gold/Inner Gold Foil	**(blank)** 3x 60W Incan	**BR** Bronze
	POGOGF Black/Inner Gold Foil	**LED** 28W LED, 2160 lumens	**SN** Satin Nickel
	POGOSF White/Inner Silver Foil		
	POGOSS Silver/Inner Silver Foil		

Ex. 1KM-POGOSF-SN
Pogo Ceiling, White/ Inner Silver Foil, Satin Nickel Finish

PAHU 8 / 12 / 16

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a translucent outer glass.





PAHU 8
CLEAR
(WITHOUT INNER GLASS)



PAHU 12
TRANS. ARMAGNAC
(WITHOUT INNER GLASS)



PAHU 16
TRANS. SMOKE
(WITHOUT INNER GLASS)

Pahu 8:



(Without Inner Glass) (With Inner Glass)

STD LAMP: 120V, *lamp not included.*

LED: 11W Replaceable source, 120V, CL dimmable, 80+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours. *(Not available for No Inner Glass option)*

EDI: 40W Edison S-style lamp, *lamp included. (For No Inner Glass option)*

EDIL: 7W Replaceable S-style LED filament lamp, 120V, CL dimmable, *lamp included. (For No Inner Glass option)*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

Ex. 1KM-C00707-SN
Pahu 16 Ceiling w/ Clear/Opal Glass, Satin Nickel Finish

Pahu 8: Pahu 12: Pahu 16:

For latest product information, scan QR code

FIXTURE	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1KM Ceiling		**A00607** 8" Trans. Amethyst/Opal		**(blank)** 100W A19 Incan		**BR** Bronze		**NI** No Inner glass, 1 Lt.
		C00607 8" Clear/Opal		**EDI** 40W Edison, (For NI Option)		**SN** Satin Nickel		**LW** Lower Wattage labeling
		G00607 8" Trans. Armagnac/Opal		**EDIL** 7W LED Filament, (For NI Option)				
		L00607 8" Trans. Olive/Opal		**LED** 11W LED 120V, dimmable				
		S00607 8" Trans. Smoke/Opal						

PAHU 8 / 12 / 16

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a translucent outer glass.



PAHU 16
TRANS. OLIVE/OPAL



PAHU 8
CLEAR/OPAL



PAHU 8
TRANS. SMOKE/OPAL



PAHU 12
TRANS. AMETHYST/OPAL



PAHU 12
TRANS. ARMAGNAC/OPAL

Pahu 12:



(Without Inner Glass) (With Inner Glass)

Pahu 16:



(Without Inner Glass) (With Inner Glass)

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM Ceiling	**A18407** 12″Trans. Amethyst/Opal **C18407** 12″Clear/Opal **G18407** 12″Trans. Armagnac/Opal **L18407** 12″Trans. Olive/Opal **S18407** 12″Trans. Smoke/Opal	**(blank)** 100W A19 Incan **EDI** 40W Edison, (For NI Option) **EDIL** 7W LED Filament, (For NI Option) **LED** 11W LED 120V, dimmable	**BR** Bronze **SN** Satin Nickel	**NI** No Inner glass, 3 Lt. **LW** Lower Wattage labeling

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM Ceiling	**A00707** 16″Trans. Amethyst/Opal **C00707** 16″Clear/Opal **G00707** 16″Trans. Armagnac/Opal **L00707** 16″Trans. Olive/Opal **S00707** 16″Trans. Smoke/Opal	**(blank)** 150W A21 Incan **EDI** 40W Edison, (For NI Option) **EDIL** 7W LED Filament, (For NI Option) **LED** 11W LED 120V, dimmable	**BR** Bronze **SN** Satin Nickel	**NI** No Inner glass, 3 Lt. **LW** Lower Wattage labeling

TAMBURO 16

Tamburo is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



4008CH
CHERRY



4008KR
CHALK



4008TN
TITAN



4008OK
OAK



400807
OPAL MATTE



Includes frosted glass glare shield

STD. LAMPS: 60W A19, 120V, *lamp not included,* suitable for dimming.

LED: 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1KM Ceiling		**400807** Opal Matte		**(blank)** 3x 60W A19 Incan		**BR** Bronze		**LW** Low Wattage labeling
		4008CH Cherry		**LED** 28W LED, 2160 lumens		**SN** Satin Nickel		
		4008KR Chalk						
		4008OK Oak						
		4008TN Titan						

Ex. 1KM-4008OK-SN
3 Lt. Flat Ceiling w/ Oak Glass, Satin Nickel Finish

TAMBURO 16 STONE

Tamburo is a classic open-ended cylinder of handcrafted glass, a shape that will stand the test of time.



4008SS
STONE SILVER FOIL



4008GS
STONE GOLD FOIL



4008CS
STONE COPPER FOIL



4008GL
GLITTER STONE



400800
CLEAR STONE



Includes frosted glass glare shield

STD. LAMPS: 60W A19, 120V, *lamp not included,* suitable for dimming.

LED: 28W integrated source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 50,000 hours.

LOW WATTAGE LABELING:
Incandescent fixture supplied with 16 watt relamp label

90°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1KM Ceiling	**400800** Clear Stone	**(blank)** 3x 60W A19 Incan	**BR** Bronze	**LW** Low Wattage labeling
	4008CS Stone Copper Foil	**LED** 28W LED, 2160 lumens	**SN** Satin Nickel	
	4008GL Glitter Stone			
	4008GS Stone Gold Foil			
	4008SS Stone Silver Foil			

Ex. 1KM-4008SS-SN
3 Lt. Flat Ceiling w/ Stone Silver Foil Glass, Satin Nickel Finish

WALL LUMINAIRES



The imagination, the passion, and the personal experience of the individual glass artisan is infused into every piece.

SOSA 18

The Sosa 18 wall sconce is a large scale design, with an angled-cut glass and inner foil applique.



SOSA18GF
BLACK/INNER GOLD FOIL



SOSA18SF
WHITE/INNER SILVER FOIL



STD LAMP: 100W A19 120V, *lamp not included.*

LED: 8W source, dimmable. 80+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE		-	LAMP OPTIONS	
SOSA18GF	Black/Inner Gold Foil		**(blank)**	100W A19 Incan
SOSA18SF	White/Inner Silver Foil		**LED**	8W LED

Ex. SOSA18SF-LED
Sosa 18 Sconce, White/Inner Silver Foil Shade

ARC

The Arc LED indoor sconce employs a dual angle-cut aluminum body and fabricated mounting plate, with an inner LED array applied to the concealed face.

ADA COMPLIANT



ARC
WHITE/SILVER



ARC
BLACK/SILVER



FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
ARC Arc	**LED** 6W LED	**BK** Black	**277** 277V
		WH White	**DIM010** 0-10 Dimming

Ex. ARC-LED-BK
Arc Sconce, Black Finish

LED: 6W Integrated source, dimmable. 90+ CRI, 3000°K CCT, 600 lumens, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

MONTOUR

The Montour LED indoor sconce is composed of a aluminum faceplate designed to pivot onto the inside mounting plate, with an inner LED array applied to the concealed face. The pleasing play of adjustable indirect LED light onto the mounting surface makes for a pleasing source of illumination.

ADA COMPLIANT



MONTOUR
BLACK



MONTOUR
WHITE



FIXTURE	LAMP OPTIONS	METAL FINISH	OPTIONS
MONTOUR Montour	**LED** 6W LED	**BK** Black	**277** 277V
		WH White	**DIM010** 0-10 Dimming

Ex. MONTOUR-LED-BK
Montour Sconce, Black Finish

LED: 6W Integrated source, dimmable. 90+ CRI, 3000°K CCT, 600 lumens, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

OPTOS

The Optos wall sconce uses two separate optical-effect lenses to produce interesting displays of up/down light. The aluminum body allows for 359 degree rotation and holds the lenses with clips.



CL
CLEAR



CD
COOL DICRO



WD
WARM DICRO



FR
FROST



Wall-mount only

STD. LAMP: 40W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LENS COMBINATION	-	LAMP OPTIONS	-	METAL FINISH
OPTOS1W Sconce		**CDCD** Cool Dicro/Cool Dicro		**(blank)** 40W G9 Hal		**BA** Brushed Alum.
		CDWD Cool Dicro/Warm Dicro		**LED** 5W LED 120V, dimmable		**CR** Chrome
		CLCD Clear/Cool Dicro				
		CLCL Clear/Clear				
		CLFR Clear/Frost				
		CLWD Clear/Warm Dicro				
		FRFR Frost/Frost				
		FRCD Frost/Cool Dicro				
		FRWD Frost/Warm Dicro				
		WDWD Warm Dicro/Warm Dicro				

Ex. OPTOS1W-CLCL-BA
Optos Wall Sconce w/ Clear and Clear Lens Combination, Brushed Aluminum Finish

KIRK 6

Our geometrically inspired Kirk 6 LED is ideal for urban spaces, composed of intricately cut layers of tan corrugated cardboard, that are fused together in a diminutive cube shade.





KIRK6



LED: 8W Replaceable A19 LED source, 120V, CL dimmable, 90+ CRI, 800 lumens, 25,000 hours. Lamp included.

LOCATION: DRY

For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WG Sconce	**KIRK6** Kirk 6	**LED** 5W LED	**BK** Black

Ex. 1WG-KIRK6-LED-BK
Kirk 6 Sconce, Black Finish

KILLIAN 26

The visually pleasing Killian wall sconce features a clean tubular satin opal glass diffuser with plated metal endcaps, ideal for vanity applications.

ADA COMPLIANT





STD LAMP: 3x 40W G9 Halogen, 120V, lamp included.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	LAMP OPTIONS	-	METAL FINISH
KILLIAN26 Satin White		**(blank)** 3x 40W G9 Hal		**CR** Chrome
		LED 3x 5W LED		**SN** Satin Nickel



KILLIAN26-LED-CR
CHROME

KILLIAN26-LED-SN
SATIN NICKEL

PLATO

The Plato is a playful double-glass pendant, with a cylindrical-shaped opal glass centered in a radiused outer transparent glass ring.



PLATOCL
CLEAR/OPAL



PLATOAM
TRANS. AMBER/OPAL



PLATOSM
TRANS SMOKE/OPAL



PLATOBL
TRANS. BLUE/OPAL



STD. LAMP: 60W B10 120V, lamp not included.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

EDI: 40W Edison S-style lamp, lamp included. (For No Inner (NI) only)

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
1WP Wall Pendant		**PLATOAM** Trans. Amber/Opal		**(blank)** 60W Incan		**BR** Bronze		**NI** No Inner Glass
		PLATOBL Trans. Blue/Opal		**LED** 5W LED 120V, dimmable		**SN** Satin Nickel		
		PLATOCL Clear/Opal						
		PLATOSM Trans. Smoke/Opal		**EDI** 40W Edison (For NI option)				

Ex. 1WP-PLATOCL-SN
Plato Wall Pendant, Clear/Opal, Satin Nickel Finish

CRUISE

The Cruise is composed of a broad glass cylinder, with interesting stretched oval optical patterns blown throughout the interior of the glass. The dramatic play of light through the accents and onto adjacent surfaces make for a striking affect, along with the modest display of the lamp filament behind the glass.



CRUSAM
AMBER



CRUSCL
CLEAR



CRUSSM
SMOKE



Adjustable 10′ cord provided

STD. LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 4W Replaceable LED Filament T-shape lamp,120V, CL dimmable, *lamp included.*

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WP Wall Pendant	**CRUSAM** Amber	**(blank)** 60W T10 Incan	**BR** Bronze
	CRUSCL Clear	**EDI** 40W Edison	**SN** Satin Nickel
	CRUSSM Smoke	**EDIL** 4W LED Filament	

Ex. 1WP-CRUSAM-SN
Cruise Wall, Amber, Satin Nickel Finish

JUNI 10

The Juni is composed of a glass cylinder, with an interesting bubble pattern blown randomly throughout the glass. The pleasing play of light through the bubble accents make for a striking affect.



JUNI10CL
CLEAR BUBBLE



JUNI10GD
GOLD BUBBLE



JUNI10LT
LATTE BUBBLE



JUNI10MS
MOSS BUBBLE



JUNI10BL
BLUE BUBBLE



JUNI10PL
PLUM BUBBLE



Adjustable 10′ cord provided

STD. LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 4W Replaceable LED Filament T-shape lamp,120V, CL dimmable, *lamp included.*

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
1WP Wall Pendant		**JUNI10BL** Blue Bubble		**(blank)** 60W T10 Incan		**BR** Bronze
		JUNI10CL Clear Bubble		**EDI** 40W Edison		**SN** Satin Nickel
		JUNI10GD Gold Bubble		**EDIL** 4W LED Filament		
		JUNI10LT Latte Bubble				
		JUNI10MS Moss Bubble				
		JUNI10PL Plum Bubble				

Ex. 1WP-JUNI10BL-SN
Juni 10 Wall, Blue Bubble, Satin Nickel Finish

METRO

Metro has contemporary style with formal sensibilities. The slender Opal glass cylinder is matched with a gently radiused bracket.

ADA COMPLIANT





1WE-118607-PN
OPAL MATTE



1WE-118607-SN
OPAL MATTE



1WE-118607-BR
OPAL MATTE



Open-top handcrafted glass: 2.375" Dia. x 10" H

STD. LAMP: 60W B10 120V, *lamp not included,* suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
1WE 1 Light	**118607** Opal Matte	**(blank)** 60W B10 Incan	**BR** Bronze
		LED 5W LED 120V, dimmable	**PN** Polished Nickel
			SN Satin Nickel

Ex. 1WE-118607-SN
Metro Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

HALO 10

Our Halo 10 sconce is an ultra low profile disc with LED edge lighting, designed to cast a soft glow back onto the mounting surface.

ADA COMPLIANT





BLACK

WHITE



LED: 7W integrated source, 120V, ELV dimmable, 85+ CRI, 3000°K CCT, 600 lumens, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	- LAMP OPTIONS -	METAL FINISH -	OPTIONS
HALO10 Halo 10	**LED** 7W LED	**BK** Black	**277** 277V
		WH White	**DIM010** 0-10 Dimming

Ex. HALO10-LED-BK
Halo 10 Wall, Black Finish

TAMBURO STONE

The cylindrical open ended Tamburo wall sconce has minimal hardware to properly display the beautiful stone-textured glass.

ADA COMPLIANT





7090SF
STONE SILVER FOIL



7090GF
STONE GOLD FOIL



7090CF
STONE COPPER FOIL



STD. LAMP: 75W A19 120V, *not included,* suitable for dimming

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		LAMP OPTIONS		METAL FINISH		OPTIONS	
7090CF	Stone Copper Foil	**(blank)**	75W A19 Incan	**BK**	Black	**LW**	Low Wattage labeling
7090GF	Stone Gold Foil	**LED**	8W LED 120V, dimmable	**BR**	Bronze		
7090SF	Stone Silver Foil			**PN**	Polished Nickel		
				SN	Satin Nickel		
				WH	White		

Ex. 7090SF-SN
Tamburo Stone Wall Sconce w/ Silver Stone Foil Glass, Satin Nickel Finish

SPEZZA 7

Our industrial styled Spezza sconce, with its artistic display of woven metal rods, offers a look that will easily merge into the recent urban decorating trend . The exposed hardware is designed to be celebrated, and and offers perfect synergy when combined with the illuminated exposed light source



1WZ-SPEZZA-EDI-BR
BRONZE

**Shown with Edison Lamp (EDI) and in Bronze finish*



1WZ-SPEZZA-SN
SATIN NICKEL



Wall-mount sconce only

STD LAMP: 100W A19 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 8W Replaceable LED Filament A19 lamp,120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 25,000 hours. *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp label

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	GLASS DIFFUSER	LAMPING OPTIONS	METAL FINISH	OPTIONS
1WZ Sconce	**SPEZZA** Spezza	**(blank)** 100W A19 Incan **EDI** 40W Edison **EDIL** 8W LED Filament	**BR** Bronze **SN** Satin Nickel	**LW** Low Wattage labeling

Ex. 1WZ-SPEZZA-SN
Spezza Sconce w/ Wireform Shade, Satin Nickel Finish

TINO 13 / 18

Contemporary Tino sconce features tapered vertical handcrafted glass.



OPAL MATTE



MARBLE

Tino 13: #7804



Tino 18: #7805



Closed-ended handcrafted glass

Wall-mount only

STD. LAMP: 40W B10 120V, *lamp not included*, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
780407 Opal Matte		**(blank)** 2x 40W B10 Incan		**BR** Bronze		**LW** Low Wattage labeling
780452 Marble		**LED** 1x 5W LED 120V		**PN** Polished Nickel		
				SN Satin Nickel		

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
780507 Opal Matte		**(blank)** 3x 40W B10 Incan		**BR** Bronze		**LW** Low Wattage labeling
780552 Marble		**LED** 2x 5W LED 120V		**PN** Polished Nickel		
				SN Satin Nickel		

Ex. 780452-SN
Tino 13 Wall Sconce w/ Marble Glass, Satin Nickel Finish

AERO 16 / 21

Aero is a shapely, contemporary sconce featuring open-ended handcrafted glass. Can be mounted horizontally or vertically.

ADA COMPLIANT





2729ST-SN
STUCCO

272807-SN
OPAL MATTE

Aero 16: #2728



STD. LAMP: 60W A15 120V, *lamp not included*, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

Aero 21: #2729



FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
272807 Opal Matte		**(blank)** 2x 60W A15 Incan		**BR** Bronze		**LW** Low Wattage labeling
2728ST Stucco		**LED** 1x 5W LED 120V		**PN** Polished Nickel		
				SN Satin Nickel		

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
272907 Opal Matte		**(blank)** 3x 60W A15 Incan		**BR** Bronze		**LW** Low Wattage labeling
2729ST Stucco		**LED** 2x 5W LED 120V		**PN** Polished Nickel		
				SN Satin Nickel		

Ex. 2728ST-SN
Aero 16 Wall Sconce w/ Stucco Glass, Satin Nickel Finish

MIRANDA 26

The handsome Miranda wall sconce features decorative plated metal endcaps on the handcrafted opal glass. ADA-Compliant.

ADA COMPLIANT





MIRANDA26-SW-SN
SATIN WHITE



MIRANDA26-SW-CR
SATIN WHITE



Wall-mount only

STD. LAMP: 3x 40W G9 Halogen 120V, *lamp included.*

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

Orient vertically or horizontally, wall-mount only

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE		-	DECOR		-	LAMP OPTIONS		-	METAL FINISH	
MIRANDA26	Sconce		**SW**	Satin White		**(blank)**	3x 40W G9 Halogen		**CR**	Chrome
						LED	3x 5W LED 120V		**SN**	Satin Nickel

Ex. MIRANDA26-SW-CR
MIranda 26 Wall Sconce w/ Satin White Glass, Chrome Finish

MISTRAL

The graceful Mistral wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass. Its elongated vertical shape has greater scale for larger spaces.

ADA COMPLIANT





711207-SN
Opal Matte



STD. LAMP: 2x 100W A19 120V, *lamp not included*, suitable for dimming.

LED: 11W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
711207 Opal Matte		**(blank)** 2x 100W A19 Incan **LED** 2x 11W LED 120V, dimmable		**BK** Black **BR** Bronze **PN** Polished Nickel **SN** Satin Nickel **WH** White		**LW** Low Wattage labeling

Ex. 711207-SN
MIstral Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

DORIAN 10 / 17

Dorian is a broad half-cylinder design featuring open top and bottom handcrafted glass. This versatile sconce may be mounted either vertically or horizontally.

ADA COMPLIANT



119007
OPAL MATTE



118952
MARBLE

Dorian 10: #1189



Dorian 17: #1190



STD. LAMP: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS		-	OPTIONS	
118907	Opal Matte		**(blank)**	1x 60W A19 Incan		**LW**	Low Wattage labeling
118952	Marble		**LED**	1x 8W LED 120V, dimmable			

FIXTURE/DECOR		-	LAMP OPTIONS		-	OPTIONS	
119007	Opal Matte		**(blank)**	2x 60W A19 Incan		**LW**	Low Wattage labeling
119052	Marble		**LED**	2x 8W LED 120V, dimmable			

Ex. 119007
Dorian 17 Wall Sconce w/ Opal Matte Glass

LINA

The handsome Lina wall sconce has minimal hardware to show off the beautiful open-top handcrafted glass.

ADA COMPLIANT





708307
OPAL MATTE



STD. LAMP: 75W A19 120V, *lamp not included,* suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
708307 Opal Matte		**(blank)** 75W A19 Incan **LED** 8W LED 120V, dimmable		**BK** Black **BR** Bronze **PN** Polished Nickel **SN** Satin Nickel **WH** White		**LW** Low Wattage labeling

Ex. 708307-SN
Lina Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

TORRE FOIL 14 / 18 / 22

The classic colonnade-shaped Torre wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass.

ADA COMPLIANT





819207-SN
WHITE



8192GF-SN
GOLD FOIL



8193SF-SN
SILVER FOIL



8194CF-SN
COPPER FOIL

STD. LAMP: 75W A19 120V, *lamp not included*, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. *(For Torre 14 & Torre 18)*

LED: 11W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours. *(For Torre 22)*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

Torre 14 Wall #8192:



FIXTURE/DECOR		LAMP OPTIONS		METAL FINISH		OPTIONS	
819207	White	**(blank)**	75W A19 Incan	**BK**	Black	**LW**	Low Wattage labeling
8192CF	Copper Foil	**LED**	8W LED 120V, dimmable	**BR**	Bronze		
8192CH	Cherry			**PN**	Polished Nickel		
8192GF	Gold Foil			**SN**	Satin Nickel		
8192KR	Chalk			**WH**	White		
81920K	Oak						
8192SF	Silver Foil						
8192TN	Titan						

Torre 14: Torre 18: Torre 22:

For latest product information, scan QR code

TORRE 14 / 18 / 22

The classic colonnade-shaped Torre wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass.

ADA COMPLIANT



8192OK-SN
OAK



8192CH-SN
CHERRY



8193TN-SN
TITAN



8194KR-SN
CHALK

Torre 18 Wall #8193:



FIXTURE/DECOR		LAMP OPTIONS		METAL FINISH		OPTIONS	
819307	White	**(blank)**	2x 75W A19 Incan	**BK**	Black	**LW**	Low Wattage labeling
8193CF	Copper Foil	**LED**	2x 8W LED 120V, dimmable	**BR**	Bronze		
8193CH	Cherry			**PN**	Polished Nickel		
8193GF	Gold Foil			**SN**	Satin Nickel		
8193KR	Chalk			**WH**	White		
81930K	Oak						
8193SF	Silver Foil						
8193TN	Titan						

Torre 22 Wall #8194:



FIXTURE/DECOR		LAMP OPTIONS		METAL FINISH		OPTIONS	
819407	White	**(blank)**	2x 100W A19 Incan	**BK**	Black	**LW**	Low Wattage labeling
8194CF	Copper Foil	**LED**	2x 11W LED 120V, dimmable	**BR**	Bronze		
8194CH	Cherry			**PN**	Polished Nickel		
8194GF	Gold Foil			**SN**	Satin Nickel		
8194KR	Chalk			**WH**	White		
81940K	Oak						
8194SF	Silver Foil						
8194TN	Titan						

Ex. 8192CH-SN
Torre 14 Wall Sconce w/ Cherry Glass, Satin Nickel Finish

BAAZ 16 / 20

Baaz features a handcrafted half-cylinder Opal glass that is enclosed, concealing view of the lightsource. Mount horizontal or vertical.





786007-SN
OPAL MATTE

770207-SN
OPAL MATTE

Baaz 16: #7702



Baaz 20: #7860



Wall-mount only

STD. LAMP: 40W B10 120V, *lamp not included*, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
770207 Opal Matte		**(blank)** 2x 40W B10 Incan		**BR** Bronze		**LW** Low Wattage labeling
		LED 1x 5W LED 120V		**PN** Polished Nickel		
				SN Satin Nickel		

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
786007 Opal Matte		**(blank)** 3x 40W B10 Incan		**BR** Bronze		**LW** Low Wattage labeling
		LED 2x 5W LED 120V		**PN** Polished Nickel		
				SN Satin Nickel		

Ex. 770207-SN
Baaz 16 Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

DARCI 16 / 21

Darci is a contemporary sconce that features open-ended handcrafted glass in Opal. Can be mounted horizontally or vertically.

ADA COMPLIANT





272607-SN
OPAL MATTE



272507-SN
OPAL MATTE

Darci 16: #2725



Darci 21: #2726



STD. LAMP: 60W A15 120V, *lamp not included*, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
272507 Opal Matte		**(blank)** 2x 60W A15 Incan **LED** 1x 5W LED 120V		**BR** Bronze **PN** Polished Nickel **SN** Satin Nickel		**LW** Low Wattage labeling

FIXTURE/DECOR	-	LAMP OPTIONS	-	METAL FINISH	-	OPTIONS
272607 Opal Matte		**(blank)** 3x 60W A15 Incan **LED** 2x 5W LED 120V		**BR** Bronze **PN** Polished Nickel **SN** Satin Nickel		**LW** Low Wattage labeling

Ex. 272507-SN
Darci 16 Wall Sconce w/ Opal Matte Glass, Satin Nickel Finish

KAILEE

The graceful Kailee sconce has minimal hardware to show off the curved handcrafted glass.

ADA COMPLIANT



701719
CARRERA



701707
OPAL MATTE



STD. LAMP: 60W E12 120V, *lamp not included*, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS		-	METAL FINISH		-	OPTIONS	
701707	Opal Matte		**(blank)**	60W E12 Incan		**BK**	Black		**LW**	Low Wattage Labeling
701719	Carrera		**LED**	8W LED 120V, dimmable		**BR**	Bronze			
						PN	Polished Nickel			
						SN	Satin Nickel			
						WH	White			

Ex. 701741-SN
Kailee Wall Sconce w/ Garnet Glass, Satin Nickel Finish

TOMAS

The handsome Tomas sconce has minimal hardware to show off the open-ended softly curved handcrafted glass.

ADA COMPLIANT



704107
OPAL MATTE



7041VM
VANILLA MATTE



704180
AMBER MATTE



7041RM
RUBY MATTE



7041CM
COBALT BLUE MATTE



Open-ended handcrafted glass

STD. LAMP: 75W A19 120V, *lamp not included*, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS		-	METAL FINISH		-	OPTIONS	
704107	Opal Matte		**(blank)**	75W A19 Incan		**BK**	Black		**LW**	Low Wattage Labeling
704180	Amber Matte		**LED**	8W LED 120V, dimmable		**BR**	Bronze			
7041CM	Cobalt Blue Matte					**PN**	Polished Nickel			
7041RM	Ruby Matte					**SN**	Satin Nickel			
7041VM	Vanilla Matte					**WH**	White			

Ex. 704180-SN
Tomas Wall Sconce w/ Amber Matte Glass, Satin Nickel Finish

CHELSEA

Our lithe and lovely Chelsea sconce has minimal hardware to show off the open-ended handcrafted glass.

ADA COMPLIANT



704318
AMBER CLOUD



704307
OPAL MATTE



704319
CARRERA



7043HN
HONEY



704341
GARNET



7043CE
CEYLON



Open-top handcrafted glass, no visible hardwares

STD. LAMP: 75W A19 120V, *lamp not included,* suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		LAMP OPTIONS		METAL FINISH		OPTIONS	
704307	Opal Matte	**(blank)**	75W A19 Incan	**BK**	Black	**LW**	Low Wattage labeling
704318	Amber Cloud	**LED**	8W LED 120V, dimmable	**BR**	Bronze		
704319	Carrera			**PN**	Polished Nickel		
704341	Garnet			**SN**	Satin Nickel		
7043CE	Ceylon			**WH**	White		
7043HN	Honey						

Ex. 7043HN-SN
Chelsea Wall Sconce w/ Honey Glass, Satin Nickel Finish

TAMBURO

The classic Tamburo wall sconce has minimal hardware to show off the beautiful open-ended handcrafted glass.

ADA COMPLIANT



7042MA
MAGMA



704207
OPAL MATTE



704280
AMBER MATTE



704219
CARRERA



7042MG
MARBLE GRIGIO



704218
AMBER CLOUD



7042HN
HONEY



7042HB
HABANERO



704241
GARNET



7042CE
CEYLON



704286
BLUE CLOUD



STD. LAMP: 75W A19 120V, *lamp not included,* suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR		LAMP OPTIONS		METAL FINISH		OPTIONS	
704207	Opal Matte	**(blank)**	75W A19 Incan	**BK**	Black	**LW**	Low Wattage labeling
704218	Amber Cloud	**LED**	8W LED 120V, dimmable	**BR**	Bronze		
704219	Carrera			**PN**	Polished Nickel		
704241	Garnet			**SN**	Satin Nickel		
704280	Amber Matte			**WH**	White		
704286	Blue Cloud						
7042CE	Ceylon						
7042HB	Habanero						
7042HN	Honey						
7042MA	Magma						
7042MG	Marble Grigio						

Ex. 7042CE-SN
Tamburo 7 Wall Sconce w/ Ceylon Glass, Satin Nickel Finish

The Karli features a softly radiused glass, that will gracefully blend into almost any decorating theme.



1SX-719807-SN
OPAL MATTE



719819
CARRERA



7198HN
HONEY



719818
AMBER CLOUD



719841
GARNET



719886
BLUE CLOUD



7198CE
CEYLON



Wall-mount sconce only

STD LAMP: 40W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, CL dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1SX Sconce	**719807** Opal Matte	**(blank)** 40W G9 Hal	**BR** Bronze
	719818 Amber Cloud	**LED** 5W LED 120V, dimmable	**PN** Polished Nickel
	719819 Carrera		**SN** Satin Nickel
	719841 Garnet		
	719886 Blue Cloud		
	7198CE Ceylon		
	7198HN Honey		

Ex. 1SX-719807-SN
Karli 1-Light Sconce w/ Opa Matte Glass, Satin Nickel Finish

BUILD YOUR OWN SWING ARMS

STEP 1 SELECT A SWING ARM

Each fixture includes a 60W Class 2 12V electronic transformer and integrated full-range rotary dimmer. A 50W Halogen 12V Bi-Pin GY6.35 lamp or a 50W Shielded Flood 12V MR16 lamp (for Divi only) is included with each fixture.

LOCATION: DAMP



1WU Series features
- Arm rotates 155° and pivots at center
- Lamp head rotates & pivots

1WW Series features
- Arm rotates 130° and raises/lowers
- Lamp head pivots

STEP 2 SELECT A SHADE AND DECOR

Choose from 6 different glass collections: Domi, Kona, Divi, Tay Tay, Swirl and Nico 3.

Each collection offers a myriad of handcrafted decors.

Example shown: Tay Tay in Honey



STEP 3 SELECT A METAL FINISH

Swing arms are available in either Bronze or Satin Nickel metal finishes.



STEP 4 COMBINE THE CODES FOR YOUR SWING ARM

Example: **1WW-5605HN-SN**



1WW-5605HN-SN

TAY TAY

The Tay Tay is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



1WU-5605VM-SN
VANILLA MATTE



1WW-560518-BR
AMBER CLOUD



560507
OPAL MATTE



560580
AMBER MATTE



560519
CARRERA



560560
COCOON



5605HN
HONEY



5605HB
HABANERO



560541
GARNET



5605MA
MAGMA



5605CE
CEYLON



560586
BLUE CLOUD



FIXTURE	-	GLASS OPTIONS	-	METAL FINISH
1WU Swing arm		**560507** Opal Matte		**BR** Bronze
1WW Swing arm		**560518** Amber Cloud		**SN** Satin Nickel
		560519 Carrera		
		560541 Garnet		
		560560 Cocoon		
		560580 Amber Matte		
		560586 Blue Cloud		
		5605CE Ceylon		
		5605HB Habanero		
		5605HN Honey		
		5605MA Magma		
		5605VM Vanilla Matte		

*Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-560541-SN
Tay Tay Swing Arm Fixture w/ Garnet Glass, Satin Nickel Finish

1WU: 1WW:

For latest product information, scan QR code

SWIRL



1WU-550493-SN
DICRO SWIRL



1WW-550493-SN
DICRO SWIRL



FIXTURE	-	GLASS OPTIONS	-	METAL FINISH
1WU Swing arm		**550493** Dicro Swirl		**BR** Bronze
1WW Swing arm				**SN** Satin Nickel

*Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-117607-SN
Kona Swing Arm Fixture w/ White Glass, Satin Nickel Finish

1WU: 1WW:

For latest product information, scan QR code

DOMI

Domi has a classical bell shape that complements aesthetic, while also built for optimal illumination.



1WU-174307-SN
WHITE



1WW-1743SL-BR
SOLARE



174352
MARBLE



174383
MOCHA



1743KR
CHALK



1743OK
OAK



1743CH
CHERRY



1743TN
TITAN



FIXTURE	GLASS OPTIONS	METAL FINISH
1WU Swing arm	**174307** White	**BR** Bronze
1WW Swing arm	**174352** Marble	**SN** Satin Nickel
	174383 Mocha	
	1743CH Cherry	
	1743KR Chalk	
	1743OK Oak	
	1743SL Solare	
	1743TN Titan	

*Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-174307-SN
Domi Swing Arm Fixture w/ White Glass, Satin Nickel Finish

1WU: 1WW:

For latest product information, scan QR code

KONA

The Kona pendant features a wide cone-shaped glass, that demonstrates contemporary sensiblities.



1WU-117681-BR
SUNSET



1WW-117652-SN
MARBLE



117607
WHITE



117691
BI-COLOR



282453
WHITE STARPOINT



282484
BLUE STARPOINT



282490
MANGO STARPOINT



FIXTURE	GLASS OPTIONS	METAL FINISH
1WU Swing arm	**117607** White	**BR** Bronze
1WW Swing arm	**117652** Marble	**SN** Satin Nickel
	117681 Sunset	
	117691 Bi-Color	
	282453 White Starpoint	
	282484 Blue Starpoint	
	282490 Mango Starpoint	

*Please refer to pg. 194 to view swing arm fixture options

Ex. 1WW-117607-SN
Kona Swing Arm Fixture w/ White Glass, Satin Nickel Finish

1WU: 1WW:

For latest product information, scan QR code

Divi has a classical bell shape that complements aesthetic, while also built for optimal illumination.



1WU-1858VB-SN
BLACK DICRO VINE



1WW-1758SF-SN
SILVER FOIL



185807
OPAL MATTE



185819
CARREREA



1758CF
COPPER FOIL



1758GF
GOLD FOIL



1858MN
METAL SATIN NICKEL



1858MB
METAL BRONZE



1858DW
BLACK DICRO WAVY



FIXTURE	-	GLASS OPTIONS	-	METAL FINISH
1WU Swing arm		**1758CF** Copper Foil		**BR** Bronze
1WW Swing arm		**1758GF** Gold Foil		**SN** Satin Nickel
		1758SF Silver Foil		
** Please refer to pg. 194 to view swing arm fixture options*		**185807** Opal Matte		
		185819 Carrera		
		1858DW Black Dicro Wavy		
		1858MB Metal Bronze		
		1858MN Metal Satin Nickel		
		1858VB Black Dicro Vine		

Ex. 1WW-1758SF-SN
Divi Swing Arm Fixture w/ Silver Foil Glass, Satin Nickel Finish

1WU:



1WW:



For latest product information, scan QR code

NICO 3

Nico 3 features a tapered drum shape that fits beautifully in transitional spaces.



1WW-5145SF-SN
STONE SILVER FOIL



514500
CLEAR STONE



5145CF
STONE COPPER FOIL



5145GF
STONE GOLD FOIL



FIXTURE	-	GLASS OPTIONS	-	METAL FINISH
1WW Swing arm		**514500** Clear Stone		**BR** Bronze
		5145CF Stone Copper Foil		**SN** Satin Nickel
** Please refer to pg. 194 to view swing arm fixture options*		**5145GF** Stone Gold Foil		
		5145SF Stone Silver Foil		

Ex. 1WW-514500-SN
Nico 3 Swing Arm Fixture w/ Clear Stone Glass, Satin Nickel Finish



For latest product information, scan QR code



SCONCES & VANITIES

DUKE

The Duke Vanity is a transitional bath design employing foil backed glass cylinders, with a compelling textured metallic effect that plays off the gleem of the clear glass component.



DUKECF
COPPER FOIL



DUKEGF
GOLD FOIL



DUKESF
SILVER FOIL



1WG: 5.9″ L x 12.25″ H x 7″ D
2WG: 12.25″ L x 12.25″ H x 7″ D
3WG: 20″ L x 12.25″ H x 7″ D

STD. LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style, 120V, *lamp included.*

EDIL: 7W Replaceable LED Filament S-style lamp,120V, dimmable, *lamp included.*

LOCATION: DAMP

Sconce: Vanity:

For latest product information, scan QR code

FIXTURE	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
1WG Sconce		**DUKECF** Copper Foil		**(blank)** 60W T10 Incan		**BK** Black
2WG 2-Light		**DUKEGF** Gold Foil		**EDI** 40W Edison		
3WG 3-Light		**DUKESF** Silver Foil		**EDIL** 7W LED Filament		

Ex. 2WG-DUKECF-BK
Duke Vanity, Copper Foil Glass, Black Finish

JUNI 10

The Juni 10 Vanity is a transitional bath design with transcolor glass cylinders, with an interesting bubble pattern blown randomly throughout the glass.



JUNI10CL
CLEAR BUBBLE



JUNI10BL
BLUE BUBBLE



JUNI10GD
GOLD BUBBLE



JUNI10LT
LATTE BUBBLE



JUNI10MS
MOSS BUBBLE



JUNI10PL
PLUM BUBBLE



1WG: 5.9" L x 14.25" H x 7" D
2WG: 12.25" L x 14.25" H x 7" D
3WG: 20" L x 14.25" H x 7" D

STD. LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style, 120V, *lamp included.*

EDIL: 7W Replaceable LED Filament S-style lamp,120V, dimmable, *lamp included.*

LOCATION: DAMP

Sconce: Vanity:

For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WG Sconce	**JUNI10BL** Blue Bubble	**(blank)** 60W T10 Incan	**BK** Black
2WG 2-Light	**JUNI10CL** Clear Bubble	**EDI** 40W Edison	
3WG 3-Light	**JUNI10GD** Gold Bubble	**EDIL** 7W LED Filament	
	JUNI10LT Latte Bubble		
	JUNI10MS Moss Bubble		
	JUNI10PL Plum Bubble		

Ex. 2WG-JUNI10GD-BK
Juni 10 Vanity, Gold Bubble Glass, Black Finish

MILO 4

The Milo 4 Vanity is a transitional bath design inspired by the traditional glass jars used for canning, enhanced with a subtle transcolored spray.



MILO4SM
SMOKE



MILO4AM
AMBER



MILO4GR
GREEN



MILO4PL
PURPLE



MILO4WF
WHITE FROST



1WG: 5.9" L x 10.75" H x 7.25" D
2WG: 12.25" L x 10.75" H x 7.25" D
3WG: 20" L x 10.75" H x 7.25" D

STD. LAMP: 60W A19 120V, *lamp not included.*

EDI: 40W Edison S-style, 120V, *lamp included.*

EDIL: 7W Replaceable LED Filament S-style lamp,120V, dimmable, *lamp included.*

LOCATION: DAMP

Sconce: Vanity:

For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WG Sconce	**MILO4AM** Amber	**(blank)** 60W A19 Incan	**BK** Black
2WG 2-Light	**MILO4GR** Green	**EDI** 40W Edison	
3WG 3-Light	**MILO4PL** Purple	**EDIL** 7W LED Filament	
	MILO4SM Smoke		
	MILO4WF White Frost		

Ex. 2WG-MILO4PL-BK
Milo 4 Vanity, Purple Glass, Black Finish

JILLY

The Jilly Vanity is a contemporary bath design composed of a transparent globe glass, with a mysterious vapor-like patterning throughout the glass to partially conceal the inner portion of the shade.



2WC-JILLYCL-SN
VAPOR CLEAR



JILLYSM
VAPOR SMOKE



JILLYAM
VAPOR AMBER



STD LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison lamp, *lamp included.*

EDIL: 5W Replaceable LED Filament lamp, 120V, dimmable, *lamp included.*

LOCATION: DAMP

Sconce: Vanity:

For latest product information, scan QR code

FIXTURE		GLASS OPTIONS		LAMP OPTIONS		METAL FINISH	
1WC	1 Lt. Sconce 6.5″L	**JILLYAM**	Vapor Amber	**(blank)**	60W T10 Incan	**BR**	Bronze
2WC	2 Lt. Vanity 15″L	**JILLYCL**	Vapor Clear	**EDI**	40W Edison	**SN**	Satin Nickel
3WC	3 Lt. Vanity 25.25″L	**JILLYSM**	Vapor Smoke	**EDIL**	5W LED Filament		

Ex. 2WC-JILLYCL-SN
Vapor Vanity, Vapor Clear Shade, Satin Nickel Finish

OPTOS

The Optos vanity is a clean, contemporary bath bar featuring two separate optical-effect lenses per lampholder to produce interesting displays of up/down light.





2SW-OPTOCLCL-SN



STD LAMP: 40W G9 Halogen, 120V, *lamp included.*

LED: 5W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
2SW 2 Lt. Vanity 14.625″L	**OPTOSCLCL** Clear/Clear	**(blank)** 40W G9 Hal	**CR** Chrome
3SW 3 Lt. Vanity 22.5″L		**LED** 5W LED	**SN** Satin Nickel
4SW 4 Lt. Vanity 30.375″L			

Ex. 3SW-OPTOSCLCL-SN
Optos Vanity, Clear/Clear Lenses, Satin Nickel Finish

BOCA

The Boca Vanity is comprised of an appealing globe-shaped clear or bubble-patterned solid glass, accented by an inner frosted tube to diffuse the light source. The wood backplate can be ordered separately to provide warmth to the overall appearance.





1WF-BOCACL-SN
CLEAR



2WF-BOCABB-BR
CLEAR BUBBLE

STD LAMPS: 40W G9 Halogen, lamp included, suitable for dimming

LED: 3W Replaceable source, 120V, dimmable, 90+ CRI, 300 lumens, 3000°K CCT, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code



3WF: 22" L x 5.9" H x 5.25" D



2WF: 14" L x 5.9" H x 5.25" D



4WF: 30" L x 5.9" H x 5.25" D



FIXTURE	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
1WF Sconce		**BOCABB** Clear Bubble		**(blank)** 40W G9 Hal		**BR** Bronze
2WF 2-Light		**BOCACL** Clear		**LED** 3W LED		**SN** Satin Nickel
3WF 3-Light						
4WF 4-Light						

Ex. 2WF-BOCABB-SN
Boca 2-Light Vanity, Clear Bubble, Satin Nickel

WOOD BACKPLATE ACCESSORY - WEATHERED WOOD OR EBONY	
S1003-WW or EB	1 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1004-WW or EB	2 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1005-WW or EB	3 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1006-WW or EB	4 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)

The Bolo Vanity is comprised of an appealling cube-shaped clear machined crystal, accented by an interesting inner frosting to diffuse the light source.



1WF-BOLOFR-BR
CLEAR/FROST



3WF-BOLOFR-SN
CLEAR/FROST



2WF: 14″ L x 5.9″ H x 5.5″ D



3WF: 22″ L x 5.9″ H x 5.5″ D



4WF: 30″ L x 5.9″ H x 5.5″ D



STD LAMPS: 40W G9 Halogen, lamp included, suitable for dimming

LED: 3W Replaceable source, 120V, dimmable, 90+ CRI, 300 lumens, 3000°K CCT, 30,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
1WF 1 Lt. Sconce	**BOLOFR** Clear/Frost	**(blank)** 40W G9 Hal	**BR** Bronze
2WF 2 Lt. Vanity 14″ L		**LED** 3W LED	**SN** Satin Nickel
3WF 3 Lt. Vanity 22″ L			
4WF 4 Lt. Vanity 30″ L			

Ex. 2WF-BOLOFR-SN
Bolo Vanity, Clear/Frost Shade, Satin Nickel Finish

WOOD BACKPLATE ACCESSORY - WEATHERED WOOD OR EBONY	
S1003-WW or EB	1 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1004-WW or EB	2 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1005-WW or EB	3 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)
S1006-WW or EB	4 Light Wood Plate, Weathered Wood (WW) or Ebony (EB)

TITO

The Tito vanity is a simple, contemporary bath bar featuring handcrafted Opal glass on a low profile plated bracket.pearance.



3SW-TITO07-SN
OPAL MATTE





1SW-TITO07-CR
OPAL MATTE

2SW: 14.625″ L x 5.125″ H x 5″ D



3SW: 22.5″ L x 5.125″ H x 5″ D



4SW: 30.375″ L x 5.125″ H x 5″ D



STD LAMP: 60W G9 Halogen, *lamp not included.*

LED: 5W Replaceable source, dimmable. 90+ CRI, 3000°K CCT, 450 lumens, 30,000 hours.

LOCATION: DAMP

Sconce: Vanity:

For latest product information, scan QR code

FIXTURE		GLASS OPTIONS		LAMP OPTIONS		METAL FINISH	
1SW	1 Lt. Sconce	**TITO07**	Opal Matte	**(blank)**	60W G9 Hal	**CR**	Chrome
2SW	2 Lt. Vanity			**LED**	5W LED	**SN**	Satin Nickel
3SW	3 Lt. Vanity						
4SW	4 Lt. Vanity						

Ex. 2WS-TITO07-SN
Tito Vanity, Opal Matte Shade, Satin Nickel Finish

PHANTOM 6

The Phantom 6 vanity features clear glass bell-shaped shades mounted onto a softly curved flat rail bracket, with an interesting cascading optical pattern blown as an additional transparent layer along the top outer wall of the glass.



PHAN6SC
SMOKE/CLEAR

1WC: 6″ L x 9″ H x 8.25″ D



2WC: 16″ L x 9″ H x 8.25″ D



3WC: 25″ L x 9″ H x 8.25″ D





PHAN6CL
CLEAR



PHAN6WC
WHITE/CLEAR

STD. LAMP: 60W T10 120V, lamp not included.

EDIL: 5W Replaceable LED Filament lamp, 120V, dimmable, 90+ CRI, 450 lumens, 15,000 hours, lamp included.

LOCATION: DAMP

Sconce: **Vanity:**

For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WC Sconce	**PHAN6CL** Clear	**(blank)** 60W T10 Incan	**BR** Bronze
2WC 2-Light	**PHAN6SC** Smoke/Clear	**EDIL** 5W LED Filament	**SN** Satin Nickel
3WC 3-Light	**PHAN6WC** White/Clear		

Ex. 1WC-PHAN6SC-BR
Phantom 6 Sconce, Smoke/Clear, Bronze Finish

CABO

The Cabo vanity is a contemporary bath bar featuring handcrafted frosted/bubble glass on a low profile plated bracket, designed to allow for rotation of the glass fitters.



2WT-962759-CR
FROST/BUBBLE

1WT-962759-SN
9.25″ L x 5.1″ H x 5.5″ D



2WT-962759-SN
22″ L x 5.1″ H x 5.5″ D



3WT-962759-SN
34.75″ L x 5.1″ H x 5.5″ D



STD LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. Lamp included.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH
1WT Sconce	**962759** Frost/Bubble	**(blank)** 60W A19 Incan	**CR** Chrome
2WT 2-Light		**LED** 9W LED 120V, dimmable	**SN** Satin Nickel
3WT 3-Light			

Ex. 2WT-962759-CR
Cabo 2-Light Vanity, Frost/Bubble, Chrome Finish

LIDO

The Lido vanity is a simple, bath bar offering handcrafted Opal glass on a low profile plated bracket, designed to allow for rotation of the glass fitters.



2WT-888607-SN
OPAL MATTE

1WT-888607-SN
8.5″ L x 4.75″ H x 5.25″ D

2WT-888607-SN
21″ L x 4.75″ H x 5.25″ D



3WT-888607-SN
33.75″ L x 4.75″ H x 5.25″ D



STD LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours. Lamp included.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	SHADE OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
1WT Sconce		**888607** Opal Matte		**(blank)** 60W A19 Incan		**CR** Chrome
2WT 2-Light				**LED** 9W LED 120V, dimmable		**SN** Satin Nickel
3WT 3-Light						

Ex. 2WT-888607-CR
Lido 2-Light Vanity, Opal Matte, Chrome Finish

CELTIC

The Celtic Vanity is a contemporary bath design, employing a softly radiused and fused 3-piece glass diffuser that is designed to "float" on the hardware. Options include Opal/Clear and a revealing blown bubble glass design.





CELTICLC
OPAL/CLEAR

May be used in either upward or downward orientation.

STD. LAMP: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 9W Replaceable source, 120V, dimmable, 80+ CRI, 3000°K CCT, 800 lumens, 30,000 hours, *lamps included (For Opal/Clear).*

EDIL: 8W Replaceable A19 LED Filament lamp, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours *lamps included (For Bubble).*

LOCATION: DAMP

Sconce: **Vanity:**

For latest product information, scan QR code



CELTICBB
BUBBLE



3WZ: 22.4375" L x 7.65" H x 4.75" D



2WZ: 14.5" L x 7.65" H x 4.75" D



4WZ: 30.3125" L x 7.65" H x 4.75" D



FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH
1WZ Sconce	**CELTICBB** Bubble	**(blank)** 60W A19 Incan	**BR** Bronze
2WZ 2 Light	**CELTICCL** Opal/Clear	**LED** 9W LED *(For Opal/Clear)*	**CR** Chrome
3WZ 3 Light		**EDIL** 8W LED Filament *(For Bubble)*	**SN** Satin Nickel
4WZ 4 Light			

Ex. 1WZ-CELTICCL-SN
Celtic Mini Sconce w/ Clear Glass, Satin Nickel Finish

LINUS 22 / 33

The Linus wall is a special offering with an all glass white diffuser, composed of multiple glasses fused together. The enveloped opal glass cylinders create a pleasing layered effect with the frosted glass covers.

ADA COMPLIANT





LINUS22



LINUS33

Linus 22:



Linus 33:



Horizontal or Vertical orientation

Wall mount only

LED: 5W Replaceable source, 120V, dimmable, 80+ CRI, 3000° K CCT, 450 lumens, 25,000 hours, *lamps included.*

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE/DECOR	-	LAMPING OPTIONS
LINUS22-WALL 22.0″L Opal Glossy		**LED** 3x 5W LED

FIXTURE/DECOR	-	LAMPING OPTIONS
LINUS33-WALL 33.0″L Opal Glossy		**LED** 5x 5W LED

Ex. LINUS22-WALL-LED
Linus 22 LED Vanity w/ Opal Glossy Glass

JODI

The Jodi is a striking piece comprised of multiple segments of radiused white glass, with clear glass fused at each end.





3WM-673006-SN
OPAL GLOSSY

1WM: 8.25" L x 4.875" H x 5.25" D



2WM: 21" L x 4.875" H x 5.75" D



3WM: 33.875" L x 4.875" H x 5.75" D



Open-ended handcrafted glass with oval canopy.

Orient upward or downward, wall-mount only

STD. LAMP: 60W G9 Halogen 120V, *lamp included*, suitable for dimming.

LED: 5W Replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours, *lamp included*.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE		- DECOR		- LAMPING OPTIONS		- METAL FINISH	
1WM	1 Light	**673006**	Opal Glossy	**(blank)**	60W G9 Hal	**BR**	Bronze
2WM	2 Light			**LED**	5W LED, dimmable	**CR**	Chrome
3WM	3 Light					**SN**	Satin Nickel

Ex. 3WM-673006-SN
Jodi Vanity w/ Opal Glossy Glass, Satin Nickel Finish

POGO

Pogo Wall is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.

ADA COMPLIANT



3WS-718006-SN
Opal Glossy



2WS: 14.625" L x 5.5" H x 6.25" D



3WS: 22.5" L x 5.5" H x 6.25" D



4WS: 30.375" L x 5.5" H x 6.25" D





7180GF
BLACK/INNER GOLD



7180SF
WHITE/INNER SILVER

wall-mount only

STD. LAMP: 60W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

Sconce: **Vanity:**

For latest product information, scan QR code

FIXTURE	-	DECOR	-	LAMPING OPTIONS	-	METAL FINISH
1WS Sconce		**718006** Opal Glossy		**(blank)** 60W G9 Hal		**BR** Bronze
2WS 2 Light		**7180GF** Black/Inner Gold		**LED** 5W LED 120V, dimmable		**CR** Chrome
3WS 3 Light		**7180SF** White/Inner Silver				**SN** Satin Nickel
4WS 4 Light						

Ex. 3WS-718006-SN
Pogo Vanity w/ Opal Glossy Glass, Satin Nickel Finish

NICO 5

The Nico 5 Vanity is a contemporary bath design, employing a softly radiused housing and sparkling textured shades. Our Stone glass is a blown glass with an outer texture of coarse sandstone. Inspired by the elements of nature, the appearance of the surface resembles the beautiful cut patterning melting ice over a rock formation



NICO5CL
CLEAR STONE



NICO5GL
GLITTER STONE

2WZ: 14.5″ L x 6.875″H x 6.5″D



3WZ: 22.4375″ L x 6.875″H x 6.5″D



4WZ: 30.3125″ L x 6.875″H x 6.5″D





STD. LAMP: 60W A19 120V, *lamp not included.*

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOCATION: DAMP

Sconce: Vanity:

For latest product information, scan QR code

FIXTURE	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
1WZ Sconce		**NICO5CL** Clear Stone		**(blank)** 60W Incan		**BR** Bronze
2WZ 2-Light		**NICO5GL** Glitter Stone		**LED** 9W LED		**CR** Chrome
3WZ 3-Light						**SN** Satin Nickel
4WZ 4-Light						

Ex. 2WZ-NICO5CL-SN
Nico 5 Vanity, Clear Stone Glass, Satin Nickel Finish

PAOLO

The contemporary Paolo enclosed half-cylinder design features handcrafted glass. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.

ADA COMPLIANT



3WS-7873GL-SN
Glitter



787307
OPAL MATTE



787319
CARRERA



787399
OPAL-FROST



7873ST
STUCCO



2WS: 14.625" L x 4.75" H x 4" D



3WS: 22.5" L x 4.75" H x 4" D



4WS: 30.375" L x 4.75" H x 4" D



Orient fixture horizontal or vertical, wall-mount only

STD. LAMP: 50W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

Sconce: **Vanity:**

For latest product information, scan QR code

FIXTURE	DECOR	LAMPING OPTIONS	METAL FINISH
1WS Sconce	**787307** Opal Matte	**(blank)** 50W G9 Hal	**BR** Bronze
2WS 2 Light	**787319** Carrera	**LED** 5W LED 120V, dimmable	**CR** Chrome
3WS 3 Light	**787399** Opal-Frost		**SN** Satin Nickel
4WS 4 Light	**7873GL** Glitter		
	7873ST Stucco		

Ex. 3WS-787319-SN
Paolo Vanity w/ Carrera Glass, Satin Nickel Finish

ELANA 26 / 38 / 50

Our Elana bath collection has a clean contemporary look, with a radiused satin white glass diffuser.



ELANA38-SW-CR
SATIN WHITE

Elana 26:



Elana 38:



Elana 50:



STD. LAMP: 60W A19, 120V, *lamp not included*, suitable for dimming.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	METAL FINISH
ELANA26 26″Vanity		**SW** Satin White		**(blank)** 3x 60W A19 Incan **LED** 3x 9W LED 120V, dimmable		**CR** Chrome **SN** Satin Nickel

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	METAL FINISH
ELANA38 38″Vanity		**SW** Satin White		**(blank)** 4x 60W A19 Incan **LED** 4x 9W LED 120V, dimmable		**CR** Chrome **SN** Satin Nickel

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	METAL FINISH
ELANA50 50″Vanity		**SW** Satin White		**(blank)** 5x 60W A19 Incan **LED** 5x 9W LED 120V, dimmable		**CR** Chrome **SN** Satin Nickel

Ex. ELANA26-SW-CR
Elana 26 Vanity w/ Satin White Glass, Chrome Finish

BAAZ

This modern wall light offers flexible design potential for a variety of bath/vanity applications. Handcrafted half-cylinder Opal glass is enclosed, concealing the lightsource. Canopy plate has a simple, contemporary oval shape. Mount horizontal or vertical.

ADA COMPLIANT



2WM-770107-SN
OPAL MATTE

1WM-770107-SN
11.5″ L x 4.875″ H x 4.5″ D



2WM-770107-SN
24.25″ L x 4.875″ H x 5″ D



3WM-770107-SN
37″ L x 4.875″ H x 5″ D



STD. LAMP: 60W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	DECOR	-	LAMPING OPTIONS	-	METAL FINISH
1WM 1 Light		**770107** Opal Matte		**(blank)** 60W G9 Hal		**BR** Bronze
2WM 2 Light				**LED** 5W LED 120V, dimmable		**CR** Chrome
3WM 3 Light						**SN** Satin Nickel

Ex. 3WM-770107-SN
Baaz Vanity w/ Opal Glossy Glass, Satin Nickel Finish

DARCI

This modern wall light offers flexible design potential for a variety of bath/vanity applications. Features open-ended Darci handcrafted glass in Opal. Canopy plate has a simple, contemporary oval shape. Mount horizontal or vertical.



2WM-272407-SN
OPAL MATTE

1WM-272407-SN
11″ L x 4.875″ H x 3.75″ D

2WM-272407-SN
23.875″ L x 4.875″ H x 4.25″ D



3WM-272407-SN
36.625″ L x 4.875″ H x 4.25″ D

STD. LAMP: 60W G9 Halogen 120V, *lamp included*, suitable for dimming.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	DECOR	-	LAMPING OPTIONS	-	METAL FINISH
1WM 1 Light		**272407** Opal Matte		**(blank)** 60W G9 Hal		**BR** Bronze
2WM 2 Light				**LED** 5W LED 120V, dimmable		**CR** Chrome
3WM 3 Light						**SN** Satin Nickel

Ex. 3WM-272407-SN
Darci Vanity w/ Opal Matte Glass, Satin Nickel Finish

JAMIE

Enclosed quarter-sphere Jamie is handcrafted Opal glass. Canopy plate is simple, contemporary oval. Orient upward or downward.

ADA COMPLIANT



1WM-231807-BR
Opal Matte

1WM-231807-SN
11.875″ L x 4.875″ H x 5″ D



2WM-231807-SN
24.625″ L x 4.875″ H x 5.375″ D



3WM-231807-SN
37.5″ L x 4.875″ H x 5.375″ D



STD. LAMP: 60W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE	-	DECOR	-	LAMPING OPTIONS	-	METAL FINISH
1WM 1 Light		**231807** Opal Matte		**(blank)** 60W G9 Hal		**BR** Bronze
2WM 2 Light				**LED** 5W LED 120V, dimmable		**CR** Chrome
3WM 3 Light						**SN** Satin Nickel

Ex. 3WM-231807-SN
Jamie Vanity w/ Opal Glossy Glass, Satin Nickel Finish

AERO

The modern Aero wall light offers flexible design potential for a variety of bath/vanity applications. Shapely open-ended handcrafted glass in Opal Matte. Canopy plate is simple, contemporary oval. Mount horizontal or vertical.



1WM-2727ST-SN
STUCCO

1WM-272707-SN
11″ L x 4.875″ H x 4.375″ D



2WM-272707-SN
23.875″ L x 4.875″ H x 4.875″ D



3WM-272707-SN
36.625″ L x 4.875″ H x 4.875″ D



STD. LAMP: 60W G9 Halogen 120V, *lamp included*, suitable for dimming.

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

For latest product information, scan QR code

FIXTURE		DECOR		LAMPING OPTIONS		METAL FINISH	
1WM	1 Light	**272707**	Opal Matte	**(blank)**	60W G9 Hal	**BR**	Bronze
2WM	2 Light	**2727ST**	Stucco	**LED**	5W LED 120V, dimmable	**CR**	Chrome
3WM	3 Light					**SN**	Satin Nickel

Ex. 3WM-272707-SN
Aero Vanity w/ Opal Matte Glass, Satin Nickel Finish

ALEX

Alex has a simple, contemporary design that features handcrafted Opal glass, available with flat glass trim. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.

ADA COMPLIANT



3WS-773539-CR
OPAL/CLEAR



773507
OPAL MATTE



7735SM
OPAL/SMOKE



7735TG
OPAL/ARMAGNAC



773592
OPAL/BLUE



773591
OPAL/AMETHYST

STD. LAMP: 50W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

Sconce: **Vanity:**

For latest product information, scan QR code



2WS: 14.625" L x 6.3125" H x 3.75" D



ALEX FOILS

Alex has a simple, contemporary design that features handcrafted Opal glass, available with flat glass trim. This modern wall light offers flexible design potential for a variety of bath/ vanity decorating schemes. Mount horizontally or vertically.

ADA COMPLIANT



3WS-7735SF-CR
OPAL/SILVER FOIL



7735GF
GOLD FOIL

FIXTURE		DECOR		LAMPING OPTIONS		METAL FINISH	
1WS	Sconce	**773507**	Opal Matte	**(blank)**	50W G9 Hal	**BR**	Bronze
2WS	2 Light	**773539**	Opal/Clear	**LED**	5W LED 120V, dimmable	**CR**	Chrome
3WS	3 Light	**773591**	Opal/Amethyst			**SN**	Satin Nickel
4WS	4 Light	**773592**	Opal/Blue				
		7735GF	Opal/Gold Foil				
		7735SF	Opal/Silver Foil				
		7735SM	Opal/Smoke				
		7735TG	Opal/Armagnac				

Ex. 3WS-773539-SN
Alex Vanity w/ Opal/Clear Glass, Satin Nickel Finish

3WS: 22.5″ L x 6.3125″ H x 3.75″ D



4WS: 30.375″ L x 6.3125″ H x 3.75″ D



CIRO

Ciro's low-profile round shape is handcrafted Opal glass. This modern wall light offers flexible design potential for a variety of bath/vanity decorating schemes. Mount horizontally or vertically.

ADA COMPLIANT



3WS-773807-CR
OPAL MATTE



1WS-773807-CR
OPAL MATTE

2WS: 14.625″ L x 6.375″ H x 3.5″ D



3WS: 22.5″ L x 6.375″ H x 3.5″ D



4WS: 30.375″ L x 6.375″ H x 3.5″ D



Wall-mount only

STD. LAMP: 50W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DAMP

Sconce: **Vanity:**

For latest product information, scan QR code

FIXTURE		DECOR		LAMPING OPTIONS		METAL FINISH	
1WS	Sconce	**773807**	Opal Matte	**(blank)**	50W G9 Hal	**BR**	Bronze
2WS	2 Light			**LED**	5W LED 120V, dimmable	**CR**	Chrome
3WS	3 Light					**SN**	Satin Nickel
4WS	4 Light						

Ex. 3WS-773807-SN
Ciro Vanity w/ Opal Matte Glass, Satin Nickel Finish

RISE

Rise is a simple contemporary design of handcrafted cubed opal.



3WZ-449807-SN
OPAL MATTE

2WZ: 14.5" L x 6.5"H x 5.75"D



3WZ: 22.4375" L x 6.5"H x 5.75"D



4WZ: 30.3125" L x 6.5"H x 5.75"D





STD. LAMP: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOCATION: DAMP

Sconce: Vanity:

For latest product information, scan QR code

FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH
1WZ Sconce	**449807** Opal Matte	**(blank)** 60W A19 Incan	**BR** Bronze
2WZ 2 Light		**LED** 9W LED 120V, dimmable	**CR** Chrome
3WZ 3 Light			**SN** Satin Nickel
4WZ 4 Light			

Ex. 3WZ-449807-SN
Rise 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

BOLLA

The Bolla is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



3WZ-412260-SN
COCOON



412207
OPAL MATTE



412280
AMBER MATTE



412219
CARRERA



4122HN
HONEY



412218
AMBER CLOUD



4122HB
HABANERO



412241
GARNET



4122MA
MAGMA



4122CE
CEYLON



412286
BLUE CLOUD

STD. LAMP: 60W A19 120V *not included*, suitable for dimming

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 900 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

LOCATION: DAMP

Sconce:

Vanity:

For latest product information, scan QR code



2WZ: 14.5" L x 6.875" H x 7" D



3WZ: 22.4375" L x 6.875" H x 7" D



4WZ: 30.3125" L x 6.875" H x 7" D



FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH	OPTIONS
1WZ Sconce	**412207** Opal Matte	**(blank)** 60W A15 or A19	**BR** Bronze	**LW** Low Wattage labeling
2WZ 2 Light	**412218** Amber Cloud	**LED** 9W LED 120V, dimmable	**CR** Chrome	
3WZ 3 Light	**412219** Carrera		**SN** Satin Nickel	
4WZ 4 LigVht	**412241** Garnet			
	412260 Cocoon			
	412280 Amber Matte			
	412286 Blue Cloud			
	4122CE Ceylon			
	4122HB Habanero			
	4122HN Honey			
	4122MA Magma			

Ex. 3WZ-412260-SN
Bolla 3-Light Vanity w/ Cocoon Glass, Satin Nickel Finish

SASHA

Sasha has a classical bell shape that complements aesthetic, while also built for optimal illumination.



3WZ-757219-SN
CARRERA



757207
OPAL MATTE



757280
AMBER MATTE



7572MG
MARBLE GRIGIO



7572HV
HALVA



7572HN
HONEY



757218
AMBER CLOUD



7572HB
HABANERO



757241
GARNET



7572CE
CEYLON



757286
BLUE CLOUD

STD. LAMP: 60W A19 120V *not included*, suitable for dimming

LED: 9W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 900 lumens, 30,000 hours.

LOW WATTAGE LABELING: Incandescent fixture supplied with 16 watt relamp

LOCATION: DAMP

Sconce: **Vanity:**

For latest product information, scan QR code



2WZ: 14.5" L x 7.125" H x 7.125" D



3WZ: 22.4375" L x 7.125" H x 7.125" D



4WZ: 30.3125" L x 7.125" H x 7.125" D



FIXTURE	GLASS OPTIONS	LAMPING OPTIONS	METAL FINISH	OPTIONS
1WZ Sconce	**757207** Opal Matte	**(blank)** 60W A15 or A19	**BR** Bronze	**LW** Low Wattage labeling
2WZ 2 Light	**757218** Amber Cloud	**LED** 9W LED 120V, dimmable	**CR** Chrome	
3WZ 3 Light	**757219** Carrera		**SN** Satin Nickel	
4WZ 4 Light	**757241** Garnet			
	757280 Amber Matte			
	757286 Blue Cloud			
	7572CE Ceylon			
	7572HB Habanero			
	7572HN Honey			
	7572HV Halva			
	7572MG Marble Grigio			

Ex. 3WZ-757207-SN
Sasha 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

BUILD YOUR OWN SCONCE & VANITIES

STEP 1 SELECT A SCONCE OR VANITY

Each fixture includes 40W G9 Halogen lamp(s) and is dimmable with a standard incandecent dimmer. 5W LED lamp option also available.

LOCATION: DAMP

Sconce

1SW Series



Vanities

2SW Series



3SW Series



4SW Series



STEP 2 SELECT A SHADE AND DECOR

Mini Sconces and Vanities are available in 16 different glass collections. Each collection offers a myriad of handcrafted decors.

Example shown: Pahu 4 in Clear/Opal



STEP 3 SELECT A METAL FINISH

Mini Sconces and Vanities are available in either Bronze, Chrome or Satin Nickel metal finishes.



STEP 4 COMBINE THE CODES FOR YOUR SCONCE OR VANITY

Example: **2SW-C44007-SN**



Vanity Fixture: **2SW**

\+

Glass and Decor: **C44007**

\+

Metal Finish: **SN**

=



2SW-C44007-SN

The Groove is a unique piece comprised of multiple segments of two-way mirrored glass.



3SW-6773MR-SN-SQ
MIRROR

*Shown with square canopy





6773MR
MIRROR

*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	**6773MR** Mirror	**(blank)** 40W G9 Hal	**BR** Bronze	**SQ** Square Canopy
2SW 2 Light Vanity		**LED** 5W LED 120V, dimmable	**CR** Chrome	
3SW 3 Light Vanity			**SN** Satin Nickel	
4SW 4 Light Vanity				

* Please refer to pg. 226 to view sconce/vanity options

LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Ex. 3SW-6773MR-SN
Groove 3-Light Vanity w/ Mirror Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

The Pahu is a distinctive double-glass pendant, with an inner opal cylinder centered within a transparent outer glass.



3SW-C44007-SN-SQ
CLEAR/OPAL

*Shown with square canopy





G44007
TRNAS. ARMAGNAC/OPAL



S44007
TRANS. SMOKE/OPAL



A44007
TRANS. AMETHYST/OPAL



L44007
TRANS. OLIVE/OPAL

*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	**A44007** Trans. Amethyst/Opal	**(blank)** 40W G9 Hal	**BR** Bronze	**SQ** Square Canopy
2SW 2 Light Vanity	**C44007** Clear/Opal	**LED** 5W LED 120V, dimmable	**CR** Chrome	
3SW 3 Light Vanity	**G44007** Trans. Armagnac/Opal		**SN** Satin Nickel	
4SW 4 Light Vanity	**L44007** Trans. Olive/Opal			
	S44007 Trans. Smoke/Opal			

* Please refer to pg. 226 to view sconce/vanity options

LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Ex. 3SW-G44007-SN
Pahu 4 3-Light Vanity w/ Trans. Armagnac/Opal Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

PERI

The Peri is a compact handcrafted glass, softly radiused to fit gracefully into contemporary spaces.



3SW-541007-SN
OPAL MATTE





5410VM
VANILLA MATTE



541080
AMBER MATTE



541035
CHARTREUSE



541087
BLUE MATTE

FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	METAL FINISH	-	OPTIONS
1SW Sconce		**541007** Opal Matte		**(blank)** 40W G9 Hal		**BR** Bronze		**SQ** Square Canopy
2SW 2 Light Vanity		**541035** Chartreuse		**LED** 5W LED 120V, dimmable		**CR** Chrome		
3SW 3 Light Vanity		**541080** Amber Matte				**SN** Satin Nickel		
4SW 4 Light Vanity		**541087** Blue Matte						
		5410VM Vanilla Matte						

** Please refer to pg. 226 to view sconce/vanity options*

**** LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.***

Ex. 3SW-541007-SN
Peri 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

LASSO

The Lasso is a wide yet compact handcrafted glass, with distinctive ridges, softly radiused to fit gracefully into contemporary spaces.



3SW-5612GL-SN
GLITTER





561207
OPAL MATTE



5612GD
GOLD GLITTER

FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	METAL FINISH	-	OPTIONS
1SW Sconce		**561207** Opal Matte		**(blank)** 40W G9 Hal		**BR** Bronze		**SQ** Square Canopy
2SW 2 Light Vanity		**5612GD** Gold Glitter		**LED** 5W LED 120V, dimmable		**CR** Chrome		
3SW 3 Light Vanity		**5612GL** Glitter				**SN** Satin Nickel		
4SW 4 Light Vanity								

** Please refer to pg. 226 to view sconce/vanity options*

**** LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.***

Ex. 3SW-5612GL-SN
Lasso 3-Light Vanity w/ Glitter Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

The Swirl features a wide cone-shaped glass, that demonstrates contemporary sensiblities.



3SW-550493-SN-SQ
DICRO SWIRL
*Shown with square canopy





550493
DICRO SWIRL

FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	METAL FINISH	-	OPTIONS
1SW Sconce		**550493** Dicro Swirl		**(blank)** 40W G9 Hal		**BR** Bronze		**SQ** Square Canopy
2SW 2 Light Vanity				**LED** 5W LED 120V, dimmable		**CR** Chrome		
3SW 3 Light Vanity						**SN** Satin Nickel		
4SW 4 Light Vanity								

* Please refer to pg. 226 to view sconce/vanity options

LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Ex. 3SW-550473-SN
Swirl 3-Light Vanity w/ Dicro Swirl Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

Copa is a timeless open cylinder of handcrafted glass, that demonstrates contemporary sensibilities.



3SW-440307-SN-SQ
OPAL MATTE
*Shown with square canopy





440307
OPAL MATTE
*Shown with square canopy

FIXTURE	-	GLASS OPTIONS	-	METAL FINISH	-	METAL FINISH	-	OPTIONS
1SW Sconce		**440307** Opal Matte		**(blank)** 40W G9 Hal		**BR** Bronze		**SQ** Square Canopy
2SW 2 Light Vanity				**LED** 5W LED 120V, dimmable		**CR** Chrome		
3SW 3 Light Vanity						**SN** Satin Nickel		
4SW 4 Light Vanity								

* Please refer to pg. 226 to view sconce/vanity options

LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Ex. 3SW-440307-SN
Copa 3 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

CANTO 5

Canto 5 features a tapered drum shape that fits beautifully in transitional spaces.



3SW-513107-SN-SQ
OPAL MATTE

*Shown with square canopy





5131OP
BICOLOR ORANGE/PINA



5131GY
BICOLOR GREEN/YELLOW



5131SL
SOLARE

*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	**513107** Opal Matte	**(blank)** 40W G9 Hal	**BR** Bronze	**SQ** Square Canopy
2SW 2 Light Vanity	**5131GY** Bicolor Green/Yellow	**LED** 5W LED 120V, dimmable	**CR** Chrome	
3SW 3 Light Vanity	**51310P** Bicolor Orange/Pina		**SN** Satin Nickel	
4SW 4 Light Vanity	**5131SL** Solare			

** Please refer to pg. 226 to view sconce/vanity options*

**** LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.***

Ex. 3SW-513107-SN
Canto 5 3-Light Vanity w/ Opal Matte Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

KONA

The Kona features a wide cone-shaped glass, that demonstrates contemporary sensbilities.



3SW-282453-SN-SQ
WHITE STARPOINT

*Shown with square canopy





117607
WHITE



117652
MARBLE



117681
SUNSET



117691
BI-COLOR



282890
MANGO STARPOINT



282484
BLUE STARPOINT

*Shown with square canopy

FIXTURE	GLASS OPTIONS	METAL FINISH	METAL FINISH	OPTIONS
1SW Sconce	**117607** White	**(blank)** 40W G9 Hal	**BR** Bronze	**SQ** Square Canopy
2SW 2 Light Vanity	**117652** Marble	**LED** 5W LED 120V, dimmable	**CR** Chrome	
3SW 3 Light Vanity	**117681** Sunset		**SN** Satin Nickel	
4SW 4 Light Vanity	**117691** Bi-color			
	282453 White Starpoint			
	282484 Blue Starpoint			
	282490 Mango Starpoint			

** Please refer to pg. 226 to view sconce/vanity options*

**** LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.***

Ex. 3SW-282453-SN
Kona 3-Light Vanity w/ White Starpoint Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

Nico 4 features a tapered drum shape that fits beautifully in transitional spaces.



3SW-5125OS-SN-SQ
OPAL STONE

*Shown with square canopy





5125GL
GLITTER STONE



512500
CLEAR STONE



5125SF
STONE SILVER FOIL



5125CF
STONE COPPER FOIL



5125GF
STONE GOLD FOIL

*Shown with square canopy

FIXTURE		GLASS OPTIONS		METAL FINISH		- METAL FINISH	- OPTIONS
1SW	Sconce	**512500**	Clear Stone	**(blank)**	40W G9 Hal	**BR** Bronze	**SQ** Square
2SW	2 Light Vanity	**5125CF**	Stone Copper Foil	**LED**	5W LED 120V,	**CR** Chrome	Canopy
3SW	3 Light Vanity	**5125GF**	Stone Gold Foil		dimmable	**SN** Satin Nickel	
4SW	4 Light Vanity	**5125GL**	Glitter Stone				
		5125OS	Opal Stone				
		5125SF	Stone Silver Foil				

* Please refer to pg. 226 to view sconce/vanity options

LED is replaceable source, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

Ex. 3SW-5125OS-SN
Nico 4 3-Light Vanity w/ Opal Stone Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

The Hoppi features a wide cone-shaped glass, that demonstrates contemporary sensibilities.



3SW-191352-SN-SQ
MARBLE

*Shown with square canopy





181304
MARBLE/CLEAR



181305
MOCHA/CLEAR



191383
MOCHA

*Shown with square canopy

FIXTURE		GLASS OPTIONS		METAL FINISH		- METAL FINISH	- OPTIONS
1SW	Sconce	**181304**	Marble/Clear	**(blank)**	40W G9 Hal	**BR** Bronze	**SQ** Square
2SW	2 Light Vanity	**181305**	Mocha/Clear	**LED**	3W LED 120V,	**CR** Chrome	Canopy
3SW	3 Light Vanity	**191352**	Marble		dimmable	**SN** Satin Nickel	
4SW	4 Light Vanity	**191383**	Mocha				

* Please refer to pg. 226 to view sconce/vanity options

LED is replaceable source, 90+ CRI, 3000°K CCT, 300 lumens, 25,000 hours.

Ex. 3SW-191352-SN
Hoppi 3-Light Vanity w/ Marble Glass, Satin Nickel Finish

Sconce: Vanity:

For latest product information, scan QR code

DIVI



3SW-185819-SN
CARRERA



Sconce: Vanity:

For latest product information, scan QR code



185807
OPAL MATTE

1858DW
BLACK DICRO WAVY

1858VB
BLACK DICRO VINE



1758CF
COPPER FOIL

1758GF
GOLD FOIL

1758SF
SILVER FOIL

MIA



3SW-1779MG-SN
MARBLE GRIGIO



Sconce: Vanity:

For latest product information, scan QR code



177907
OPAL MATTE

177919
CARRERA

1779HN
HONEY

177918
AMBER CLOUD

1779HB
HABANERO



177941
GARNET

1779MA
MAGMA

1779CE
CEYLON

177986
BLUE CLOUD

DOMI



3SW-174307-SN
WHITE



Sconce: Vanity:

For latest product information, scan QR code



174352
MARBLE

174383
MOCHA

1743SL
SOLARE

1743KR
CHALK



1743TN
TITAN

1743OK
OAK

1743CH
CHERRY

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1SW Sconce	**Choose from selection above**	**(blank)** 40W G9 Hal	**BR** Bronze	**SQ** Square Canopy
2SW 2 Light Vanity		**LED** 5W LED 120V, dimmable	**CR** Chrome	
3SW 3 Light Vanity			**SN** Satin Nickel	
4SW 4 Light Vanity				

** Please refer to pg. 226 to view sconce/vanity options*

Ex. 3SW-177919-SN
Mia Vanity wtih Carrera Glass, Satin Nickel Finish

STD. LAMP: 60W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DRY



3SW-4679KR-SN
CHALK



Sconce: Vanity:

For latest product information, scan QR code



467907
WHITE

467983
MOCHA

4679SL
SOLARE



4679TN
TITAN

4679OK
OAK

4679CH
CHERRY



3SW-565807-SN
OPAL MATTE



Sconce: Vanity:

For latest product information, scan QR code



565819
CARRERA

5658MA
MAGMA

5658HB
HABANERO



3SW-560519-SN
CARRERA



Sconce: Vanity:

For latest product information, scan QR code



560507
OPAL MATE

5605VM
VANILLA MATTE

560580
AMBER MATTE

560560
COCOON

5605HN
HONEY

560518
AMBER CLOUD



5605HB
HABANERO

560541
GARNET

5605MA
MAGMA

5605CE
CEYLON

560586
BLUE CLOUD

FIXTURE	SHADE OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
1SW Sconce	**Choose from selection above**	**(blank)** 40W G9 Hal	**BR** Bronze	**SQ** Square Canopy
2SW 2 Light Vanity		**LED** 5W LED 120V, dimmable	**CR** Chrome	
3SW 3 Light Vanity			**SN** Satin Nickel	
4SW 4 Light Vanity				

** Please refer to pg. 226 to view sconce/vanity options*

Ex. 3SW-560519-SN
Tay Tay Vanity wtih Carrera Glass, Satin Nickel Finish

STD. LAMP: 60W G9 Halogen 120V, *lamp included.*

LED: 5W Replaceable source, 120V, dimmable, 90+ CRI, 3000°K CCT, 450 lumens, 25,000 hours.

LOCATION: DRY

OUTDOOR LUMINAIRES



MOTO 8 / 11 / 13

Our Moto collection is built for outdoor use, but the design allows it to be equally attractive indoors.

ADA COMPLIANT



MOTO13GR-WA-BR
GRID
**Shown in Bronze Finish*



SQUARE
**Shown in Silver Finish*



GRID
**Shown in Black Finish*

Moto 8:



Moto 11:



Moto 13:



Metalworks Luminaires are assembled with sheet metal fabricated in the USA

Handcrafted Satin White Glass or White Acrylic

STD. LAMP: 60W E12, 120V, *lamp not included.*

LED: 5W source, 120V, dimmable, 80+ CRI, 3000°K CCT, 450 lumens, 25,000 hours, *lamp included.*

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
MOTO8GR Grid		**SW** Satin White Glass		**(blank)** 1x 60W E12 Incan		**BK** Black
MOTO8SQ Square		**WA** White Acrylic		**LED** 1x 5W LED		**BR** Bronze
						SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
MOTO11GR Grid		**SW** Satin White Glass		**(blank)** 1x 60W E12 Incan		**BK** Black
MOTO11SQ Square		**WA** White Acrylic		**LED** 1x 5W LED		**BR** Bronze
						SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
MOTO13GR Grid		**SW** Satin White Glass		**(blank)** 2x 60W E12 Incan		**BK** Black
MOTO13SQ Square		**WA** White Acrylic		**LED** 2x 5W LED		**BR** Bronze
						SL Silver

Ex. MOTO8GR-SW-SL
1 Lt. Moto 8 Grid Sconce w/ Satin White Glass, Silver Finish

BREE

Our Bree collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.

ADA COMPLIANT





OAH:
Bree 11: 11.25" H
Bree 16: 16.25" H
Bree 26: 26.375" H
Bree 38: 38.25" H



SATIN WHITE
BREE 11

Handcrafted Satin White (Bree11 and Bree16 ONLY)

STD. LAMP: 60W B10, 120V, *lamp not included.*

LED: 8W source, 120V, CL dimmable, 80+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LED: 11W source, 120V, dimmable, 80+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours. (For Bree 38)

75°C supply wire required

LOCATION: WET

Metalworks Luminaires are assembled with sheet metal fabricated in the USA.

For latest product information, scan QR code

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE11 Sconce		**SW** Satin White Glass **WA** White Acrylic		**(blank)** 1x 60W B10 Incan **LED** 1x 8W LED 120V, dimmable		**BK** Black **BR** Bronze **SL** Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE16 Sconce		**SW** Satin White Glass **WA** White Acrylic		**(blank)** 2x 60W B10 Incan **LED** 2x 8W LED 120V, dimmable		**BK** Black **BR** Bronze **SL** Silver

Ex. BREE16-WA-SL
2 Lt. Bree 16 Sconce w/ White Acrylic Glass, Silver Finish

BREE

Our Bree collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.

ADA COMPLIANT



SATIN WHITE
BREE 16

**Shown in Bronze Finish*



WHITE ACRYLIC
BREE 26

**Shown in Black Finish*



WHITE ACRYLIC
BREE 38

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE26 Sconce		**WA** White Acrylic		**(blank)** 3x 60W B10 Incan		**BK** Black
				LED 3x 8W LED 120V, dimmable		**BR** Bronze
						SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
BREE38 Sconce		**WA** White Acrylic		**(blank)** 3x 60W B10 Incan		**BK** Black
				LED 3x 11W LED 120V, dimmable		**BR** Bronze
						SL Silver

Ex. BREE38-WA-SL
3 Lt. Bree 38 Sconce w/ White Acrylic, Silver Finish

SCALA

Our Scala collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.





OAH:
Scala 13: 12.75" H
Scala 20: 19.75" H
Scala 28: 27.25" H
Scala 40: 40.125" H

Metalworks Luminaires are assembled with sheet metal fabricated in the USA.

Handcrafted Satin White (Scala13 and Scala 20 ONLY)

STD. LAMP: 60W A19, 120V, *lamp not included.*

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LED: 11W source, 120V, dimmable, 80+ CRI, 3000°K CCT, 1100 lumens, 30,000 hours. (For Scala 40)

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code



SATIN WHITE
SCALA 13

**Shown in Bronze Finish*

FIXTURE		DIFFUSER		LAMP OPTIONS		METAL FINISH
SCALA13 Sconce	-	**SW** Satin White Glass **WA** White Acrylic	-	**(blank)** 1x 60W A19 Incan **LED** 1x 8W LED 120V, dimmable	-	**BK** Black **BR** Bronze **SL** Silver

FIXTURE		DIFFUSER		LAMP OPTIONS		METAL FINISH
SCALA20 Sconce	-	**SW** Satin White Glass **WA** White Acrylic	-	**(blank)** 2x 60W A19 Incan **LED** 2x 8W LED 120V, dimmable	-	**BK** Black **BR** Bronze **SL** Silver

Ex. SCALA13-GL-SL
1 Lt. Scala 13 Sconce w/ Glitter Glass, Silver Finish

SCALA

Our Scala collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.



SATIN WHITE GLASS
SCALA 20



WHITE ACRYLIC
SCALA 28



WHITE ACRYLIC
SCALA 40

**Shown in Black Finish*

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
SCALA28 Sconce		**WA** White Acrylic		**(blank)** 3x 60W A19 Incan		**BK** Black
				LED 3x 8W LED 120V, dimmable		**BR** Bronze
						SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
SCALA40 Sconce		**WA** White Acrylic		**(blank)** 3x 60W A19 Incan		**BK** Black
				LED 3x 11W LED 120V, dimmable		**BR** Bronze
						SL Silver

Ex. SCALA28-SW-SL
3 Lt. Scala 28 Sconce w/ White Acrylic, Silver Finish

NAPOLI

Our Napoli collection is built for outdoor use, but the handsome faceplate design allows it to be equally attractive indoors.

ADA COMPLIANT



WHITE ACRYLIC
NAPOLI 11



WHITE ACRYLIC
NAPOLI 16

**Shown in Bronze Finish*



WHITE ACRYLIC
NAPOLI 26

**Shown in Black Finish*



OAH:
Napoli 11: 11.25″ H
Napoli 16: 16.25″ H
Napoli 26: 26.375″ H

Metalworks Luminaires are assembled with sheet metal fabricated in the USA.

Handcrafted Satin White (NAPOLI11 and NAPOLI16 ONLY)

STD. LAMP: 60W B10, 120V, *lamp not included.*

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
NAPOLI11 Sconce		**SW** Satin White Glass		**(blank)** 1x 60W B10 Incan		**BK** Black
		WA White Acrylic		**LED** 1x 8W LED 120V, dimmable		**BR** Bronze
						SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
NAPOLI16 Sconce		**SW** Satin White Glass		**(blank)** 2x 60W B10 Incan		**BK** Black
		WA White Acrylic		**LED** 2x 8W LED 120V, dimmable		**BR** Bronze
						SL Silver

FIXTURE	-	DIFFUSER	-	LAMP OPTIONS	-	METAL FINISH
NAPOLI26 Sconce		**WA** White Acrylic		**(blank)** 3x 60W B10 Incan		**BK** Black
				LED 3x 8W LED 120V, dimmable		**BR** Bronze
						SL Silver

Ex. NAPOLI26-WA-SL
3 Lt. Napoli 26 Sconce w/ White Acrylic, Silver Finish

EPSADA 16

The Espada 16 outdoor sconce is composed of a powder coated bracket and clear/black blown glass diffuser, with an interesting bubble pattern throughout the clear glass.

ADA COMPLIANT



2NW-ESPADA16-BK
CLEAR BUBBLE/BLACK



2NW-ESPADA16-SL
CLEAR BUBBLE/SILVER



2NW-ESPADA16-BR
CLEAR BUBBLE/BRONZE



STD LAMP: 60W A15 120V, *lamp not included.*

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours, *lamp included.*

LOCATION: WET

For latest product information, scan QR code

FIXTURE	-	GLASS OPTIONS	-	LAMP OPTIONS	-	METAL FINISH
2NW 1 Lt. Sconce		**ESPADA16** Clear Bubble		**(blank)** 2x 60W A15 Incan **LED** 2x 5W LED		**BK** Black **BR** Bronze **SL** Silver

Ex. 2NW-EPSADA16-SL
Espada 16 Sconce, Opal Matte Shade, Silver Finish

BILLOW 15

The Billow 15 outdoor sconce is composed of a finished mounting bracket and opal blown glass diffuser, with matching painted side panels.

ADA COMPLIANT



BILLOW15-BR
OPAL MATTE/BRONZE



BILLOW15-SL
OPAL MATTE/SILVER



BILLOW15-BK
OPAL MATTE/BLACK



STD LAMP: 60W A19 120V, *lamp not included.*

LED: 8W source, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

LOCATION: WET

For latest product information, scan QR code

FIXTURE	-	LAMP OPTIONS	-	FINISH
BILLOW15 Opal Matte		**(blank)** 2x 60 A19 Incan		**BK** Black
		LED 2x 8W LED		**BR** Bronze
				SL Silver

Ex. BILLOW15-BK
Billow 15 Outdoor Sconce, Black

Sail wall sconce features contemporary glass hand-formed into the faceplate. Use indoors or out.

ADA COMPLIANT



SAIL17BB-SL
BUBBLE/SILVER



SAIL17SM-BK
SMOKE BUBBLE/BLACK



Wall-mount only

Sail features decorative faceplate and aluminum fitter

STD LAMPS: 40W Medium-base B10 120V, *lamp not included,* suitable for dimming.

EDIL: 5W Replaceable LED Filament lamp, dimmable, *lamp included.* (For Bubble only)

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE		LAMP OPTIONS		METAL FINISH	
SAIL17BB	Bubble glass w/ decorative faceplate	**(blank)**	2x 40W B10 Incan	**BR**	Bronze
		EDIL	2x 5W LED Filament (For Bubble Only)	**BK**	Black
SAIL17SW	Opal glass w/ decorative faceplate			**SL**	Silver
SAIL17SM	Smoke Bubble glass w/ decorative faceplate				

Ex. SAIL17SW-BR
Sail 17 Sconce w/ Opal Glass with Bronze Faceplate,

SULU

The Sulu is a transitional design composed of a transparent radiused cone-shaped glass, with a bottom clear point and an interesting bubble pattern blown randomly throughout the glass.



SULUAM
AMBER BUBBLE



SULUCL
CLEAR BUBBLE



SULUSM
SMOKE BUBBLE



SULUBL
BLUE BUBBLE



May be used in either upward or downward orientation in indoor applications, downward only for outdoor.

Wall mount only

LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 4W Replaceable LED Filament T-shape lamp, 120V, dimmable, *lamp included.*

LED: 4W Replaceable 120V LED GU10, dimmable, 82+ CRI, 3000°K CCT, 240 lumens, 25,000 hours, *lamp included.*

LOCATION: WET

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS		-	METAL FINISH	
SULUAM-WALL	Amber Bubble		**(blank)**	60 W T10 Incan		**BK**	Black
SULUBL-WALL	Blue Bubble		**EDI**	40W Edison		**SL**	Silver
SULUCL-WALL	Clear Bubble		**EDIL**	4W LED Filament		**WH**	White
SULUSM-WALL	Smoke Bubble		**LED**	4W LED			

Ex. SULUAM-WALL-BK
Sulu Sconce w/ Amber Bubble Glass, Black Finish

BLINK

The Blink is a transitional design composed of a closed-bottom cylinder glass, with a clear bottom portion that is separated from the transcolor top by an interesting cut ellipse through the center.





BLINKSM
SMOKE/CLEAR



BLINKCL
CLEAR



BLINKAM
AMBER/CLEAR



BLINKBL
BLUE/CLEAR



May be used in either upward or downward orientation in indoor applications, downward only for outdoor.

Wall mount only

LAMP: 60W T10 120V, *lamp not included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 4W Replaceable LED Filament T-shape lamp, 120V, dimmable, *lamp included.*

LED: 4W Replaceable 120V LED GU10, dimmable, 82+ CRI, 3000°K CCT, 240 lumens, 25,000 hours, *lamp included.*

LOCATION: WET

For latest product information, scan QR code

FIXTURE/DECOR		- LAMP OPTIONS		- METAL FINISH	
BLINKAM-WALL	Amber/Clear	**(blank)**	60W T10 Incan	**BK**	Black
BLINKBL-WALL	Blue/Clear	**EDI**	40W Edison	**SL**	Silver
BLINKCL-WALL	Clear	**EDIL**	5W LED Filament	**WH**	White
BLINKSM-WALL	Smoke/Clear	**LED**	4W LED		

Ex. BLINKAM-WALL-BK
Blink Sconce w/ Smoke/Clear Glass, Black Finish

SULTANA

Our industrial styled Sultana LED sconce is composed of a black aluminum bracket and artistic display of rounded woven metal rods. The concealed direct light source results in dazzling effects, both on the wireform and adjacent surfaces.



FLARE

**Shown with LED Filament (EDIL) lamping option and Silver finish (SL)*



CYLINDER

**Shown with White finish (WH) and LED lamping option*



GLOBE

**Shown with LED lamping option*

May be used in either upward or downward orientation in indoor applications, downward only for outdoor.

STD. LAMP: 40W T8 120V, *lamp not included.*

LED: 4W Replaceable 120V LED, 82+ CRI, 3000°K CCT, 240 lumens, 25,000 hours, *lamp included.*

EDI: 40W Edison S-style lamp, *lamp not included.*

EDIL: 4W Replaceable LED Filament T9 lamp, *lamp included.*

LOCATION: WET

For latest product information, scan QR code

Sultana C:



Sultana F:



Sultana G:



FIXTURE	-	SHAPE	-	WALL	-	LAMP OPTIONS	-	FINISH
SULTANA Sultana		**C** Cylinder		**WALL** Wall Mount		**(blank)** 60W T8		**BK** Black
		F Flare				**EDI** 40W Edison		**SL** Silver
		G Globe				**EDIL** 4W LED Filament		**WH** White
						LED 4W LED		

Ex. SULTANA-G-WALL-BK
Sultana Globe Sconce, Black Finish

JUNI 10 / 16

The Juni sconce is composed of a black aluminum bracket and glass cylinder, with an interesting bubble pattern blown randomly throughout the glass. .



JUNI16BL
BLUE BUBBLE

**Shown with LED lamping option*



MOSS BUBBLE



GOLD BUBBLE



JUNI10CL
CLEAR BUBBLE

**Shown with White Finish (WH)*



LATTE BUBBLE



PLUM BUBBLE

Juni 10:



Juni 16:



May be used in either upward or downward orientation in indoor applications, downward only for outdoor.

Wall mount only

LAMP: 60W T10 120V, *lamp not included.*

LED: 4W Replaceable 120V LED GU10, dimmable, 82+ CRI, 3000°K CCT, 240 lumens, 25,000 hours, *lamp included.*

EDI: 40W Edison S-style lamp, *lamp included.*

EDIL: 4W Replaceable T-shape LED Filament lamp, 120V, dimmable, *lamp included.*

LOCATION: WET

For latest product information, scan QR code

FIXTURE/DECOR		-	LAMP OPTIONS		-	METAL FINISH	
JUNI10BL-WALL	10″ Blue Bubble		**(blank)**	60W T10 Incan		**BK**	Black
JUNI10CL-WALL	10″ Clear Bubble		**LED**	4W LED		**SL**	Silver
JUNI10GD-WALL	10″ Gold Bubble		**EDI**	40W Edison		**WH**	White
JUNI10LT-WALL	10″ Latte Bubble		**EDIL**	4W LED Filament			
JUNI10MS-WALL	10″ Moss Bubble						
JUNI10PL-WALL	10″ Plum Bubble						
JUNI16BL-WALL	16″ Blue Bubble						
JUNI16CL-WALL	16″ Clear Bubble						
JUNI16GD-WALL	16″ Gold Bubble						
JUNI16LT-WALL	16″ Latte Bubble						
JUNI16MS-WALL	16″ Moss Bubble						
JUNI16PL-WALL	16″ Plum Bubble						

Ex. JUNI10GD-WALL-BK
Juni 10 Sconce w/ Gold Bubble Glass, Black Finish

BARCLAY 18 / 22

Barlcay wall sconces features contemporary Opal glass with a decorative faceplate.



3NW-BARC22-SL
OPAL MATTE/SILVER



2NW-BARC18-BR
OPAL MATTE/BRONZE



2NW-BARC18-BK
OPAL MATTE/BLACK

Closed-ended handcrafted glass

Wall-mount only

STD LAMPS: 40W Medium-base B10 120V, *lamp not included,* suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

Barclay 18: #BARC18



Barclay 22: #BARC22



FIXTURE	-	DECOR	-	LAMP OPTIONS	-	METAL FINISH
2NW 18"H		**BARC18** Opal Matte		**(blank)** 2x 40W B10 Incan		**BR** Bronze
				LED 1x 5W LED 120V		**BK** Black
						SL Silver

FIXTURE	-	DECOR	-	LAMP OPTIONS	-	METAL FINISH
3NW 22"H		**BARC22** Opal Matte		**(blank)** 3x 40W B10 Incan		**BR** Bronze
				LED 2x 5W LED 120V		**BK** Black
						SL Silver

Ex. 3NW-BARC22-SL
3 Lt. Baaz 18 Sconce w/ Opal Matte Glass, Silver Finish

BAAZ 16 / 20

This modern wall light offers flexible design potential for a variety of outdoor or indoor uses. Handcrafted half-cylinder Opal glass is enclosed, concealing the lightsource.





3NW-786007-SL
OPAL MATTE



2NW-770207-SL
OPAL MATTE

Baaz 16: #7702



Baaz 20: #7860



Closed-ended handcrafted glass

Wall-mount only

STD LAMPS: 40W Medium-base B10 120V, *lamp not included,* suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
2NW 15.75"H	**770207** Opal Matte	**(blank)** 2x 40W B10 Incan	**BR** Bronze
		LED 1x 5W LED 120V	**BK** Black
			SL Silver

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3NW 19.75"H	**786007** Opal Matte	**(blank)** 3x 40W B10 Incan	**BR** Bronze
		LED 2x 5W LED 120V	**BK** Black
			SL Silver

Ex. 3NW-786007-SL
3 Lt. Baaz 18 Sconce w/ Opal Matte Glass, Silver Finish

LIDO

Lido is a simple, contemporary wall sconce featuring handcrafted Opal glass. Use indoors or out.

ADA COMPLIANT



888607
OPAL MATTE



STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 8W Replaceable source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE	LAMP OPTIONS
888607 8.5"H Opal Matte	**(blank)** 1x 60W A19 Incan **LED** 1x 8W LED 120V, dimmable

Ex. 888607
Lido Sconce w/ Opal Matte Glass, White Finish

TINO 13 / 18

Contemporary Tino sconce features tapered vertical handcrafted glass.



2NW-780407-SL
OPAL MATTE



3NW-780552-SL
MARBLE

Tino 13: #7804



Tino 18: #7805



Closed-ended handcrafted glass

Wall-mount only

STD. LAMP: 40W Medium-base B10 120V, *lamp not included*, suitable for dimming.

LED: 5W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 550 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
2NW 13.25"H	**780407** Opal Matte **780452** Marble	**(blank)** 2x 40W B10 Incan **LED** 1x 5W LED 120V	**BR** Bronze **BK** Black **SL** Silver

FIXTURE	DECOR	LAMP OPTIONS	METAL FINISH
3NW 18.5"H	**780507** Opal Matte **780552** Marble	**(blank)** 3x 40W B10 Incan **LED** 2x 5W LED 120V	**BR** Bronze **BK** Black **SL** Silver

Ex. 3NW-780552-SL
3 Lt. Tino 18 Sconce w/ Marble Glass, Silver Finish

GEO 9 / 11

Geo is a simple, contemporary wall sconce featuring handcrafted Opal glass. Use indoors or out.

ADA COMPLIANT



888307
OPAL MATTE



888407
OPAL MATTE

Geo 9: #8884



Geo 11: #8883



Wall-mount only (Ceiling versions: Pg. 144)

STD LAMPS: A19 120V, *lamp not included*, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE		LAMP OPTIONS
888407	9″ H Opal Matte	**(blank)** 1x 60W A19 Incan **LED** 1x 8W LED 120V, dimmable

FIXTURE		LAMP OPTIONS
888307	11.0″ H Opal Matte	**(blank)** 2x 60W A19 Incan **LED** 2x 8W LED 120V, dimmable

Ex. 888307
Geo 11 Sconce w/ Opal Matte Glass, White Finish

PRISMO 10 / 16

Prismo features clear glass with frosted panels that cross the traditional/contemporary divide. Use indoors or out.





304604
FROST/CLEAR



304504
FROST/CLEAR

Prismo 10: #3045



Prismo 16: #3046



Orient horizontal or vertical, wall-mount only

STD LAMPS: 60W A19 120V, *lamp not included*, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE	-	LAMP OPTIONS
304504 10.5"H Frost/Clear		**(blank)** 1x 60W A19 Incan **LED** 1x 8W LED 120V, dimmable

FIXTURE	-	LAMP OPTIONS
304604 16"H Frost/Clear		**(blank)** 2x 60W A19 Incan **LED** 2x 8W LED 120V, dimmable

Ex. 304604
2 Lt. Prismo 16 Sconce w/ Frost/Clear Glass, White Finish

QUATRO 10

Quatro is a quarter sphere sconce, equally at home indoors or out. Enclosed top conceals the light source.



235552
MARBLE



235507
OPAL MATTE



Handcrafted glass diffuser enclosed on top to conceal lamp if viewed from above.

STD LAMPS: A19 120V, *lamp not included*, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE		-	LAMP OPTIONS
235507	Opal Matte		**(blank)** 1x 75W A19 Incan
235552	Marble		**LED** 1x 8W LED 120V, dimmable

Ex. 235552
1 Lt. Quatro 10 Sconce w/ Marble Glass, White Finish

CIRRUS

Lovely, contemporary Cirrus wall sconce features handcrafted Opal glass. Use indoors or out. Enclosed top conceals the light source.

ADA COMPLIANT



297107
Opal Matte



STD LAMPS: 75W A19 120V, *lamp not included*, suitable for dimming.

LED: 8W source, 120V, CL dimmable, 90+ CRI, 3000°K CCT, 800 lumens, 30,000 hours.

75°C supply wire required

LOCATION: WET

For latest product information, scan QR code

FIXTURE		-	LAMP OPTIONS
297107	Opal Matte		**(blank)** 1x 75W A19 Incan
			LED 1x 8W LED 120V, dimmable

Ex. 297107
1 Lt. Cirrus Sconce w/ Opal Matte Glass, White Finish



BESALIGHTING

6695 Taylor Rd. Blacklick, OH 43004
tel (614) 762-8900 (800) 446-2372 fax (614) 762-8901
BESALIGHTING.COM **FACEBOOK.COM/BESALIGHTING**

Every effort has been made to ensure the accuracy of the information contained within this catalog. We regret any errors, oversights or omissions.

We reserve the right to make any corrections without liability.

Besa Lighting reserves the right to make design changes without prior notice. In the event that design changes are required (in order to comply with regulatory, safety laboratory requirements or due to availability of supplies), Besa assumes no responsibility for the previous design of the modified items should that previous design become unusable or obsolete.

Receipt or possession of this catalog does not constitute an agreement to sell.

All orders between buyer and seller (Besa Lighting Co., Inc.) shall be governed by and construed in accordance with the laws of the State of Ohio, applicable to contracts made and to be performed in that state.

All of the products, images, designs, layouts and text in this catalog are considered the unique intellectual property of Besa Lighting Co., Inc. and are protected by U.S. and international law. Many of the designs shown herein are patented or patent pending. Design infringement will not be tolerated and violators will be prosecuted to the fullest extent of the law.