

PRODUCT CATALOG












The Costaluz product line has been developed to meet the needs of coastal outdoor areas, while also delivering elegant designs at an affordable price. We recognize that most luminaires cannot reliably withstand these difficult environments, where the salt air can quickly age the appearance.



GLASS:

The designs illustrated in this catalog are achieved through the use of European molded blown glass, handcrafted utilizing centuries-old techniques passed from one generation to generation. Once blown into the desired shape, the glass is then hand decorated in any of a variety of finishes to complete the effect. This use of glass allows us to interpret both contemporary and traditional styles in such diversity.

BRACKETS:

The brackets and post fitters for the blown glass diffusers and globes are constructed of powder coated, cast aluminum. This finish is very durable and is a perfect compliment to characteristics of the glass. Stamped stainless steel fitter pans are used for our flush wall mount luminaires. Stainless steel "set screws" and other parts are utilized to retain the glass and are corrosion resistant.

FINISHES:

Costaluz fixtures are available in white, black or bronze finishes. The decoration of the glass diffusers and globes is hand applied by skilled craftsmen, then fired to ensure a durable and lasting finish. The result is a finish that will not tarnish, peel or fade from the elements, backed up by a 5 year limited warranty on that glass finish.





DESCRIPTION:

The "ribbed" face of these handcrafted glasses playfully diffuses the illumination. To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option). While suitable for outdoor use, the design of these luminaires easily translate into interior use.


MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, lamp not included. CFL: 120V, lamp not included (see ordering)

LOCATION: WET

75°C supply wire required

3110: 1x 75W A19 Lamp







311099-FR Bronze with frost option

ORDERING:

3 | 1 | 1 | 0 |

DECOR

- 53 White
- **57** Black
- 98 Bronze

F1 1x 18W CFL

OPTIONS

(**Blank**) 1x 75W A19 (Incan) FR Frost

GU24 1x GU24, 18W max

LAMPING

DESCRIPTION:

The arched shape of this blown glass is a perfect complement to architectural features of todays buildings. The Black and Bronze finishes are opaque, while the White finish is semi-translucent for increased light output. This is an ideal companion to the larger 2433 series. While suitable for outdoor use, the design of these luminaires easily translate into interior use.

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).


3062:

MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, lamp not included. CFL: 120V, lamp not included, non-dimming. **GU24:** 120V, lamp not included.

LOCATION: WET

75°C supply wire required





3 0 6 2 **DECOR** LAMPING **OPTIONS**

> 53 White 57 Black Bronze

98

ORDERING:

(Blank) 1x 75W A19 (Incan) F1 1x 18W CFL

GU24 1x GU24, 18W max

FR Frost

2433 series wall sconce

DESCRIPTION:

The arched shape of this European blown glass is a perfect complement to architectural features of todays buildings. The Black and Bronze finishes are opaque, while the White finish is semi-translucent for increased light output. While suitable for outdoor use, the design of these luminaires easily translate into interior use.


To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Flush mount stainless steel fitter

STD LAMP: 60W A19 120V, lamp not included. CFL: 120V, lamp not included, non-dimming. **GU24:** 120V, lamp not included.

LOCATION: WET

75°C supply wire required





ORDERING:

2 4 3 3

DECOR

53 White 57 Black

98

Bronze GU24 2x GU24, 13W max

LAMPING (Blank) 2x 60W A19 (Incan) **D2** 2x 13W CFL

OPTIONS





313998-POST

DESCRIPTION:

Series 3139 wall and post mounts compliment well with the 3062 and 2433 series. The single-piece blown glass diffuser is hand-painted; the black and bronze finishes are opaque, white the white finish is semitranslucent for increased light output.

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Available with powder coated cast aluminum post fitter or wall bracket. Post fitter is suitable for installation onto a 3" post top (not included).

STD LAMP: 75W A19 120V, lamp not included. CFL: 120V, lamp not included, non-dimming. **GU24:** 120V, lamp not included.

LOCATION: WET


75°C supply wire required


3139 Post Mount:

1x 75W A19 Lamp

3139 Wall Mount:

1x 75W A19 Lamp





ORDERING:

3 1 3 9			
<u>DECOR</u>	LAMPING	MOUNTING	<u>OPTIONS</u>
53 White	(Blank) 1x 75W A19 (Incan)	POST Post Fitter	FR Frost

53 White 57 Black

Bronze

F1 1x 18W CFL

(Blank) 1x 75W A19 (Incan) POST Post Fitter

GU24 1x GU24, 18W max

WALL Wall Mount Bracket



DESCRIPTION:

Series 3019 "half sphere" wall sconces is available in hand-painted finishes of Black, White or Bronze. The black and bronze finishes are opaque, while the white is semi-translucent for increased light output. While suitable for outdoor use, the design of these luminaires easily translate into interior use.

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, not included. CFL: 120V, lamp not included, non-dimming.


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required

3019:

1x 75W A19 Lamp





301953 White



301998-FR Bronze with Frost option

ORDERING:

3 0 1 9 **LAMPING DECOR**

53 White

57 Black

98 Bronze

(Blank) 1x 75W A19 (Incan)

F1 1x 18W CFL

GU24 1x GU24, 18W max

OPTIONS FR Frost



DESCRIPTION:

The glass globes used in series 3061 are produced in Europe, and are a complement to the 3019 series sconce. Each glass is blown into a mold to attain the basic shape and then hand-painted. The finish is applied in a technique to ensure durability. The black and bronze finishes are opaque, while the white is semi-translucent for increased light output.

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Available with powder coated cast aluminum post fitter or wall bracket. Post fitter is suitable for installation onto a 3" post top (not included).

STD LAMP: 75W A19 120V, not included. CFL: 120V, lamp not included, non-dimming.


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required


3061 Post Mount:

1x 75W A19 Lamp



3061 Wall Mount:

1x 75W A19 Lamp



ORDERING:

3 0 6 1

DECOR

White

53 57

98

Black Bronze

LAMPING (Blank) 1x 75W A19 (Incan) POST Post Fitter F1 1x 18W CFL **GU24** 1x GU24, 18W max

MOUNTING

OPTIONS FR Frost



DESCRIPTION:

Series 3083 luminaires feature European glass diffusers that are handpainted in a variety of finishes. The Black and Bronze finishes are opaque and provide glare-free illumination with a directional effect. The White finish is semi-translucent for increased light output. These luminaires may be oriented vertically (as shown) or horizontally. While suitable for outdoor use, the design of these luminaires easily translate into interior

MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, not included. CFL: 120V, lamp not included, non-dimming.


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required

3083:

1x 75W A19 Lamp





308357 Black

ORDERING:

3 0 8 3

53 White 57 Black

98 Bronze

DECOR

LAMPING (Blank) 1x 75W A19 (Incan)

F1 1x 18W CFL

GU24 1x GU24, 18W max





DESCRIPTION:

Series 3092 luminaires feature glass diffusers that are hand-painted in a variety of finishes. The Black and Bronze finishes are opaque and provide glare-free illumination with a directional effect. The White finish is semitranslucent for increased light output. These luminaires may be oriented vertically (as shown) or horizontally. While suitable for outdoor use, the design of these luminaires easily translate into interior use.

MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, not included. CFL: 120V, lamp not included, non-dimming.


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required

3092:

1x 75W A19 Lamp



ORDERING:



DECOR

53 White

57 Black 98 Bronze

LAMPING (Blank) 1x 75W A19 (Incan)

F1 1x 18W CFL

GU24 1x GU24, 18W max



DESCRIPTION:

Series 3079 wall luminaires feature blown glasses with a "ribbed" face. The black and bronze finishes are opaque at top and bottom, while the white is semi-translucent for increased light output. While suitable for outdoor use, the design of these luminaires easily translates into interior

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, not included. **CFL:** 120V, *lamp not included,* non-dimming.


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required

3079:

1x 75W A19 Lamp





307953-FR White with Frost option

ORDERING:

3 0 7 9

DECOR 53 White **57** Black

98 Bronze

(Blank) 1x 75W A19 (Incan)

F1 1x 18W CFL **GU24** 1x GU24, 18W max

LAMPING

OPTIONS



DESCRIPTION:

Series 3100 feature European blown glasses with a "ribbed" face. Each glass is blown and then hand-painted. The finish is applied in a technique to ensure durability. The black and bronze finishes are opaque, while the white is semi-translucent for increased light output.

MOUNT: Available with powder coated cast aluminum post fitter or wall bracket. Post fitter is suitable for installation onto a 3" post top (not included).

STD LAMP: 75W A19 120V, lamp not included. CFL: 120V, lamp not included, non-dimming


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required


3100 Post Mount:

1x 75W A19 Lamp



3100 Wall Mount:

1x 75W A19 Lamp



ORDERING:

3 1 0 0

	DECOR
53	White
57	Black
98	Bronze

LAMPING (Blank) 1x 75W A19 (Incan) POST Post Fitter **F1** 1x 18W CFL **GU24** 1x GU24, 18W max

310098-POST Bronze

MOUNTING

FR Frost WALL Wall Mount Bracket

OPTIONS



DESCRIPTION:

Blown opal glossy glass is hand-decorated in finishes of Black, White or Bronze to create the design of this contemporary series of wall sconces. The Black and Bronze finishes are opaque, while the White is semitranslucent for increased light output. While suitable for outdoor use, the design of these luminaires easily translate into interior use.

MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, *not included.* **CFL:** 120V, *lamp not included,* non-dimming.


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required

3091:

1x 75W A19 Lamp







309107 White/Opal

309199 Bronze/Opal

ORDERING:

3 0 9 1 - | |

DECOR

07 White/Opal

55 Black/Opal

99 Bronze/Opal

LAMPING
(Blank) 1x 75W A19 (Incan)

F1 1x 18W CFL

GU24 1x GU24, 18W max





307855-POST

ORDERING:

3 0 7 8 **DECOR** LAMPING MOUNTING

> White/Opal 07 55 Black/Opal

99 Bronze/Opal (**Blank**) 1x 75W A19 (Incan) **F1** 1x 18W CFL GU24 1x GU24, 18W max

POST Post Fitter WALL Wall Mount Bracket

DESCRIPTION:

European blown opal glossy glass is hand-decorated in finishes of Black, White or Bronze to create the design of this contemporary series of wall or post mount sconces. The Black and Bronze finishes are opaque, while the White is semi-translucent for increased light output.

MOUNT: Available with powder coated cast aluminum post fitter or wall bracket. Post fitter is suitable for installation onto a 3" post top (not included).


STD LAMP: 60W A19 120V, not included. CFL: 120V, lamp not included, non-dimming. **GU24:** 120V, lamp not included.

LOCATION: WET

75°C supply wire required


3078 Post Mount:

1x 75W A19 Lamp



3078 Wall Mount:

1x 75W A19 Lamp







315253 White

315298-FR Bronze with Frost option

DESCRIPTION:

Series 3152 wall luminaires are hand-decorated in White, Black or Bronze decors. The black and bronze finishes are opaque, while the white is semi-translucent for increased light output. While suitable for outdoor use, the design of these luminaires easily translates into interior

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Flush mount stainless steel fitter


STD LAMP: 75W A19 120V, lamp not included. CFL: 120V, lamp not included, non-dimming. **GU24:** 120V, lamp not included.

LOCATION: WET

75°C supply wire required

3152:

1x 75W A19 Lamp





315257 Black

ORDERING:

3 | 1 | 5 | 2 | |

DECOR

53 White **57** Black

98 Bronze

LAMPING (**Blank**) 1x 75W A19 (Incan)

D1 1x 13W CFL **GU24** 1x GU24, 13W max **OPTIONS**



DESCRIPTION:

Series 3151 wall and post luminaires feature blown glasses. Blown clear glass is hand-decorated and the Black and Bronze finishes are opaque, while the White finish is semi-translucent for increase light output.

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Available with powder coated cast aluminum post fitter or wall bracket. Post fitter is suitable for installation onto a 3" post top (not included).


STD LAMP: 75W A19 120V, lamp not included. CFL: 120V, lamp not included, non-dimming. GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required


3151 Post Mount:


1x 75W A19 Lamp



3151 Wall Mount:

1x 75W A19 Lamp





ORDERING:



57 Black 98 Bronze

F1 1x 18W CFL **GU24** 1x GU24, 18W max

315153-POST-FR

POST Post Fitter WALL Wall Mount Bracket



DESCRIPTION:

Seires 3028 wall luminaires feature blown glass with a classic architectural shape. The Black and Bronze finishes are opaque, while the White is semi-translucent for increased light output.

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, lamp not included. **CFL:** 120V, *lamp not included,* non-dimming.


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required

3028:

1x 75W A19 Lamp





302857-FR Black with Frost option

ORDERING:

3 0 2 8

DECOR

53 White **57** Black

98 Bronze

LAMPING (Blank) 1x 75W A19 (Incan)

D1 1x 13W CFL **GU24** 1x GU24, 13W max **OPTIONS**



DESCRIPTION:

Seires 3028 wall luminaires feature blown glass with a classic architectural shape. The Black and Bronze finishes are opaque, while the White is semi-translucent for increased light output.

To further enhance the appearance, the inside of the glass may be softly frosted (order with FR option).

MOUNT: Available with powder coated cast aluminum post fitter or wall bracket. Post fitter is suitable for installation onto a 3" post top (not included).


STD LAMP: 75W A19 120V, lamp not included. CFL: 120V, lamp not included, non-dimming. **GU24:** 120V, lamp not included.

LOCATION: WET

75°C supply wire required


3272 Post Mount:

1x 75W A19 Lamp



3272 Wall Mount:

1x 75W A19 Lamp



ORDERING:

3 2 7 2

	DECOR
53	White
E7	Plack

98

(**Blank**) 1x 75W A19 (Incan) **F1** 1x 18W CFL

MOUNTING POST Post Fitter

OPTIONS FR Frost

Bronze **GU24** 1x GU24, 18W max

327298-POST-FRBronze with Frost option



396197 Bronze/Smoke

DESCRIPTION:

The half oval design of series 3961 wall luminaires originates with skillfully blown glass. The molded glass diffusers of this series of wall luminaires are hand-decorated in Black or Bronze decor, with a warm smoke tint.

MOUNT: Flush mount stainless steel fitter

STD LAMP: 75W A19 120V, *lamp not included.* **CFL:** 120V, *lamp not included,* non-dimming.


GU24: 120V, lamp not included.

LOCATION: WET

75°C supply wire required

3961:

1x 75W A19 Lamp





ORDERING:

3 | 9 | 6 | 1 |

DECOR

56 Black/Smoke97 Bronze/Smoke

-_____

LAMPING

(Blank) 1x 75W A19 (Incan) D1 1x 13W CFL GU24 1x GU24, 13W max





ORDERING:

3 | 4 | 1 | 7 | | - | |

DECOR

56 Black/Smoke

97 Bronze/Smoke

LAMPING

(**Blank**) 1x 75W A19 (Incan) **F1** 1x 18W CFL

GU24 1x GU24, 18W max

MOUNTING

POST Post Fitter

WALL Wall Mount Bracket

DESCRIPTION:

Series 3417 wall and post luminaires feature blown glasses. Blown clear glasses are hand-decorated in Black or Bronze decor, with a warm smoke tint

MOUNT: Available with powder coated cast aluminum post fitter or wall bracket. Post fitter is suitable for installation onto a 3" post top (*not included*).


STD LAMP: 75W A19 120V, *lamp not included.* **CFL:** 120V, *lamp not included,* non-dimming. **GU24:** 120V, *lamp not included.*

LOCATION: WET

75°C supply wire required


3417 Post Mount:


1x 75W A19 Lamp



3417 Wall Mount:

1x 75W A19 Lamp







6695 Taylor Rd. Blacklick, OH 43004 tel (614) 475-7046 (800) 446-2372 fax (614) 475-7048

